Termit 140.....

To Appropriate the Public Waters of the State of Oregon

APPLICATION FOR A PERMIT

	(Name of Applicant)
(1	County of Jackson Postoffice)
tate of Oregon	, do hereby make application for a permit to appropriate the
ollowing described public	waters of the State of Oregon subject to existing rights:
If the newlinest in a co	amounties rive data and place of incomposation
1) the applicant is a co	orporation, give date and place of incorporation
	Lost Creek and the water stored in the Lo
1. The source of the p	proposed appropriation is Lake Reservoir to be constructed under
lantiam Na 5770 Ba-	(Name of stream)
outh Mr. Little Butt	e, tributary of Rogue River
2. The amount of wate	r which the applicant intends to apply to beneficial use is
6.5 cubi	c feet per second. including supplemental supply on basis of 1 including per acre
3. The use to which the	e water is to be applied is Manufacturing, Irrigation Domestic and a su
	or the irrigation of lands already having a partial water right
omestic supplies, etc.) 4. The point of diversi	The Tyrrell East Side Ditch diverts N 35 E 660 ft. from is located 4 cor between Sec. 21 and 22 being in the SW1 of NV1
	(Give distance and bearing to section corner) ting in SW1 of SW1 Sec. 3 Tp 37 S R 2 E.W.M. The Tyrrell and
	on commences at the SW cor of NE1 of NE1 ec. 9 terminating in the
of SEA Sec. 4 being	the extension of the Tyrrwll Ditch that diverts from the creek i
•	ll in Township 37 S.R. 2 E.W.M.
4 -	
eing within the	e smallest legal subdivision) of Sec. , Tp. (No. N. or S.)
(Giv	e smallest legal subdivision) (No. N. or S.)
, W. M., i	n the county of
	5. DIAN
	de Ditch to be 2 3/4
5. The	(Main ditch, canal or pine line)
	(Main ditch, canal or pipe line) in the SW1 of SW2 of Sec. 3 , Tp. 37 5
iles in length, terminating	in the SW1 of SW2 of Sec. 3 , Tp. 37 & (Smallest legal subdivision) (No. N. or S.)
iles in length, terminating	in the SW1 of SW2 of Sec. 3, Tp. 37 S
iles in length, terminating 2 E W. M., the p (No. E. or W.)	(Smallest legal subdivision) of Sec. 3, Tp. 37 & (No. N. or S.) roposed location being shown throughout on the accompanying map.
Liles in length, terminating 2 E W. M., the p (No. E. or W.) 6. The name of the dite	roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and War.
iles in length, terminating 2 E W. M., the p (No. E. or W.)	roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and War.
iles in length, terminating 2 E W. M., the p (No. E. or W.) 6. The name of the dite	roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and War.
iles in length, terminating 2 E W. M., the p (No. E. or W.) 6. The name of the dite	roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and War.
iles in length, terminating 2 E W. M., the p (No. E. or W.) 6. The name of the dite	(Smallest legal subdivision) of Sec. 3 , Tp. 37 & (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton
2 E W. M., the p (No. E. or W.) 6. The name of the dita West Side Extens	(Smallest legal subdivision) of Sec. 3 , Tp. 37 & (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton
2 E W. M., the p (No. E. or W.) 6. The name of the dita West Side Extens	(Smallest legal subdivision) of Sec. (Smallest legal subdivision) of Sec. (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton DESCRIPTION OF WORKS
2 E W. M., the p (No. E. or W.) 6. The name of the dita West Side Extens	(Smallest legal subdivision) of Sec. 3 , Tp. 37 & (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton
2 E W. M., the p (No. E. or W.) 6. The name of the dita West Side Extens: OVERSION WORKS— 7. (a) Height of dam.	of Sec. 3 , Tp. 37 S. (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton DESCRIPTION OF WORKS feet, length on top feet, length at bottom l to be used and character of construction
2 E W. M., the p (No. E. or W.) 6. The name of the dita West Side Extens: OVERSION WORKS— 7. (a) Height of dam.	of Sec. 3 , Tp. 37 S. (Smallest legal subdivision) (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton DESCRIPTION OF WORKS feet, length on top feet, length at bottom I to be used and character of construction (Loose rock, concrete,
2 E W. M., the p (No. E. or W.) 6. The name of the dite West Side Extens: OVERSION WORKS— 7. (a) Height of dam feet; materia	of Sec. 3 , Tp. 37 5 (Smallest legal subdivision) (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton DESCRIPTION OF WORKS feet, length on top feet, length at bottom I to be used and character of construction
2 E W. M., the p (No. E. or W.) 6. The name of the dite West Side Extens: OVERSION WORKS— 7. (a) Height of dam feet; materia	of Sec. 3 , Tp. 37 S. (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton DESCRIPTION OF WORKS feet, length on top feet, length at bottom l to be used and character of construction (Loose rock, concrete,
2 E W. M., the p (No. E. or W.) 6. The name of the dita West Side Extens PIVERSION WORKS— 7. (a) Height of dam feet; materia	in the SW1 of SW2 of Sec. 3 , Tp. 37 5 (No. N. or S.) roposed location being shown throughout on the accompanying map. ch, canal or other works is Tyrrell Bast Side Ditch and Tyrrell and Walton DESCRIPTION OF WORKS feet, length on top feet, length at bottom I to be used and character of construction (Loose rock, concrete, crib, etc., wasteway over or around dam)

	l Syst	EM			V							
8	3. (a)	Give di	mensio	ns at e	ach poin	t of ca	nal who	ere mater	rially cho	inged	in size,	stating mil
from	headga	ite. At	headge	ıte: Wi	dth on to	op (at i	water li	ne)	3.5	f	eet; wid	th on botto
	2.5		feet; d	lepth of	water	1.00	fe	et; grade	1.0	00	fee	t fall per or
thous	and fee	ot.										
inous	•			mil.	es from	headaa	te Wid	th on ton	(at wate	r line)		
												fee
								./eei, uep	in of wai	,61		/60
grade			fee	t fall p	er one tl	rousand	t feet.					
						-					••••••	
												· ·
ī	RILL I	א דוו	E FOL	LOWIN	G INFO	RMAT	TON W	HERE T	HE WA'	rer i	S USED	FOR:
	ATION-				G 2212 9							
			be irri	a a ted h	as a toto	al area	of	263			.acres, l	ocated in ea
				•	. k	, -						
sman	est tegt		•	·	(Give	e area of	land in ea	ch smallest	legal subdiv:	ision whi •	ch you inte	end to irrigate)
Lands	under		1	-1	~ 1							
<i>₽</i>	Mo TH	MECT U						w Lands in SW14	of SW1	alla a	in Sec.	. 3
12.5		SE T			in Sec.		5	NE 4	SE I	. Ti-:		<u> </u>
6	,	SW#	NWI	▲11	in Sec.			SE } SW }		all	in Sec	. 4
30.5		Decre	ed to	Ј Н Ту	rrell		19 3	Ne ¹ Se ¹	NE 1	a 11	in Sec	. 9
17	SE	of 1	TE A	ll in	Sec. 9		15	NE Z	NE A		in Sec.	
20 ····	alch A	ipplica	ation	No 50	61, Per	mit	38	NW 2	NW-	-33		
10 ac	. in s	5W ¹ of	NW 1			•]	52.5	The W	hole of	the a	hove l	ands being
.5 20	4 1	NECT.	200									
20 20 5	1	VEI VEI	SE.	all in	Sec. 4	*Cc	rrecte	d, See	St. Eng.	. Lett	er Feb	25th, 19
60	· 😗 :	-	-					separate she			F.N.(3.
Powe	er, Min	iing, M	ANUFAC					PURPOSES-				
10). (a)	Total c	mount	of pow	er to be	develor	oed		****	ti	heoretica	l horsepow
				. –		-					. 4	-
					d(:			
	(<i>c</i>)	The na	ture oj	the wor	rks oy m	eans of	wnicn	the powe	r is to be	e aevei	opea	
												·····
	$(d)_{\cdot}$	Such w	orks to	be loca	ted in	NW-4	OI SW	4 l subdivision)	of S	Sec)
Tn.	37	7 S	, R	2 E	. or W.)	, W. M	•					
- P	(e)	Is wate	er to be	return	ed to an	y strea	m?	Yes				
- p		*						(res or No	"			
2 19	(f)	11 80 "		2 110 WIL								
÷ [m	m	3 7 S		p	2 E	T#7
	SE ¹ c	of NE4	, Sec		9							, W.

44 M	· ·	
11. To supply the city of		
(Name of) County, having a present	t population of	, and an
stimated population ofin 191		
	<u> </u>	
	2, 13, 14, and 15 in all cases	
12. Estimated cost of proposed works, \$	3000.	
13. Construction work will begin on or before	November 1st, 1	
14. Construction work will be completed on	or before November	r 1st, 1919
15. The water will be completely applied to the	he proposed use on or	before
Close of Irrigating	Season, 1920	
Duplicate maps of the proposed ditch or oth	er works, prepared in	accordance with the rules of the
State Water Board, accompany this application.	7 11 15-	
	JHT3	
	John V	Name of applicant)
$oldsymbol{T}_{i,j}$, which is the state of the sta	en de la companya de La companya de la co	
	k, k, j. j . 1000-1000-1000-1000-1000-1000-100	
Signed in the presence of us as witnesses:	Medfo	nd One
(1) Fred N Cummings (Name)	Medio:	rd, Ore. Address of Witness)
(2) Claribel Arnold	Centra	Address of Witness)
(Name) Remarks: It is the purpose of this	•	, , , , , , , , , , , , , , , , , , ,
	s listed under this	application, and also to
25 inches of the above waters f		
	or the use of washi	
25 inches of the above waters f	or the use of washi	ing and concentrating of or
25 inches of the above waters f at the plant marked on plats.	or the use of washi	ing and concentrating of or
25 inches of the above waters f at the plant marked on plats.	or the use of washi	ing and concentrating of or
25 inches of the above waters f at the plant marked on plats.	or the use of washi	ing and concentrating of or
25 inches of the above waters f at the plant marked on plats.	or the use of washi	ing and concentrating of or
25 inches of the above waters fat the plant marked on plats.	or the use of washi	ing and concentrating of or
25 inches of the above waters fat the plant marked on plats. STATE OF OREGON.	or the use of washi	ing and concentrating of or
25 inches of the above waters f at the plant marked on plats.	or the use of washi	ing and concentrating of or
25 inches of the above waters fat the plant marked on plats. STATE OF OREGON.	or the use of washi	ing and concentrating of or
25 inches of the above waters f at the plant marked on plats. STATE OF OREGON, County of Marion, Ss. This is to certify that I have examined the	or the use of washi	ing and concentrating of or
25 inches of the above waters f at the plant marked on plats. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for correct	or the use of washi	ing and concentrating of or
25 inches of the above waters f at the plant marked on plats. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for correct	or the use of washi	ing and concentrating of or
25 inches of the above waters for the plant marked on plats. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for correct Answer to Ques. 9 & maps & fees In order to retain its priority, this application.	e foregoing application, ion or completion, as for & Reservoir.	ing and concentrating of or together with the accompanying llows:
25 inches of the above waters f at the plant marked on plats. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for correct Answer to Ques. 9 & maps & fees In order to retain its priority, this applicati tions, on or before. Mar 9	e foregoing application, ion or completion, as for & Reservoir. on must be returned to, 191.8.	together with the accompanying llows: the State Engineer, with correc
STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for correct Answer to Ques. 9 & maps & fees In order to retain its priority, this applicati	e foregoing application, ion or completion, as for & Reservoir. on must be returned to, 191.8.	together with the accompanying llows: the State Engineer, with correc
25 inches of the above waters f at the plant marked on plats. STATE OF OREGON, County of Marion, This is to certify that I have examined the maps and data, and return the same for correct Answer to Ques. 9 & maps & fees In order to retain its priority, this applicati tions, on or before. Mar 9	e foregoing application, ion or completion, as for & Reservoir. on must be returned to, 191.8.	together with the accompanying llows: the State Engineer, with correct Feb. , 191

15

Application No....5989

Permit No. 3733

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. 1 District No. This instrument was first received in the office of the State Engineer.at Salem, Oregon, on the ...16...... day of February , 191 8 at 8:30 o'clock A M.

Returned to applicant for correction Feb 17 1918

Corrected application received March 2 1918

Approved:

Mar 30 1918

Recorded in Book No..... 14..... of Permits, on Page...3733...

John H Lewis

1 map RS

State Engineer.

\$35.65

NOTE: Attention is called to the withdrawal by the State all unappropriated water of Rogue River and its tributaries above Gold Ray for use i connection with the projects investigated by the U.S. Reclamation Service and the

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject

to such reasonable rotation system as may be ordered by the proper State officer..... The right to the use of water herein granted is limited to Irrigation and a supplemental supply for the irrigation of lands already having a partial water right, manufacturing and domestic purposes, and is also limited to the waters of Lost Creek and the water stored in the Lost Lake Reservoir to be constructed under Application No. 5770, Permit No. R 427.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed. 3.39 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is February 16, 1918

Actual construction work shall begin on or before March 30, 1919

Complete application of the water to the proposed use shall be made on or before.....

October 1, 1922

WITNESS my hand this 30th day of March, 1918

John H Lewis

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.

This form approved by the State Water Board, March 11, 1909.