

To appropriate the Public Waters of the State of Oregon

S & S BUILDERS, INC.

I, S & S BUILDERS, INC. (Name of applicant)
1236 NE Walnut Street (Mailing address) Roseburg 97470
of Oregon State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
July 26, 1961 Roseburg, Oregon

1. The source of the proposed appropriation is South Umpqua River (Name of stream)
Umpqua River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.25
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Multi-domestic
(see remarks) (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 538 ft. S and 1704 ft. W from the NE
corner of Samuel B. Hadley D.L.C. No. 37 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 12, Tp. 29S
(Give smallest legal subdivision) (N. or S.)
R. 6W, W. M., in the county of Douglas
(E. or W.)

5. The (see attached map of domestic water distribution system)
(Main ditch, canal or pipe line) to be (Miles or feet)
in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.),
R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam (feet), length on top (feet), length at bottom (feet);
material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (River raw-water pumping station plus complete treatment plant)
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of, use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S	SW	6	NW $\frac{1}{4}$ SW $\frac{1}{4}$	
29S	SW	6	SW $\frac{1}{4}$ SW $\frac{1}{4}$	
29S	SW	6	NE $\frac{1}{4}$ SW $\frac{1}{4}$	(Total domestic
29S	SW	7	NW $\frac{1}{4}$ NW $\frac{1}{4}$	distribution system
29S	6W	1	SE $\frac{1}{4}$ NE $\frac{1}{4}$	lies within these
29S	6W	1	SW$\frac{1}{4}$ NE$\frac{1}{4}$ TRM	forties)
29S	6W	1	NE $\frac{1}{4}$ SE $\frac{1}{4}$	
29S	6W	1	SE $\frac{1}{4}$ SE $\frac{1}{4}$	
29S	6W	1	SW $\frac{1}{4}$ SE $\frac{1}{4}$	
29S	6W	1	NW $\frac{1}{4}$ SE $\frac{1}{4}$	
29S	6W	12	NE $\frac{1}{4}$ NE $\frac{1}{4}$	
29S	6W	12	NW $\frac{1}{4}$ NE $\frac{1}{4}$ TRM	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of Clark's Branch Water Association

Douglas County, having a present population of 100

and an estimated population of 400 in 1980

(b) If for domestic use state number of families to be supplied 25

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 40,000

12. Construction work will begin on or before Feb. 15, 1973

13. Construction work will be completed on or before Feb. 15, 1974

14. The water will be completely applied to the proposed use on or before Feb. 15, 1975

Donald R. Martin

(Signature of applicant)

Donald R. Martin, Engineer in Charge

Remarks:

S & S Builders, Inc., the applicant herein, will become CLARK'S BRANCH WATER ASSOCIATION

Water usage will be multi-domestic, including up to one-half acre irrigation for gardens in each parcel of property.

A complete water filtration plant, water service piping distribution system, raw-water pumping station, and storage reservoir (steel) are constituent parts of the proposed system. already submitted for approval to Oregon State Board of Health.

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 25, 1973.

WITNESS my hand this 25th day of May, 1973.

RECEIVED JUL 9 1973 STATE ENGINEER SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

By Wayne J. Overcash

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River.

The use to which this water is to be applied is group domestic use for 25 families including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 26, 1973

Actual construction work shall begin on or before June 28, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Extended to Oct. 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 28th day of June, 1974.

Extended to Oct. 1978

[Signature]

STATE ENGINEER

3

Application No. 50008
Permit No. 37351

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of January, 1973, at 3:55 o'clock P. M.

Returned to applicant:

Approved:

June 28, 1974

Recorded in book No. of Permits on page 27351

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 30M

Fees