

*APPLICATION FOR PERMIT

CERTIFICATE NO. 45226

To Appropriate the Public Waters of the State of Oregon

I, Richard W. & Lyda L. Holland
of Rt. 1 Box 8 Echo, Oregon 97226, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is UNRATED SPRING, a tributary of NONE

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 cubic feet per second

3. The use to which the water is to be applied is DOMESTIC - up to and including the irrigation of acre lawn & garden

4. The point of diversion is located 620 ft. S and 330 ft. W from the NE corner of SEC 15

being within the NE NE of Sec. 15, Tp. 3 S R. 40 E, W. M., in the county of Union

5. The pipe line to be 900 in length, terminating in the NE NE of Sec. 15, Tp. 3 S R. 40 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description gravity flow

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied DUE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before DONE

13. Construction work will be completed on or before DONE

14. The water will be completely applied to the proposed use on or before DONE

Rubie W. Walker
(Signature of applicant)
Lyla L. Holland

Remarks: Pipe line has been in and used for
excess of ~~seven~~ years.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic use for 1 family including the irrigation of lawn and garden not to exceed 1/2 acre in area

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 11, 1972

Actual construction work shall begin on or before October 31, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976...

Complete application of the water to the proposed use shall be made on or before October 1, 1977...

WITNESS my hand this 31st day of October, 1974

Chris L. Wheeler

STATE ENGINEER

W

Application No. 49795
Permit No. 37462

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of October, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved: October 31, 1974
Recorded in book No. of
Permits on page 37462

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 18A

Fees \$25.00