NOV 4 1974 STATE ENGINEER SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NOS3267

To Appropriate the Public Waters of the State of Oregon

tate of Oregon 97828, do hereby make application for a permit to appropriate the fillowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	tate of Olegol. 97820	I, Leonard Melville (Name of applicant)	
tate of ACAGON	tate of ALGGON. 9.1028, do hereby make application for a permit to appropriate the bilowing described public waters of the State of Oragon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is _AN		
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is		.,
1. The source of the proposed appropriation is	1. The source of the proposed appropriation is 3.1. Manifest Silvail. 1. The source of the proposed appropriation is 3.1. Manifest Silvail. 2. The amount of water which the applicant intends to apply to beneficial use is 3.4.5. 2. The amount of water which the applicant intends to apply to beneficial use is 3.4.5. 2. The use to which the water is to be applied is 1. Manifest, power, mining, assant-turing, desarted supplies, ea.) 4. The point of diversion is located 5.2. It 1. Manifest, power, mining, assant-turing, desarted supplies, ea.) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, such must be described. Use appraise sheet if seconsury) eing within the 5.6.4.5.6. (Over smallest legal subdivision) (If yearlest is to be pumped diversion) of Sec. 3.2. The 1. S. (Chr. st.) (It was in more than one point of diversion, such must be described. Use appraise sheet if seconsury) eing within the 5.6.4.5.6. (Over smallest legal subdivision) of Sec. 3.2. The 1. S. (Chr. st.) of Sec. 3.2. The 1. S. (Chr. st.) of Sec. 3.2. The 1. S. (Chr. st.) of Sec. 2.9. The 1. S. (Chr. st.) of Sec. 2.	tate of CIEGOII	tne
1. The source of the proposed appropriation is	1. The source of the proposed appropriation is 21. Mallad Sheal. (it waster is to be used from more than one source, the quantity from such) **3. The use to which the water is to be applied is 1. (It waster i	ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
a tributdry of **LISIALE************************************	. a tributdry of	If the applicant is a corporation, give date and place of incorporation	
2. The amount of water which the applicant intends to apply to beneficial use is	2. The amount of water which the applicant intends to apply to beneficial use is 4.4.5.5. Which is to be used from more than one source, tive quantity from each) **3. The use to which the water is to be applied is **Ling at Land** (Eregion, power, mining, manufacturing, dementic supplies, etc.) 4. The point of diversion is located .5.0	1. The source of the proposed appropriation is an unamed stream	
whice feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 50 ft. No. and 1300ft. W. from the SE. Orner of SEC. 32 (Baction or middividon) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SE 554 (Give smallest legal subdivision) 4. S. T. W. M., in the county of Walkawa (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SE 456 (Give smallest legal subdivision) 5. The PIPE MAR (Give smallest legal subdivision) a length, terminating in the NE 354 (Basaliset legal subdivision) of Sec. 29, Tp. S. (R. or R.) A. S. E., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loces red. concrete, manner) (b) Description of headgate (c) If water is to be pumped give general description 200 Me. 300 gp. 70. 2.300 follows.	ubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is	, a tributdry of Prairie Creek	
**3. The use to which the water is to be applied is (trigation, perwer, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is locatedSOftNandiSOOftWfrom theSEorner ofSCO32	**3. The use to which the water is to be applied is	2. The amount of water which the applicant intends to apply to beneficial use is	
4. The point of diversion is located	4. The point of diversion is located	ubic feet per second(Il water is to be used from more than one source, give quantity from each)	•••••
4. The point of diversion is located	4. The point of diversion is located	**3. The use to which the water is to be applied is	
(If there is more than one point of diversion, sech must be described. Use separate sheet if necessary) (If there is more than one point of diversion, sech must be described. Use separate sheet if necessary) eing within the SEASE (Give smallest legal subdivision) ASE, W. M., in the country of Wallawa (Received) to be 7.22 (Miles of feet) (Island ditch, canal or pipe line) to be 7.22 (Miles of feet) to length, terminating in the NEASEA (Remailest legal subdivision) of Sec. 29, Tp. / S. (Received) to be 7.22 (Miles of feet) to length, terminating in the NEASEA (Remailest legal subdivision) DESCRIPTION OF WORKS hiversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, manour) (Cloose rock, concrete, manour)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the	(Brigation, power, mining, manufacturing, domestic supplies, etc	:.)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEASEA (Give smallest legal subdivision) of Sec. 32 , Tp. / S (R. or S.) ASE , W. M., in the county of WAMAWA (R. or W.) 5. The PIPE // C. (Main ditch, canal or pipe line) to be 7.220 / (Milles or feet) a length, terminating in the MEASEA (Smallest legal subdivision) of Sec. 29 , Tp. / S (N. or S.) ASE , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS biversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mascury, che and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEASEA (Cive smallest legal subdivision) of Sec. 32, Tp. / S. (R. or S.) 1. 45 E. W. M., in the county of WANAMA (E. or W.) 5. The PIPE ///PE (Main ditch, canal or pipe line) of Sec. 29, Tp. / S. (Milles or feet) 1. 45 E. W. M., the proposed location being shown throughout on the accompanying map. 2. 45 E. W. M., the proposed location being shown throughout on the accompanying map. 2. 45 E. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Cooss rock, concrete, masons occasion of headgate (Timber, concrete, sic., number and size of openings) (c) If water is to be pumped give general description 200. H. P. 3000. Q. D. D. 200. A. (Size and tryet of pump)	4. The point of diversion is located	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEASEA (Give smallest legal subdivision) of Sec. 32 , Tp. / S (R. or S.) ASE , W. M., in the county of WAMAWA (R. or W.) 5. The PIPE // C. (Main ditch, canal or pipe line) to be 7.220 / (Milles or feet) a length, terminating in the MEASEA (Smallest legal subdivision) of Sec. 29 , Tp. / S (N. or S.) ASE , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS biversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mascury, che and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEASEA (Cive smallest legal subdivision) of Sec. 32, Tp. / S. (R. or S.) 1. 45 E. W. M., in the county of WANAMA (E. or W.) 5. The PIPE ///PE (Main ditch, canal or pipe line) of Sec. 29, Tp. / S. (Milles or feet) 1. 45 E. W. M., the proposed location being shown throughout on the accompanying map. 2. 45 E. W. M., the proposed location being shown throughout on the accompanying map. 2. 45 E. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Cooss rock, concrete, masons occasion of headgate (Timber, concrete, sic., number and size of openings) (c) If water is to be pumped give general description 200. H. P. 3000. Q. D. D. 200. A. (Size and tryet of pump)		
eing within the SEASEA (Give smallest legal subdivision) of Sec. 32 , Tp	eing within the SEASEA (Give smallest legal subdivision) of Sec. 32 , Tp. 5 (Give smallest legal subdivision) of Sec. 32 , Tp. 5 (R. or R.) 1. 45 E , W. M., in the county of WA//QWA 5. The PIPE ///LE (Main ditch, canal or pipe line) to be 7920 (Riles or feet) In length, terminating in the NEASEA (smallest legal subdivision) 1. 45 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons ock and brush, timber crib. etc., wastaway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 Q.P.M. & 3000 D. (Size and type of pump)	(Section or subdivision)	
(E. or W.) 5. The PIPE INE (Main ditch, canal or pipe line) 1. Length, terminating in the NE SE (Smallest legal subdivision) 1. A.5 E. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DESC	(E. or W.) 5. The PIPE //NE (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (Main ditch, canal or pipe line) 1. A5 E (******
n length, terminating in the NE SE (Smallest legal subdivision) (N. or S.) (n length, terminating in the NE 4 5E 4 (Smallest legal subdivision) of Sec. 29 , Tp. / S (N. or S.) R. 45 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason; ock and brush, timber crib. etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.P.M. & 300 fl. (Size and type of pumps)	(Give smallest legal subdivision) (N. or S.) R. 45 E , W. M., in the county of	
n length, terminating in the NE SE (Smallest legal subdivision) (N. or S.) (n length, terminating in the NE 4 5E 4 (Smallest legal subdivision) of Sec. 29 , Tp. / S (N. or S.) R. 45 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason; ock and brush, timber crib. etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.P.M. & 300 fl. (Size and type of pumps)	5. The PIDE ///E to be 7920 ff.	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.P.M. Q. 3000 for (Size and type of pump)	DESCRIPTION OF WORKS Oiversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. @ 300 fl. (slies and type of pump)		
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. & 300 for (Size and type of pump)	DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons bock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. & 300 fl. (Size and type of pump)	n length, terminating in the <u>/VL</u>	
biversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, seek and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. @ 300 foc (Size and type of pump)	Oiversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. @ 300 f.P. (Size and type of pump)	R. 4.5 E., W. M., the proposed location being shown throughout on the accompanying map.	
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, eck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. @ 300 foot (Size and type of pump)	6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. @ 300 fl. (Size and type of pump)		
feet; material to be used and character of construction (Loose rock, concrete, masonry, sek and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. C. 300 foot (Size and type of pump)	feet; material to be used and character of construction (Loose rock, concrete, masons (Loose rock, concrete, masons (Loose rock, concrete, masons (Example of period of peri		
(b) Description of headgate	(b) Description of headgate		
(b) Description of headgate	(b) Description of headgate	feet; material to be used and character of construction(Loose rock, concrete, material to be used and character of construction	sonry
(c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. & 300 for	(c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. @ 300 f.D.		·
(c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. & 300 for	(c) If water is to be pumped give general description 200 H.P. 3000 g.p.m. @ 300 f.D.	(b) Description of headgate(Timber, concrete, etc., number and size of openings)	••••••
			•••••
head . 8 Intake 10 Outlet 3 phase 440 Volt.	10. 10. 10. 10. 10. 10. 10. 10. 10. 10.		fa
(Died with 1) he at submit at thems in he auth! make used maket in m he witter sm:)		NEAD. 8 INTAKE 10 OUTIET 3 Phase 440 VOIT. (Gize and type of engine or motor to be used, total head water is to be lifted, etc.)	•

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(a) Character of soil	les from	ged in size, stating mil	anal where materially chang	each point of c	-	Canal System or 7. (a) Giv
thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, 2640 ft.; size at intake, 12 in.; size at 2640 from intake 10 in.; size at place of use 2640 ft. in.; difference in elevation bet intake and place of use. 200 ft. Is grade uniform? Yes. Estimated cap 7. sec ft. 8. Location of area to be irrigated, or place of use Township from sec ft. 1 S 45 F 29 SW NF 40 NF SF 39.1 SW SF 40 NF SF 39.1 SW SF 40 NF NF NF 39.1 SW NF 40 NF NF NF 39.1 (a) Total amount of power to be developed theoretical horser (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by means of which the power is to be developed the content of the works by m	ı bottom	feet; width on	ine)	op (at water l	dgate: width on 1	hea dgate . At hea
trade feet fall per one thousand feet. (c) Length of pipe, 2840 ft.; size at intake, 12 in.; size at 2840 in.; difference in elevation bet intake and place of use. 200 ft. Is grade uniform? VS5 Estimated cap 7 sec. ft. 8 Location of area to be irrigated, or place of use 10						housand feet.
(c) Length of pipe, 2640 ft.; size at intake, 12 in.; size at 2640 [322] of 8	feet;	water	feet; depth of i	ottom	feet; width on be	
to mintake /// in.; size at place of use 20.0			and feet.	per one thous	feet fall	jrade
7 sec. ft. 8. Location of area to be irrigated, or place of size Township Range Section Forty-acre Tract Number Acres To Be Irrigated with more said. 1.5 4.5 F 29 SW NF 40 NF SF 39.1 SW SF 40 NF SF 39.1 SW NF 40 NF NF NF 39.1 SW NF 40 NF NF NF 39.1 SW NF 40 SF NF 39.1 SW NF 40 SF NF 39.1 Cit more sees required, eitsets supersize sheet? (a) Character of soil LOSII. (b) Kind of crops raised Flely Grain, passiure. Power or Mining Purposes— 9. (a) Total amount of power to be developed theorem sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in the content of the works by means of which the power is to be developed feet. (f) Is water to be returned to any stream? (Two stream)						
8. Location of area to be irrigated, or place of size Township Section Township Section Forty-scre Tract Number Acres To Be Irrigat 1 S 45 F 29 SW NF 40 NF SF 39.1 SW SF 40 NF SF 39.1 SW NF 40 SF SF 39.1 SW NF 40 SF NF 39.1 Cit more sees required, eitherh separate absert) (a) Character of soil 2020. (b) Kind of crops raised 1120. LOCATION (b) Quantity of water to be developed 150. (c) Total fall to be utilized 160. (d) The nature of the works by means of which the power is to be developed 160. (e) Such works to be located in 160. Chapal special relation	capacity,	Estimated c	grade uniform?VES	ft. Is	of use200	intake and place
Section Posts section Posts series Number Acres to 30 Infant			ce of use	rigated, or pla		
AW SE 39.1 SW SE 40 SF SE 39.1 32 NW NE 40 NE NE 39.1 SW NE 40 SE NE 39.1 Character of soil 20.20. (a) Character of soil 20.20. (b) Kind of crops raised 20.20. (c) Kind of crops raised 20.20. (d) Total amount of power to be developed 3.20. (e) Quantity of water to be used for power 3.20. (d) The nature of the works by means of which the power is to be developed 3.20. (e) Such works to be located in 3.20. (f) Is water to be returned to any stream? 3.20. (THE OF INDIVIDUAL SEC. 10.20. (TH	rigated	Number Acres To Be Irr	Forty-acre Tract	Section	E. or W. of	-
NF SE 39.1 SW SF 40 SE SE 39.1 32 NW NF 40 NF NF 39.1 SW NF 40 SF NF 39.1		40	SW NE	29	45 E	15
SW SE 39.1 32 NW NE 40 NE NE 39.1 SW NF 40 SE NF 39.1 (It more space required, stack separate sheet) (a) Character of soil 20.0. (b) Kind of crops raised 12.0.0. (b) Kind of crops raised 12.0.0. (c) Total amount of power to be developed 12.0. (d) Quantity of water to be used for power 15.0. (d) The nature of the works by means of which the power is to be developed 15. (e) Such works to be located in 16.0. (f) Is water to be returned to any stream? 16.0. (Che of No. of S.) (No. N. of		40	NW SE			
SE SE 39.1 32 NW NE 40 NE NE 39.1 SW NE 40 SE NE 39.1 (It more space required, attach separate sheet) (a) Character of soil LOAM. (b) Kind of crops raised HAY. GLAM, PASTULE. Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horses (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Lagal subdivision) Tp. (No. N. or 5.), R. (No. E or W.), W. M. (f) Is water to be returned to any stream? (Cross or No.)		39.1	NE SE			
32 NW NF		40	SW SE			
NF NF 40 SE NF 39.1		39./	SE SE			
SW N/E SE N/E 39.1 (If more space required, attach separate sheet) (a) Character of soil LOJII. (b) Kind of crops raised HAY, GISIII, PASIULE Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horses (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Clean published (Logal published) (e) Such works to be located in (Logal published) (f) Is water to be returned to any stream? (Year or No)		40	NW NE	<i>32</i>		
(If more space required, sitach separate sheet) (a) Character of soil		39.1	NE NE			
(a) Character of soil		40	SW NE			
(a) Character of soil		39.1	SE NE			
(a) Character of soil						
(a) Character of soil						· · · · · · · · · · · · · · · · · · ·
(a) Character of soil	356.4	4			.	
9. (a) Total amount of power to be developed				Loam	•	
9. (a) Total amount of power to be developed theoretical horses (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in of Sec Tp, R, W. M. (f) Is water to be returned to any stream?(Yee or No)	***************************************		graun, pasiure	Hdy.,		
(c) Total fall to be utilized	rsepower.	theoretical hor	loped	wer to be deve	-	_
(d) The nature of the works by means of which the power is to be developed		ec. ft.	ower86	o be used for p	uantity of water t	(b) Qu
(d) The nature of the works by means of which the power is to be developed			feet.	zed	tal fall to be util	(c) To
(e) Such works to be located in	,	e developed	of which the power is to be	orks by mean	e nature of the u	
(f) Is water to be returned to any stream?(Yes or No)		of Sec.				(e) Su
		·				
(a) If so name stream and locate name of natural			éam?(Yes or No)	ned to any str	water to be retur	(f) Is
(g) If so, name stream and locate point of return	***************************************		nt of return	and locate poi	so, name stream	(g) If
, Sec, Tp, R, R, (No. E. or W.)	, W. M	, R	, Tp	Sec	,	•

(i) The nature of the mines to be served

10. (a) To supply the city of	·			
	having a prese	nt population of .	<i>,</i>	
d an estimated population of		in 19	<i></i>	
(b) If for domestic use st			upplied	•••••
<u> </u>			:	
•		42, 13, and 14 in all cases		
11. Estimated cost of proposed	•		.*	
12. Construction work will be				•••••••••••••••••••••••••••••••••••••••
13. Construction work will be	completed on	or before1	Nov. 1976	
14. The water will be complete	ely applied to th	he proposed use o	on or before 1 Nov.	1977
· · · · · · · · · · · · · · · · · · ·			000	
		Del Ose	(Signature of applicant)	ulb.
		t	<i>U</i>	······································
Remarks:				***********************
				••••••••
				•••••••
	•			

		·····	***************************************	
		•••••	••••••••••	·,
		·····		•••••••••••••••••••••••••••••••••••••••
		7		
			· · · · · · · · · · · · · · · · · · ·	
				•••••••••••••••••••••••••••••••••••••••
STATE OF OREGON,)		;		
County of Marion,				
This is to certify that I have	eramined the	foregoing applic	ration together with t	h <i>e accompaniina</i>
-				
naps and data, and return the sam .	.е јо т	······································		
		•		
In order to retain its priorit	y, this applicat	ion must be retur	ned to the State Engir	teer, with correc-
ions on or before		, 19		
WITNESS my hand this	day of			, 19
	- •			
	•			
e e				STATE ENGINEER
				new server
		By		ASSISTANT

Municipal or Domestic Supply—

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from an unnamed stream
The use to which this water is to be applied isirrigation
,
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
of not to exceed 31 acre feet per acre for each acre irrigated during the irri-
gation season of each year,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit isNovember 4, 1974
Actual construction work shall begin on or beforeNovember 27, 1975
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.
Complete application of the water to the proposed use shall be made on or before October 1, 19.77
WITNESS my hand this 27th day of November , 1974
STATE ENGINEER
·

This instrument was first received in the

office of the State Engineer at Sal

on the A.H. day of Nover

19.74, at 8.00 o'clock A

Returned to applicant:

TO APPROPRIATE THE PU WATERS OF THE STA' OF OREGON

PERMIT

Permit No. 3750.

Application No. ... JASS.

Permits on page 3750'

Recorded in book No.

November 27, 1974

Approved:

CHRIS L. WHEELER