

RECEIVED
JAN 29 1973

*APPLICATION FOR PERMIT

STATE ENGINEER
SALEM, OREGON

To Appropriate the Public Waters of the State of Oregon

I, City of Lincoln City
(Name of applicant)
of City Hall, Lincoln City
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Municipal Corporation March 3, 1966, Lincoln City, Oregon

1. The source of the proposed appropriation is Schooner Creek
(Name of stream)
a tributary of Siletz Bay

2. The amount of water which the applicant intends to apply to beneficial use is 3.5
from either the North Fork or the South Fork or the
cubic feet per second. combination of the two Forks
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic uses, lawn irrigation and
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
all other uses commonly made of water from a municipal system

4. The point of diversion is located XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
(N. or S.) and (E. or W.) from the
XXXXXX of 2904 Ft. South and 4330 Ft. East of the NW Corner of Section
in NE 1/4 of SE 1/4 Section 21 (Section or subdivision)
21/T7S, R10W, W.M., also 1637 Ft. South and 3749 Ft. East of the
NW Corner of Section 21, T7S, R10W, W.M. in SW 1/4 of NE 1/4 of Section 21
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the East 1/2 of Sec. 21, Tp. 7S
(Give smallest legal subdivision) (N. or S.)

R. 10W, W. M., in the county of Lincoln
(E. or W.)

5. The Pipeline to be 12 Miles
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 of NW 1/4 of Sec. 2, Tp. 7S
(Smallest legal subdivision) (N. or S.)

R. 11W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 4 feet, length on top 40 feet, length at bottom
20 feet; material to be used and character of construction Timber & Concrete
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Delivery by Gravity
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

T 7841

RECEIVED

Township 1973
North 1/4
STATE ENGINEER

Range
E. or W. of
Willamette
Meridian

	Section	Forty-Acre Tract	Number Acres to be Irrigated
T8S	R11W 3	NE 1/4 of NE 1/4	2.5
T8S	R11W 3	NW 1/4 of NE 1/4	5.0
T7S	R11W 36	W 1/2	320.0
T7S	R11W 35		640.00
T7S	R11W 34	NE 1/4 of NE 1/4	35.0
T7S	R11W 34	SE 1/4 of NE 1/4	37.5
T7S	R11W 34	NW 1/4 of NE 1/4	12.5
T7S	R11W 34	NE 1/4 of SE 1/4	37.5
T7S	R11W 34	SE 1/4 of SE 1/4	40.0
T7S	R11W 34	SW 1/4 of SE 1/4	30.0
T7S	R11W 34	NW 1/4 of SE 1/4	16.0
T7S	R11W 34	NE 1/4 of NW 1/4	7.5
T7S	R11W 27	NE 1/4	160.0
T7S	R11W 27	SE 1/4	160.0
T7S	R11W 27	NE 1/4 of NW 1/4	37.5
T7S	R11W 27	SE 1/4 of NW 1/4	38.0
T7S	R11W 27	NE 1/4 of SW 1/4	39.0
T7S	R11W 27	SE 1/4 of SW 1/4	35.0
T7S	R11W 27	SW 1/4 of SW 1/4	1.5
T7S	R11W 27	NW 1/4 of SW 1/4	1.0
T7S	R11W 26		640.0
T7S	R11W 25		640.0
T7S	R11W 23		640.0
T7S	R11W 22	NE 1/4	160.0
T7S	R11W 22	SE 1/4	160.0
T7S	R11W 22	NE 1/4 of NW 1/4	13.5
T7S	R11W 22	SE 1/4 of NW 1/4	16.0
T7S	R11W 22	NE 1/4 of SW 1/4	28.0
T7S	R11W 22	SE 1/4 of SW 1/4	31.5
T7S	R11W 15	NE 1/4 of NE 1/4	39.5
T7S	R11W 15	SE 1/4 of NE 1/4	32.5
T7S	R11W 15	SW 1/4 of NE 1/4	33.0
T7S	R11W 15	NW 1/4 of NE 1/4	24.0
T7S	R11W 15	NE 1/4 of SE 1/4	40.0
T7S	R11W 15	SE 1/4 of SE 1/4	40.0
T7S	R11W 15	SW 1/4 of SE 1/4	39.5
T7S	R11W 15	NW 1/4 of SE 1/4	35.0
T7S	R11W 15	SE 1/4 of SW 1/4	9.0
T7S	R11W 14	NE 1/4 of NE 1/4	28.0
T7S	R11W 14	SE 1/4 of NE 1/4	40.0
T7S	R11W 14	SW 1/4 of NE 1/4	30.0
T7S	R11W 14	SE 1/4	160.0
T7S	R11W 14	SW 1/4	160.0
T7S	R11W 14	NE 1/4 of NW 1/4	8.0
T7S	R11W 14	SE 1/4 of NW 1/4	20.0
T7S	R11W 14	SW 1/4 of NW 1/4	25.0
T7S	R11W 14	NW 1/4 of NW 1/4	18.0
T7S	R11W 12	NE 1/4 of NW 1/4	40.0
T7S	R11W 12	SE 1/4 of NW 1/4	40.0
T7S	R11W 12	SW 1/4 of NW 1/4	30.0
T7S	R11W 12	NW 1/4 of NW 1/4	10.0
T7S	R11W 12	NE 1/4 of SW 1/4	40.0
T7S	R11W 12	SW 1/4 of SW 1/4	40.0
T7S	R11W 12	NW 1/4 of SW 1/4	38.0

Application No. 50011
Permit No. 37605

MUN

RECEIVED
 Township North or South
 JAN 2 9 1979
 T7S E ENGINEER
 ST T7S EM CREGON

Range
 E. or W. of
 Willamette
 Meridian

	Section	Forty-Acre Tract	Number Acres to Be Irrigated
T7S	R11W	11 NE $\frac{1}{4}$ of NE $\frac{1}{4}$	4.0
T7S	R11W	11 SE $\frac{1}{4}$ of NE $\frac{1}{4}$	1.0
T7S	R11W	11 SE $\frac{1}{4}$ of NE $\frac{1}{4}$	19.0
T7S	R11W	11 NW $\frac{1}{4}$ of NE $\frac{1}{4}$	37.0
T7S	R11W	11 NE $\frac{1}{4}$ of SE $\frac{1}{4}$	10.0
T7S	R11W	11 SE $\frac{1}{4}$ of SE $\frac{1}{4}$	30.0
T7S	R11W	11 SW $\frac{1}{4}$ of SE $\frac{1}{4}$	8.0
T7S	R11W	11 NW $\frac{1}{4}$ of SE $\frac{1}{4}$	18.0
T7S	R11W	11 NW $\frac{1}{4}$	160.0
T7S	R11W	11 NE $\frac{1}{4}$ of SW $\frac{1}{4}$	40.0
T7S	R11W	11 SE $\frac{1}{4}$ of SW $\frac{1}{4}$	33.0
T7S	R11W	11 SW $\frac{1}{4}$ of SW $\frac{1}{4}$	40.0
T7S	R11W	11 NW $\frac{1}{4}$ of SW $\frac{1}{4}$	40.0
T7S	R11W	10 NE $\frac{1}{4}$ of NE $\frac{1}{4}$	40.0
T7S	R11W	10 SE $\frac{1}{4}$ of NE $\frac{1}{4}$	40.0
T7S	R11W	10 SW $\frac{1}{4}$ of NE $\frac{1}{4}$	18.0
T7S	R11W	10 NW $\frac{1}{4}$ of NE $\frac{1}{4}$	15.0
T7S	R11W	10 NE $\frac{1}{4}$ of SE $\frac{1}{4}$	40.0
T7S	R11W	10 SE $\frac{1}{4}$ of SE $\frac{1}{4}$	40.0
T7S	R11W	10 SW $\frac{1}{4}$ of SE $\frac{1}{4}$	32.0
T7S	R11W	10 NW $\frac{1}{4}$ of SE $\frac{1}{4}$	25.0
T7S	R11W	13 NE $\frac{1}{4}$ of NE $\frac{1}{4}$	34.0
T7S	R11W	3 SE $\frac{1}{4}$ of NE $\frac{1}{4}$	39.0
T7S	R11W	3 SW $\frac{1}{4}$ of NE $\frac{1}{4}$	1.0
T7S	R11W	3 NE $\frac{1}{4}$ of SE $\frac{1}{4}$	40.0
T7S	R11W	3 SE $\frac{1}{4}$ of SE $\frac{1}{4}$	40.0
T7S	R11W	3 SW $\frac{1}{4}$ of SE $\frac{1}{4}$	11.0
T7S	R11W	3 NW $\frac{1}{4}$ of SE $\frac{1}{4}$	6.0
T7S	R11W	2 NE $\frac{1}{4}$ of NE $\frac{1}{4}$	40.0
T7S	R11W	2 SE $\frac{1}{4}$ of NE $\frac{1}{4}$	35.0
T7S	R11W	2 SW $\frac{1}{4}$ of NE $\frac{1}{4}$	23.0
T7S	R11W	2 NW $\frac{1}{4}$ of NE $\frac{1}{4}$	40.0
T7S	R11W	2 NE $\frac{1}{4}$ of SE $\frac{1}{4}$	15.0
T7S	R11W	2 SE $\frac{1}{4}$ of SE $\frac{1}{4}$	2.0
T7S	R11W	2 SW $\frac{1}{4}$ of SE $\frac{1}{4}$	20.0
T7S	R11W	2 NW $\frac{1}{4}$ of SE $\frac{1}{4}$	15.0
T7S	R11W	2 SW $\frac{1}{4}$	160.0
T7S	R11W	2 NW $\frac{1}{4}$	160.0
T7S	R11W	1 NE $\frac{1}{4}$ of NW $\frac{1}{4}$	28.0
T7S	R11W	1 SE $\frac{1}{4}$ of NW $\frac{1}{4}$	23.0
T7S	R11W	1 SW $\frac{1}{4}$ of NW $\frac{1}{4}$	8.0
T7S	R11W	1 NW $\frac{1}{4}$ of NW $\frac{1}{4}$	30.0
T7S	R11W	1 NE $\frac{1}{4}$ of SE $\frac{1}{4}$	40.0
T7S	R11W	1 SE $\frac{1}{4}$ of SE $\frac{1}{4}$	39.0
T7S	R11W	1 SW $\frac{1}{4}$ of SE $\frac{1}{4}$	21.0
T7S	R11W	1 NW $\frac{1}{4}$ of SE $\frac{1}{4}$	13.0
T6S	R11W	36 NW $\frac{1}{4}$ of NE $\frac{1}{4}$	39.0
T6S	R11W	36 SW $\frac{1}{4}$	160.0
T6S	R11W	36 NE $\frac{1}{4}$ of NW $\frac{1}{4}$	8.0
T6S	R11W	36 SE $\frac{1}{4}$ of NW $\frac{1}{4}$	13.0
T6S	R11W	35 SE $\frac{1}{4}$	160.0
T6S	R11W	35 SW $\frac{1}{4}$	160.0

Application No. 50011
 Permit No. 37605

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-Acre Tract	Number Acres to be Irrigated
T6S	R11W	35	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	20.0
T6S	R11W	35	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	20.0
T6S	R11W	34	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	14.0
T6S	R11W	34	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	16.0
T6S	R11W	34	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	21.0
T6S	R11W	34	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	27.0
T6S	R11W	27	SE $\frac{1}{4}$ SW $\frac{1}{4}$ of NE $\frac{1}{4}$	5.0
T6S	R11W	27	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	15.0
T6S	R11W	27	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	14.0
T6S	R11W	26	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	7.0
T6S	R11W	26	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	20.0
T6S	R11W	26	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	20.0
T6S	R11W	25	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	6.0
T6S	R11W	25	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	39.0
T6S	R11W	25	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	40.0
T6S	R11W	25	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	33.0
T6S	R11W	25	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	15.0
T6S	R10W	30	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	13.0
T6S	R10W	30	SE $\frac{1}{4}$ of NW $\frac{1}{4}$	40.0
T6S	R10W	30	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	29.0
T6S	R10W	30	SW $\frac{1}{4}$	160.0

RECEIVED
 JAN 29 1973
 STATE ENGINEER
 SALEM OREGON

-3-

Application No. 50011
 Permit No. 37605

10. (a) To supply the city of Lincoln City

Lincoln County, having a present population of 4,500 year around
(Name of) (25,000 summer)
and an estimated population of 25,000 in 1990

(b) If for domestic use state number of families to be supplied 7142

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3,266,203

12. Construction work will begin on or before 1973-74

13. Construction work will be completed on or before 1975

14. The water will be completely applied to the proposed use on or before _____

[Handwritten Signature]
City Manager

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 8, 191973

WITNESS my hand this 8th day of March, 1973

RECEIVED
MAR 12 1973
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

By *[Handwritten Signature]*
Thomas E. Shook
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork and South Fork Schooner Creek

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 29, 1973

Actual construction work shall begin on or before January 13, 1976 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 13th day of January, 1975

BC 10-1-95, 10-1-2000

Chris L. Wheeler
STATE ENGINEER

T 7841

Amended Sp. Ord. 52-63

Application No. 50011
Permit No. 37605

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27 day of January, 1973, at 12:55 o'clock P. M.

Returned to applicant: _____

Approved: _____

January 13, 1975

Recorded in book No. _____ of 37605

Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 18 page 205

Fees \$31.00