*APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol. 5 Page 6 20

To Appropriate the Public Waters of the State of Oregon

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Will excavate a small character in stream bed to facilitate pumping only.	I, Ketura R. Riis (Name of applicant)	•••••
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation If the applicant is a corporation, give date and place of incorporation If the applicant is a corporation, give date and place of incorporation If the applicant is a corporation, give date and place of incorporation If the applicant is a corporation is Unnamed Stream Others of stream If the applicant intends to apply to beneficial use is 0.04 United from the stream of the stream	f 784 Covered Bridge Road, Rogue River	\$
If the applicant is a corporation, give date and place of incorporation	tate of Oregon, 97537, do hereby make application for a permit to approprie	ite the
1. The source of the proposed appropriation is Unnamed Stream (Name of stream) A tributary of Evans Creek 2. The amount of water which the applicant intends to apply to beneficial use is 0.24 ubic feet per second (If water is to be applied its .irrigation, power, give quantity from each) 3. The use to which the water is to be applied its .irrigation, power, mining, manufacturing, dementic supplies, etc.) 4. The point of diversion is located 1100 ft. Na and .1020. ft. Early from the .S.M. (If preferable, give distance and baseling to section corner) (If there is more than one point of diversion, each maps be described. Use separate described in necessary) eting within the S.M. S.M. (Olive smallest tags) subdivision) (If we mailiest tags) subdivision) 5. The place line to be 400 Sect (R. or s.) 1. 4. W , W. M., in the county of Jacksons. (all or mailiest tags) subdivision of Sec 11 , Tp25 S (R. or s.) (all or mailiest tags) subdivision that can or place lines (R. or s.) 1. 4. W , W. M., the proposed location being shown throughout on the accompanying map. 1. 4. W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction Will excavate a Small Cooper root, concrete, meaner of the subdivision of headgate (C. or s.) (C.) If water is to be pumped give general description 1.0 h.p. alcatric motor and the second type of pumps) (C.) If water is to be pumped give general description 1.0 h.p. alcatric motor. And the second type of pumps) (C.) If water is to be pumped give general description 1.0 h.p. alcatric motor. And the second type of pumps)	ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
a tributary of Evans Creek 2. The amount of water which the applicant intends to apply to beneficial use is O.C4 which feet per second (It water is to be used from more than one source, sive quantity from each) 3. The use to which the water is to be applied isITLEGITON. 4. The point of diversion is located 1100 ft. N. a. and 1020 ft. E. from the SM. orner of Section II (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, such must be described. Use separate sheet if necessary) eing within the SWA SEA (Ore semiles lead subdivision) (If water is more than one point of diversion, such must be described. Use separate sheet if necessary) eing within the SWA SEA (Ore semiles lead subdivision) (If water is more than one point of diversion, such must be described. Use separate sheet if necessary) eing within the SWA SEA (Ore semiles lead subdivision) (If water is more than one point of diversion, such must be described. Use separate sheet if necessary) eing within the SWA SEA (Ore semiles lead subdivision) (If water is not country of Jackson. (If water is not country of Jackson. (If water is not feet) (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11 Tp. 35 Se. (If water is not feet) Other subdivision of Sec. 11	If the applicant is a corporation, give date and place of incorporationN/A	
a tribudary of Evans Creek 2. The amount of water which the applicant intends to apply to beneficial use is O.C.4 ubic feet per second (It wase is to be used from more than one source, thre quantity from each) 3. The use to which the water is to be applied isITILESULONA. 4. The point of diversion is located \$100 ft. N.a. and \$1020 ft. E. from the SM. orner ofSection Il		
a tributary of Evans Creek 2. The amount of water which the applicant intends to apply to beneficial use is O.C4 ubic feet per second (It water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is	1. The source of the proposed appropriation is Unnamed Stream	•••••
ubic feet per second (If water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied isirrigation, power, mining, manufacturing, dements supplies, etc.) 4. The point of diversion is locatedirrigation for the irrigation of the point of diversion is locatedirrigation for subdivision. (If preferable, give divinor subdivision) (If preferable, give divinor subdivision) (If there is more than one point of diversion, each must be described. Use separate disest if necessary) eing within theSwim_Sin		
ubic feet per second (If water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied isirrigation, power, mining, manufacturing, dements supplies, etc.) 4. The point of diversion is locatedirrigation for the irrigation of the point of diversion is locatedirrigation for subdivision. (If preferable, give divinor subdivision) (If preferable, give divinor subdivision) (If there is more than one point of diversion, each must be described. Use separate disest if necessary) eing within theSwim_Sin	2. The amount of water which the applicant intends to apply to beneficial use is	•
3. The use to which the water is to be applied is irrigation, power, mining, manufacturing, demestic supplies, str.) 4. The point of diversion is located 1100 ft. No. and 1020 ft. E. from the SX. (No. 8) (No. 8) and 1020 ft. E. from the SX. (No. 8) (Rection or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if measurer) (If there is more than one point of diversion, each must be described. Use separate sheet if measurer) (If there is more than one point of diversion, each must be described. Use separate sheet if measurer) (If there is more than one point of diversion, each must be described. Use separate sheet if measurer) (If there is more than one point of diversion each must be described. Use separate sheet if measurer) (If there is more than one point of diversion each must be described. Use separate sheet if measurer) (If there is no than one point of diversion of Sec. 11 , Tp. 35 S. (If the each of the must be described. (If the each of the ea	요즘 그 아이들 아이들 그는 그들이 하는 사람들이 많아 있다면 하는 하는 사람들이 되었다. 그런 아이들이 다른 사람들이 되었다.	
4. The point of diversion is located 1100 ft. No and 1020 ft. E. from the S orner of Section 11 (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) reing within the S. S. S. (Give smallest legal subdivision) of Sec. 11 , Tp. 35 S. (N. or E.) 2 W. M., in the country of Jackson Jackson (Sec. 11 , Tp. 35 S. (N. or E.) 5. The pipeline to be 400 feet (Silles or feet) In length, terminating in the S. S. (Sec. 11 , Tp. 35 S. (N. or E.) (Smallest legal subdivision) of Sec. 11 , Tp. 35 S. (N. or E.) (Smallest legal subdivision) of Sec. 11 , Tp. 35 S. (N. or E.) (C. or W.) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a smallest legal subdivision of headgate (Cooses rock, concrete, meaning the state of openings) (b) Description of headgate (Cities and type of sump)		
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the SWM SEM of Sec. 11 Tp. 35 S. (N. or S.) (Cive smallest legal subdivision) 3. 4 W. M., in the county of Jackson. 5. The pipeline to be 400 feet (skiles or feet) (claim office, canal or pipe line) (skiles or feet) n length, terminating in the SWM SEM of Sec. 11 Tp. 35 S. (N. or S.) 3. 4 W. M., w. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a small close free, concrete, mason to be suited brush, timber crib, etc. wasteway over or around dam) (b) Description of headgate (c) If water is to be pumped give general description 1.0 h.p. electric motor and size of openings) (dise and type of smallest be used, total head water is to be lifted, etc.)	3. The use to which the water is to be applied is	s, etc.)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SWA SWA (Give smallest legal subdivision) t. 4. 4, W. M., in the county of Jackson. 5. The pipeline to be 400 feet (salin dish, canal or pipe line) formaliest legal subdivision) t. 4. 4, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction will excavate a small cleen in stream hed to facilitate pumping only. (b) Description of headgate (c) If water is to be pumped give general description 1.0 h.p. electric motor and size and type of pump) (C) If water is to be pumped give general description 1.0 h.p. electric motor and size and type of pump) (C) If water is to be pumped give general description 1.0 h.p. electric motor and size and type of pump)		
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SWA SWA GOVA (Give smallest legal subdivision) I. A. W. W. M., in the county of Jackson. S. The pipeline to be 400 foot (Miles or feet) (allies or feet) In length, terminating in the SWA SWA SWA of Sec. 11 , Tp. 35. S. (Miles or feet) I. A. W. W. M., when the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS DIVERSION Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction will excavate a small closes rock, concrete, massen on the section of headgate (b) Description of headgate (c) If water is to be pumped give general description 1.0 h.p. electric mottor and type of pump) (Silve and type of engine or motor to be used, total head water is to be lifted, etc.)	4. The point of diversion is located 1100 ft. N. and 1020 ft. E. from the	S¼.
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) peing within the SWA SEA Of Sec. 11 , Tp. 35 S. (Give smallest legal subdivision) of Sec. 11 , Tp. 35 S. (E. or W.) W. M., in the county of Jackson. 5. The Dipaline the SWA SEA Of Sec. 11 , Tp. 35 S. (Milles or feet) In length, terminating in the SWA SEA Of Sec. 11 , Tp. 35 S. (Milles or feet) In length, terminating in the Proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a small character beautiful that a pumping only. (b) Description of headgate (c) If water is to be pumped give general description 1.0 h.p. electric motor and (Size and type of spaties or motor to be used, total based water is to be lifted, stc.)		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) seing within the SWA SEA of Sec. 11 , Tp. 35 S.s. (Give smallest legal subdivision) 1. 4 W. , W. M., in the county of Jackson. 5. The pipeline (Main ditch, canal or pipe line) (Miles or feet) 1. 4 W. , W. M., the proposed location being shown throughout on the accompanying map. 1. 4 W. , W. M., the proposed location being shown throughout on the accompanying map. 1. 4 W. , W. M., the proposed location being shown throughout on the accompanying map. 1. 5 Sec. 11 , Tp. 35 Sec. (No. or Sec. 11) 1. 6 (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction will excavate a small class and brush, timber crib, sic. westeway over or around dam) (b) Description of headgate (Timber, concrete, sic., number and size of openings) (c) If water is to be pumped give general description 1.0 h.p. electric motor and size of the pump. (dise and type of engine or motor to be used, total head water is to be littled, etc.)	(Section or subdivision)	***********
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SWA SEA (Give smallest legal subdivision) I. 4 W, W. M., in the county of Jackson. (E. or W.) 5. The pipeline to be 400 feet. (Miles or feet) In length, terminating in the SWA SEA (Smallest legal subdivision) I. 4 W, W. M., the proposed location being shown throughout on the accompanying map. I. 4 W, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a small close rock, concrete, mason coats and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (c) If water is to be pumped give general description long head water is to be lifted, etc.) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)		
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the SWA SEX (Give smallest legal subdivision) 8. 4 W. , W. M., in the county of Jackson. 5. The pipeline to be 400 feet (Miles or feet) 10. Legal (E. or W.) 11. Tp. 35 S. (N. or S.) 12. 4 W. , W. M., the proposed location being shown throughout on the accompanying map. 13. 4 W. , W. M., the proposed location being shown throughout on the accompanying map. 14. DESCRIPTION OF WORKS 15. Closer ock, concrete, mason and claim of peet; material to be used and character of construction will excavate a small closer rock, concrete, mason ock and brush, timber crib, etc., waterway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 1.0 h.p. electric motor and (Size and type of pump). (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	그 이 이 아마스 사람들이 많아 이 아마스 얼마를 만든 것이 아니라 되었다. 아래들은 독일 모임 나는 그림이 없었다.	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the SWA SEX (Olive smallest legal subdivision) R. 4 W, W. M., in the county of Jackson. 5. The pipeline (Mallest legal subdivision) 1. The SEX SEX (Mallest legal subdivision) 2. 4 W, W. M., the proposed location being shown throughout on the accompanying map. 1. DESCRIPTION OF WORKS 1. DESCRIPTION		*********
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the SWA SEX (Olive smallest legal subdivision) R. 4 W, W. M., in the county of Jackson. 5. The pipeline (Mallest legal subdivision) 1. The SEX SEX (Mallest legal subdivision) 2. 4 W, W. M., the proposed location being shown throughout on the accompanying map. 1. DESCRIPTION OF WORKS 1. DESCRIPTION		
ceing within the Swix SEX (Give smallest legal subdivision) 8. 4 W. W. M., in the county of Jackson. 5. The Dipeline (Main dich. canal or pipe line) 10. (Main dich. canal or pipe line) 11. Tp. 35 S. (K. or S.) 12. 4 W. M. W. M., the proposed location being shown throughout on the accompanying map. 13. 4 W. W. W. M., the proposed location being shown throughout on the accompanying map. 14. (E. or W.) 15. DESCRIPTION OF WORKS 16. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a smalled in stream bed to facilitate pumping only. 16. (b) Description of headgate (Timber, concrete, stc., number and size of openings) (c) If water is to be pumped give general description l.O. h. p. electric motor and (Size and type of pump) (d) X 1½ centrifugal pump.	(if preferable, give distance and bearing to section corner)	
R. 4 W. M., in the county of Jackson. 5. The pipeline to be 400 feet (Miles or feet) 1. A W. M., in the county of pipe line) 1. A W. M., in the SWA SEA of Sec. 11 , Tp. 35 S. (N. or S.) 2. A W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a small (Loose rock, concrete, mason ock and brush, timber crib, etc., westeway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 1.0 h.p. electric motor and (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)		
R. 4 W. M., in the county of Jackson. 5. The pipeline to be 400 feet (Miles or feet) 1. A W. M., in the county of pipe line) 1. A W. M., in the SWA SEA of Sec. 11 , Tp. 35 S. (N. or S.) 2. A W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a small (Loose rock, concrete, mason ock and brush, timber crib, etc., westeway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 1.0 h.p. electric motor and (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	peing within the SWM SEM of Sec. 11 , Tp. 35 S.	
(Main ditch, canal or pipe line) 1. The SW/SE/SE/S of Sec. 11 Tp. 35 S. (Smallest legal subdivision) 1. 4 W. (Sec. 11 Tp. 35 S. (N. or S.) 1. 4 W. (Sec. 11 Tp. 35 S. (N. or S.) 1. 4 W. (Sec. 11 Tp. 35 S. (N. or S.) 1. 4 W. (Sec. 11 Tp. 35 S. (N. or S.) 1. 4 W. (Sec. 11 Tp. 35 S. (N. or S.) 1. 5 S. (Smallest legal subdivision) 1. 6 (a) Height of dam feet, length on the accompanying map. 1. 6 (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a smaller in stream bed to facilitate pumping only. 1. 6 (a) Description of headgate (Timber, concrete, etc., number and size of openings) 1. 6 (Size and type of pump) 1. 7 (Size and type of pump) 1. 8 (Size and type of pump)		
n length, terminating in the SWA SEA (Smallest legal subdivision) of Sec. 11 , Tp. 35 S. (N. or 8.) R. 4 W. , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction will excavate a smallelin stream bed to facilitate pumping only. (b) Description of headgate (C) If water is to be pumped give general description l.O.h.p. electric motor and the construction of pump. (Size and type of pump) (Size and type of pump)	보는 이 (Z. or W.) 이는 전환 기계를 하는 것도 하는 것을 하는 것들이 되는 것들이 되었다. 그 사람들은 사람들이 되었다.	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction will excavate a small (Loose rock, concrete, masons) tole in stream bed to facilitate pumping only. (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description look and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	5. The <u>pipeline</u> to be 400 feet (Main ditch, canal or pipe line) (Miles or feet)	•••••
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction will excavate a small (Loose rock, concrete, masons) tole in stream bed to facilitate pumping only. (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description look and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	n length, terminating in the SWK SEK of Sec. 11 , Tp. 35 S	•
DESCRIPTION OF WORKS Oiversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Will excavate a small close rock, concrete, masons only reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description look and type of pump) (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)		
Oiversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Will excavate a small (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description look and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(E. or W.)	uap.
Oiversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Will excavate a small (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description look and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	DESCRIPTION OF WORKS	
feet; material to be used and character of construction Will excavate a small close rock, concrete, masons to be in stream bed to facilitate pumping only. (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description l.O.h.p. electric motor and (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	Diversion Works—	
(C) If water is to be pumped give general description	6. (a) Height of dam feet, length on top feet, length at	bottor
(C) If water is to be pumped give general description	그는 그는 동생님은 일도로 하십시 시간에는 한경을 갖고 한 분들만 한 가톨리 대리의 문질을 하되고 있을까지 하나 하는 것은	
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description long, electric motor and (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	The state of the s	, masonr
(c) If water is to be pumped give general description l.O.h.p. electric motor and (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	ock and brush, timber crib, etc., wasteway over or around dam)	
(c) If water is to be pumped give general description l.O.h.p. electric motor and (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(b) Description of headgate	
(c) If water is to be pumped give general descriptionl_O_h_pelectric_motor_and (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Almoer, concrete, etc., number and size or openings)	
(Size and type of pump) (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	공료하는 것도 대한다는 이 그렇게 더 하면데이라면 사고 맞는 것 같다고 하는 것 같다면 나를 하셨다.	
一个一点,我们就没有一个大大,我们就会不会一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一		
一个一点,我们就没有一个大大,我们就会不会一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一	L½ x 1½ centrifugal pump.	*******
		5,7 5 5

and the second s			er line)	and the second of the second o
ousand feet.	. feet; depth of w	ater	feet; grade	feet fall per or
		miles from	headgate: width on top (at wa	ter line)
			feet; depth of	
				water jee
and the second second	feet fall			
(c) Lengt	h of pipe,40	O ft	.; size at intake,3	in.; size at 100
om intake	2 in.; s	size at place	of usein.; diff	ference in elevation betwee
take and place	of use,+2	ft.	Is grade uniform? Yes.	Estimated capacit
	sec. ft.			
			place of use	
Township North or South	Range 3			
Total of Board	winamette mengian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S.	4 W.	11	SW14 SE14	3.0 acres
	1			
	<u> </u>	(14 mains		
(a) Charac	cter of soil		ce required, attach separate sheet)decompo	sed granite.
			pasture and garder	and the second of the second o
			pasture and garder	
wer or Mining	T			
9. (a) Tot	al amount of pou	er to be det	veloped	theoretical horsepower
(b) Qu	antity of water to	be used fo	r powers	ec. ft.
			(Head)	
			ns of which the power is to be (
(e) Suc	h works to be loc	ated in	(Legal subdivision)	of Sec.
(No. N. or S.	, R. (No. E. c		. М.	
			tream?	
			(Yes or No)	
.U/IIX	o, nume stream a	na locate po	oint of return	
			(No. N. or S.)	

County, having o	a present population of
(Name of) l an estimated population of	
(0) 1) joi domestic use state num	iber of families to be supplied
(Answer qu	uestions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works,	, \$650.100
12. Construction work will begin on or	r before one year from date of priority.
13. Construction work will be complet	ed on or before October 1, 1974.
	ed to the proposed use on or before October 1, 1975
	Jetura P. Ruis (Bignature of applicant)
	(Bignature of applicant)
Remarks:	
	그는 사람이 많아 가지 않는 사람이 하는 사람들은 그 그리고 있는 것이 없다.
	그리고, 일하는 사람들이 부분들이 되었다면 하네요. 그 시간들이 모
그는 이 사람들이 되었다. 그는 그는 그 얼마를 다 살다.	
TTE OF OREGON, ss.	세다. 하는 보고 열차를 다 했다. 하는 이 나는 하는 것이다.
County of Marion,	
This is to certify that I have examined	d the foregoing application, together with the accompanying
	application must be returned to the State Engineer, with
	그러워 있다면 하면 하고 있다. 그러나 가게 하면 하는 사람들이 되는 사람들이 되는 것이 되는 것이 되었다.
ections on or before	
WITNESS my hand this day	y of, 19,
	부위하는 말했다고 그 있다는 그림들의 이번 회에 되는 그는 그 모든 그리고 되었다. 이번 때

ASSISTANT

STATE OF OREGON, Ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

stream, or its equivalent	t in case of rotation wi	th other water us	ers, fromunns	med stream
The use to which	this water is to be appl	ied is	irrigation	
If for irrigation, t	this appropriation shall	l be limited to	1/80	. of one cubic foot p
second or its equivalent		1		
of not to exceed 4				
tion season of each	n year,			
and shall be subject to	such reasonable rotati	on system as may	, be ordered by th	e proper state offic
	of this permit is			
Actual construction	on work shall begin on	or before	January 13, 19	076 and sh
th ere after be prosecuted	d with reasonable dilig	ence and be comp	leted on or before	October 1, 1976.
	tion of the water to the			
WITNESS my ha	nd this13th day	of Janua	, 19.75	20
				STATE ENGINEER
D	in th			INEER
	eived em, C			STATE ENGINEER page 42D
f4. PUBLI	0 7 M CN			zi d
T614 [T THE PUBLICE STATE ON	rst rece at Sale		2 2	
37614 RMIT ATE THE PUBLICE THE STATE REGON	vas first received gineer at Salem, C f Februar, clock A. M.		. 1975 No. 37614	
Permit No. 37614 PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the Sth. day of February, 73, at SiOO o'clock	urned to applicant: proved:	January 13, 1975. Recorded in book No. mits on page	