

REGISTERED
MAR 30 1973
STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT CERTIFICATE NO. 44672

To Appropriate the Public Waters of the State of Oregon

I, Ohmar Fronk (Name of applicant)
of 531 S. W. Mill Street, Sheridan (City),
Oregon, 97378 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring on the property of the above
named party, a tributary of Flores Terminal River Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The spring point of diversion is located 1370 ft. S and 960 ft. E from the NW
corner of Section 16 TWS 4 S Range 5 WWM.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 16, Tp. 4 S

R. 5 WWM, W. M., in the county of Yamhill

5. The 1" pipe to be 500 feet
in length, terminating in the SE 1/4 NW 1/4 of Sec. 16, Tp. 4 S

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 1 in.; size at 500 ft. from intake 1 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use, 90 ft. Is grade uniform? yes Estimated capacity, 0.01 sec. ft.

8. Location of area to be irrigated, or place of use for domestic use

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 4 S, 5 W, 16, SW 1/4 NW 1/4, House.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ already in use

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

Completed

Elda L. Chapman P/A
(Signature of applicant)

Remarks:

Water from this spring does not run off property.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use for 1 family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 30, 1973

Actual construction work shall begin on or before February 4, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 4th day of February, 1975.

Chris L. Wendler

STATE ENGINEER

3
5.6

Application No. 50227
Permit No. 37706

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of March, 1975, at 2:45 o'clock P. M.

Returned to applicant:

Approved:

February 4, 1975

Recorded in book No. of

37706

Permits on page

CHRIS L. WENDLER
STATE ENGINEER

Drainage Basin No. 2 page 20215

Fees