

NOV 14 1973

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 44562

To Appropriate the Public Waters of the State of Oregon

I, Earl L. Howard
(Name of applicant)of Box 281, MOSIER
(Mailing address) (City)

State of Oregon, 97040, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Cr. S.E. 6
(Name of stream)From Spring #2, a tributary of Mosier Cr.
& A POND,2. The amount of water which the applicant intends to apply to beneficial use is 24
cubic feet per second 23 c.f.s. for Irrigation 01 for Domestic
& over flow from spring & pond3. The use to which the water is to be applied is Irrigation and Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)4. The point of diversion is located 100 N 560 E from the SW corner of N.E. 1/4 of Section 12
Domestic Spring 2 unnamed stream (N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

Both being within the SW 1/4 NE 1/4 of Sec. 12, Tp. 2 N
(Give smallest legal subdivision) (N. or S.)R. 11 E, W. M., in the county of WASCO
(E. or W.)5. The Portable 4' x 2" Minimum Pipe to be 4" 600 ft
(Main ditch, canal or pipe line) 2" 8.80 ft
(Miles or feet)
in length, terminating in the SW 1/4 NE 1/4 of Sec. 12, Tp. 2 N
(Smallest legal subdivision) (N. or S.)

R. 11 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 7.7 feet, length on top 93 feet, length at bottom 53 feet; material to be used and character of construction Earth Filled
with 8" drain pipe bottom of dam.
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wastewater over or around dam)(b) Description of headgate
(Timber, concrete, etc., number and size of openings)(c) If water is to be pumped give general description 2 1/2" x 2 1/2" centrifugal
GAS 1 cylinder case motor
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)
feet; width on bottom feet; depth of water feet;
grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft.
from intake in.; size at place of use in.; difference in elevation between
intake and place of use, ft. Is grade uniform? Estimated capacity,
sec. ft.

..... sec. Jr.
8. Location of area to be irrigated, or place of use

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

.....
.....

(e) Such works to be located in | of Sec.

Tp. , **R.** , **W. M.**

(f) Is water to be returned to any stream? _____

(g) If so, name stream and locate point of return.....

Sec. *T₂* *R* *W. M.*

(h) The use to which power is to be applied is _____.

Municipal or Domestic Supply—

37763

10. (a) To supply the city of

..... County, having a present population of

(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 2 families.

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 3000.00

12. Construction work will begin on or before Started

13. Construction work will be completed on or before Jan. 1 1979

14. The water will be completely applied to the proposed use on or before Aug. 1 1971

* Earl J. Howard

(Signature of applicant)

Remarks: the pond is drained each winter

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 13, 1974

May 28 74
October 15 74

WITNESS my hand this 26th day of March, 1974
15th March
August 74

RECEIVED

MAR 25 1974
STATE ENGINEER
SALEM, OREGON

AUG 21 1974
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

By Thomas E. Shook

ASSISTANT

RECEIVED
APR 8 1974
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON,
County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.24..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two spring flows and reservoir to be constructed under Application No. R-51810, Permit No. R-6111.

The use to which this water is to be applied is domestic use for 2 families, irrigation and supplemental irrigation being 0.01 c.f.s. from spring for domestic and 0.23 c.f.s. from spring flows and reservoir for irrigation.

If for irrigation, this appropriation shall be limited to 1/60th of one cubic foot per second or its equivalent for each acre irrigated ..and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 14, 1973.

Actual construction work shall begin on or before April 10, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 10th day of April , 1975.


STATE ENGINEER

Application No. 514178

Permit No. 37763

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,
on the 14th day of November,
1975, at 11:15 o'clock A.M.

Returned to applicant:

Approved:

April 10, 1975

Recorded in book No. 37763
of
Permits on page 37763

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 4 page 66
Fees \$10.00