*APPLICATION FOR PERMIT

PAGE ENGINEERS

SALTM. CARROW

To Appropriate the Public Water		/	100118
1, BOWERS DISTILLERY INC	· • • • • • • • • • • • • • • • • • • •	rtificate no4	0070
ROUTE 1, Bux 176		Krisbur.	
ate of CRECEN, do hereby m	ake application	for a permit to a	opropriate the
lowing described public waters of the State of Oregon,			
If the applicant is a corporation, give date and place	of incorporatio	n	······································
1. The source of the proposed appropriation is	LLAMETT	E RIVER	
, a tributdry o	f Columb	a River	
2. The amount of water which the applicant intends	to apply to bene	eficial use is 1:2	<u>L</u>
oic feet per second	nore than one source	tive quantity from each)	·····
3. The use to which the water is to be applied is	IRRICATIO	N	
	rrigation, power, minis	ng, manufacturing, domes	tic supplies, etc.)
South 6	0° W 62	5	، ، ، ،
4. The point of diversion is located ft	and	ft from	n the Nic
(Section or sul	edivision)	:	
(If preferable, give distance and bearing		theet if necessary)	
(If there is more than one point of diversion, each must be de	scribed. Use separate	sheet if necessary) 3 H, Tp	/5-5 (N. or S.)
(If there is more than one point of diversion, each must be deing within the (Give smallest legal subdivision) W. M., in the county of LIND	scribed. Use separate	3 H, Tp	
(If there is more than one point of diversion, each must be de ng within the (Give smallest legal subdivision) W. M., in the county of LIND (E. or W.) 5. The RORTABLE SYSTEM (Main ditch, canal or pipe line)	of Sec to be	3 4 , Tp	et)
(If there is more than one point of diversion, each must be de ng within the (Give smallest legal subdivision) (E. or W.) 5. The RORTABLE SYSTEM (Main ditch, canal or pipe line) length, terminating in the (Smallest legal subdivision)	of Sec to be of Sec	(Miles or fo, Tp	(N. or S.)
(If there is more than one point of diversion, each must be de ng within the	of Sec to be of Sec	(Miles or fo, Tp	(N. or S.)
(If there is more than one point of diversion, each must be de ng within the	to be	(Miles or formation), Tp, Tp	(N. or S.) ying map.
(If there is more than one point of diversion, each must be de ng within the	to be	(Miles or formation) on the accompanion feet, leng	(N. or S.) ying map. oth at bottom
(If there is more than one point of diversion, each must be deing within the	to be	(Miles or formation) on the accompanion feet, leng	(N. or S.) ying map. oth at bottom
(If there is more than one point of diversion, each must be de ng within the	of Sec	(Miles or formation, Tp, Tp, Tp on the accompanion feet, leng	(N. or S.) ying map. th at bottom concrete, masonry
(If there is more than one point of diversion, each must be deing within the	of Sec	(Miles or formation, Tp, Tp, Tp on the accompanion feet, leng	(N. or S.) ying map. th at bottom concrete, masonry,
(If there is more than one point of diversion, each must be defing within the CGive smallest legal subdivision) W. M., in the county of LINA (E. or W.) 5. The RORTABLE SYSTEM (Main ditch, canal or pipe line) length, terminating in the (Smallest legal subdivision) W. M., the proposed location being shown of the proposed location being shown of the proposed location being shown of the proposed location being shown of the proposed location of the proposed location being shown of the proposed location bein	of Sec	(Miles or formation, Tp, Tp, Tp on the accompanion feet, leng	(N. or S.) ying map. th at bottom concrete, masonry.
(If there is more than one point of diversion, each must be defing within the Cive smallest legal subdivision) W. M., in the county of LINIA (E. or W.) 5. The CORTABLE SYSTEM (Main ditch, canal or pipe line) length, terminating in the (Smallest legal subdivision) (E. or W.) DESCRIPTION OF version Works— 6. (a) Height of dam feet, length of feet; material to be used and character of feet; material to be used and character of feet; material to he description of headgate (Timber, Cimber) (c) If water is to be pumped give general description	to be	(Miles or formation, Tp, Tp, Tp, Tp	(N. or S.) ying map. th at bottom concrete, masonry.
(If there is more than one point of diversion, each must be defing within the	of Sec	(Miles or formall on the accompany (Loose rock, and size of openings)	(N. or S.) ying map. th at bottom concrete, masonry.

eadgate. At he	adgate: width on	top (at water	r line)	feet; width on botto
	feet; depth of w	ater	feet; grade	feet fall per or
ousand feet. (b) At		miles from h	eadgate: width on top (at w	ater line)
,	feet; width on b	oottom	feet; depth o	f water fee
	feet fall			
(c) Lengt	h of pipe,	ft.,	size at intake,	in.; size at
			of use in.; d	
			Is grade uniform?	
	naa ft			
8. Locatio	on of area to be i	rrigated, or p	lace of use 87 ACE	RE S
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
155	4 w	26	543/4 501/4	15.1
		27	SEK SEK	18.0
		34	NE/4 NE/4	8 5
· · · · · · · · · · · · · · · · · · ·		34	SEL NEX	2.0
		35	www. wwith	32.6
		35	5414 NU1/4	12.8
			14,10-74	2900000
		· .		
			And the second s	
				
(n) Ch			ce required, attach separate sheet)	
			CHEHALIS	
(b) Kina	of crops raisea	.1.145154.12!	NAT.	
ower or Minir	- ·			
			veloped	
			r power	sec. ft.
			(Head) feet.	
(d) Th	ie nature of the u	orks by mea	ns of which the power is to l	pe developed
			•	
			(Legal'subdivision)	of Sec
p(No. N. or	, R(No. I	, W	. M.	
(f) Is	water to be retu	rned to any s	stream?(Yes or No)	
(g) If	so, name stream	and locate p	oint of return	

(i) The nature of the mines to be served

10.	(a) To supply th	he city of			· · · · · · · · · · · · · · · · · · ·
		County, having a pr	esent population of	·	· · · · · · · · · · · · · · · · · · ·
d an e	(Name of) estimated populati	ion of	in 19		/
		stic use state number		cumplied	•
	(b) I) joi donte.	siic use state number	oj junilies to be	supplied	
			ns 11, 12, 13, and 14 in all ca	3	
		of proposed works, \$			
12.	Construction wo	ork will begin on or be	forek	4 1975	
13.	Construction wo	rk will be completed	on or beforeI	une 1, 197	5
14.	The water will b	e completely applied t	to the proposed use	on or before	et 1975
••••••			Som C	(August	Fox
			11 3	Signature of applican	
				win Dietel	Cuy On
Re	marks:		al .		······································
			Ŋ.		***************************************
		<u> </u>			
		•			
••••••					
	·				. <u></u>
•••••	<u> </u>	<u>, </u>			
			••••••	***************************************	
••••••					
		······			
			•		
••••••		······································			,
	<u></u>				
ATE	OF OREGON,) · · · · · · · · · · · · · · · · · · ·			
Cour	nty of Marion,) ss.			
7	his is to certify t	hat I have examined	the foregoing appli	cation, together wit	h the accompanyin
aps a	nd data, and retur	rn the same for			
					en e
	_			••••••	
		n its priority, this a	;	returned to the S	tate Engineer, wit
rrect	ions on or before		, 19		
			;		
v	VITNESS my han	d this day	of	······································	19
	•				

STATE OF OREGON, County of Marion, ss.

Application No. 52780

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	The right herein g	granted is limited	to the amount	of water which	can be appli	ed to beneficial use
		t in case of rotatio				diversion from the
	The use to which	this water is to be	applied is	ir	rigation	
second	l or its equivalent	for each acre irri	gated and sh	all be furthe	er limited	f one cubic foot per
		acre feet per				g the irrigation
				•		
				-	-	oroper state officer.
		on work shall begi				and shall
		d with reasonable		1		tober 1, 19.70 re October 1, 19.77
		nd this10th				e October 1, 19
				de	, 	6. /
						STATE ENGINEER
Permit No. 37777	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	instrument was first recein f the State Engineer at Salen /4 ⁷⁴ day of <u>Esternar</u>	urned to applicant:	oroved: April 10, 1975	Recorded in book No. of mits on page	CHRIS L. WHEELER STATE ENGINEER inage Basin No. 2 page 67R