

To appropriate the Public Waters of the State of Oregon

I, Harold V and Bernice A. Nikkanen (Name of applicant) of 641 N.E. Holland St. (Mailing address), Portland (City), State of Oregon, 97211, (Zip Code), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring (Name of stream), a tributary of Nehalem River

2. The amount of water which the applicant intends to apply to beneficial use is 400 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 750 ft. N and 900 ft. E from the west corner of Section 18 on lower Nehalem river county road 282 on Dennis A & Hilborn K deeps property plat (number 201 of section 18) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 of Sec. 18, Tp. 4 N

R. 7 W, W. M., in the county of Clatsop, State of Oregon

5. The 1 inch pipe line (Main ditch, canal or pipe line) to be 1215 ft (Miles or feet) in length, terminating in the SE 1/4 NW 1/4 of Sec. 18, Tp. 4 N

R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description This is a gravity flow system (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before Preliminary work started 9-30-72

13. Construction work will be completed on or before 12-31-72

14. The water will be completely applied to the proposed use on or before as soon

as possible 12-31-73

Harold W. Tikkari

(Signature of applicant)

Bernard Tikkari

10-9-1972

Remarks: We received our permit and instructions

to run pipe line under Lower Nehalem

Road No. 282 September 25, 1972 to creek

plot no 601 from Clatsop county road

supervisor, John Dooley. You will notice on

map enclosed that we have to run pipe line

on property of Donald Deibel, owner of lot 111

and 110. His address is P.O. Box 33534 Tigard, OR 97123

We also got his permission to do so.

Enclosed is a check for \$25 for examination

and recording fees. (We don't quite understand

how much will be recorded at the court house in

Astoria) Would it be advisable to get in touch with

the court house there? I thank you kindly.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 gallon per minute measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use for one family including the irrigation of lawn and garden not to exceed one-half acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 3, 1972

Actual construction work shall begin on or before July 23, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 23rd day of July, 1975.

James E. Sexson
Water Resources Director STATE ENGINEER

Application No. 49837
Permit No. 37871

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of October, 1972, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

July 23, 1975
Recorded in book No. 37871
Permits on page

James E. Sexson
STATE ENGINEER

Drainage Basin No. 1 page 12.3

Fees