

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 40383

To appropriate the Public Waters of the State of Oregon

I, Richard H. Harrell (Name of applicant)

of Rt. 2 Box 1367 (Mailing address), Roseburg (City)

State of Oregon, 97470 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is N Umpqua River (Name of stream)

, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03

cubic feet per second 0.02 for irrigation and 0.01 for domestic (0.005 each) (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation and domestic use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 510 ft. S and 1545 ft. E from the NW corner of Section 23, T. 26 S., R. 6 W., W. M. Douglas Co. Oreg. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 23, Tp. 26 S. (Give smallest legal subdivision) (N. or S.)

R. 6 W., W. M., in the county of Douglas (E. or W.)

5. The pipeline to be 1800 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 SW 1/4 of Sec. 14, Tp. 26 S. (Smallest legal subdivision) (N. or S.)

R. 6 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" Berkeley discharge submergeable (Size and type of pump)

2 H.P. electric motor, lift 80 feet (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.





PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .....0.03..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River.....

The use to which this water is to be applied is domestic use for two families and irrigation being 0.01 c.f.s. for domestic and 0.02 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th ..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is ..... April 4, 1973.....

Actual construction work shall begin on or before ..... July 23, 1976..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.....

Complete application of the water to the proposed use shall be made on or before October 1, 1978.....

WITNESS my hand this ..... 23rd..... day of ..... July..... 19. 75.

*James E. Sexson*  
Water Resources Director

Application No. 50260  
Permit No. 37915

PERMIT

TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of April, 1973, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 23, 1975

Recorded in book No. 37915 of Permits on page

James E. Sexson  
STATE ENGINEER

Drainage Basin No. 16 page 266  
Fees