

RECEIVED
APR 1 9 1973
STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 45960

To Appropriate the Public Waters of the State of Oregon

I, Bice Dairy Corporation
(Name of applicant)
of Rt. 1 Box 175, Rickreall
(Mailing address) (City)
State of Oregon, 97371, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation 2-1-72
Rt. 1 Box 175 Rickreall

1. The source of the proposed appropriation is MUD SLOUGH
~~BASKETT~~ slough R.B.B.
(Name of stream)
a tributary of Rickreall Creek

2. The amount of water which the applicant intends to apply to beneficial use is .94
cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 220 ft. N. and 1675 ft. E. from the S.W.
(N. or S.) (E. or W.)
corner of Section 21
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 21, Tp. 7S
(Give smallest legal subdivision) (N. or S.)

R. 4W, W. M., in the county of Polk
(E. or W.)

5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec., Tp.
(Smallest legal subdivision) (N. or S.)

R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2.5 H.P. Electric Centrifugal
(Size and type of pump)
2 1/2 x 2 1/2
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
75	4 W	21	SE $\frac{1}{4}$ SW $\frac{1}{4}$	16.8
75	4 W	21	SW $\frac{1}{4}$ SE $\frac{1}{4}$	1.0
75	4 W	28	NE $\frac{1}{4}$ NW $\frac{1}{4}$	7.0 7.0
75	4 W	28	NW $\frac{1}{4}$ NE $\frac{1}{4}$	22.5 22.5
75	4 W	28	SW $\frac{1}{4}$ NE $\frac{1}{4}$	27.9
				<u>75.2</u>

(If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised Pasture + Row Crop Corn

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.94 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mud Slough

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 16, 1973

Actual construction work shall begin on or before August 13, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 13th day of August 1975

James E. ...
Water Resources Director

F. H.
25

Application No. 50301
Permit No. 37979

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of April 1973, at 12:15 o'clock P. M.

Returned to applicant:

Approved:

AUG 13 1975

Recorded in book No. 37979 of 37979 Permits on page 2

STATE ENGINEER

Drainage Basin No. 2 page 76B17
Fees ...