

RECEIVED  
APR 27 1973

STATE ENGINEER  
SALEM, OREGON

\*APPLICATION FOR PERMIT

SUPERSEDED  
CERTIFICATE NO. 45710

To Appropriate the Public Waters of the State of Oregon

I, Oregon Roses Inc. (Name of applicant)  
of 1170 East Tualatin Valley Highway Hillsboro 97123 (Mailing address) (City)  
State of Oregon 97123, do hereby make application for a permit to appropriate the (Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation July 31, 1956, Hillsboro Oregon

1. The source of the proposed appropriation is Verboort Farm Reservoir (Name of stream) and drainage ditch, a tributary of East Dairy Creek

2. The amount of water which the applicant intends to apply to beneficial use is .94 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 580 ft. N and 22° E from the SE corner of SW 1/4 NE 1/4 subdivision (Section or subdivision)

(If preferable, give distance and bearing to section corner)  
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 20, Tp. 1N, R. 3W, W. M., in the county of Washington (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 1/2 feet, length on top 127 feet, length at bottom 20 feet; material to be used and character of construction compacted clay soil (Loose rock, concrete, masonry). Most of the reservoir capacity is excavated sump behind the dam. rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 30 HP 320 GPM Turbine Pump (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use Verboort Farm

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 1N	R 3W	20	NW $\frac{1}{4}$ SE $\frac{1}{4}$	.4
T 1N	R 3W	20	NE $\frac{1}{4}$ SW $\frac{1}{4}$	1.6
T 1N	R 3W	20	SE $\frac{1}{4}$ NW $\frac{1}{4}$	21.7
T 1N	R 3W	20	SW $\frac{1}{4}$ NE $\frac{1}{4}$	33.4
T 1N	R 3W	20	SE $\frac{1}{4}$ NE $\frac{1}{4}$	2.4
T 1N	R 3W	20	NE $\frac{1}{4}$ NW $\frac{1}{4}$	6.5
T 1N	R 3W	20	NW $\frac{1}{4}$ NE $\frac{1}{4}$	8.8
T 1N	R 3W	20	NE $\frac{1}{4}$ NE $\frac{1}{4}$	.4
				75.2

(If more space required, attach separate sheet)

(a) Character of soil Woodburn silt loam, Amity silt loam, Verboort Silty Clay loam

(b) Kind of crops raised Nursery Stock

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5,500.....

12. Construction work will begin on or before April 1972.....

13. Construction work will be completed on or before September 1975.....

14. The water will be completely applied to the proposed use on or before September 1975.....

*David R. Jupp* V.P.  
(Signature of applicant)

Remarks: Legal Description:

Beginning at the Northeast corner of the donation land claim of Henry Black and wife in Section 20, Township 1 North, Range 3 West of the Willamette Meridian, and running thence West 34.11 chains; thence South 90° East 35.60 chains; thence North 75° East 33.82 chains to the East boundary of said claim; thence North 90° 30' West 26.34 chains to the place of beginning.

Excepting therefrom the following described land:

Beginning at the Northeast corner of d.L.C. of Henry Black and wife as aforesaid in Section 20, Township 1 North, Range 3 West of the Willamette Meridian, Washington County, Oregon; and running thence West 33 Chains and 37 feed; thence South 90° East 5 chains and 62 feet; thence North 76° East 33 chains and 37 feet; thence North 90° 30' West 5 chains and 62 feet to said Northeast corner of said donation land claim to the place of beginning.

Also reserving and excepting the following described land;

Beginning at the Southwest corner of the above tract and running thence North 90° West 220 feet; thence North 75° East 198 feet; thence South 90° East 220 feet to the South line of said tract; thence South 75° West 198 feet to the place of beginning.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... July 23....., 1973...

WITNESS my hand this ..... 22nd..... day of ..... May....., 1973...

RECEIVED  
JUN 11 1973  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

By *Thomas E. Shook*  
Thomas E. Shook

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.94 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from drainage ditch and Verboort Farm Reservoir to be constructed under Application No. R-50372, Permit No. R-6147.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R-6147.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 27, 1973

Actual construction work shall begin on or before August 13, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 13th day of August, 1975.

*James E. ...*  
Water Resources Director

F.H. 8

Application No. 50373  
Permit No. 38022

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of April, 1973, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

AUG 13 1975

Recorded in book No. of  
Permits on page 38022

STATE ENGINEER

Drainage Basin No. 2 page 62815

Fees 47.10