

RECEIVED  
JUN 1973  
STATE ENGINEER  
SALEM OREGON

"CERTIFICATE NO. 55992"

Permit No. 38186

ASSIGNED, See Misc. Rec., Vol.

By Page Deed

\*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Frank W Howard (Name of applicant)  
of PO Box 655 - Myrtle Creek (Mailing address) (City)  
State of Oregon, 97457 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is So Myrtle Creek (Name of stream)

Myrtle Creek, a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.07 CFS  
cubic feet per second ~~0.07 CFS~~ 0.01 CFS Irrigation 0.06 CFS  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic & Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
S + Domestic

4. The point of diversion is located 660 ft. NORTH and 1390 ft. W from the SE  
corner of SW 1/4 of the SE 1/4 of Section 24 - 729-S (Section or subdivision)  
Section 24 35 acres

House located within SW 1/4 of the SE 1/4 of Section 24  
Township 29 - Range 4 W - and also irrigated acreage  
within this 1/4 of 1/4 section of Section 24  
(If preferable, give distance and bearing to section corner)  
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of SE 1/4 of Sec. 24, Tp. 29S  
(Give smallest legal subdivision) (N. or S.)  
R. 4W, W. M., in the county of DOUGLAS  
(E. or W.)

5. The pipeline (Main ditch, canal or pipe line) to be 750' (Miles or feet)  
in length, terminating in the SW 1/4 - SE 1/4 of Sec. 24, Tp. 29S  
(Smallest legal subdivision) (N. or S.)  
R. 4W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ..... feet, length on top ..... feet, length at bottom  
..... feet; material to be used and character of construction .....  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate .....  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1/2 HP Electric  
(Size and type of pump)  
.....  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 12,000.00

12. Construction work will begin on or before 6/1/73

13. Construction work will be completed on or before 6/1/73

14. The water will be completely applied to the proposed use on or before 6/1/73

Frank W. Howard

(Signature of applicant)

P.O. Box 655 - Myrtle Creek, Ore. 97457

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction and completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 5, 1973...

WITNESS my hand this 6th day of August, 1973...

RECEIVED  
OCT 1 1973  
STATE ENGINEER  
SALEM, OREGON

Chris L. Wheeler  
By Thomas E. Shook

STATE ENGINEER

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.065 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Myrtle Creek being 0.06 c.f.s. for irrigation and 0.005 c.f.s. for domestic use.

The use to which this water is to be applied is domestic use for 1 family and irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 1, 1973

Actual construction work shall begin on or before September 10, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 10th day of September, 1975.

James E. [Signature] F.H.  
Water Resources Director STATE ENGINEER

Application No. 50582  
Permit No. 38186

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of June, 1973, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38186 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 379  
Fees 1.20