

*APPLICATION FOR PERMIT

CERTIFICATE NO. 51692

To Appropriate the Public Waters of the State of Oregon

I, Chris Muller (Name of applicant) of P.O. Box 187 (Mailing address), Dallas (City) State of Oregon, 97338 (Zip Code), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Small water intermittent drainage way and Salt Creek RES. VIOL, a tributary of Yaak Hill River (Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 0.125 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Fish culture stock water (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1580' ft. S and 120' ft. E from the N.W. corner of SEC 1 being within SW 1/4 NW 1/4 Sec 1 in drainage way #2 4290' Ft S and 200' ft E From the N.W. Corner of section 1 being within SW 1/4 SW 1/4 Sec 1

being within the State of Oregon of Sec. 1, Tp. 7S, R. 6W, W. M., in the county of Polk

5. The Main Ditch from drainage way to be 3100 feet in length, terminating in the SW 1/4 NW 1/4 of Sec. 1, Tp. 7S, R. 6W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam 22 feet, length on top 1228 feet, length at bottom 22 feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description S.H.P. Electric centrifugal on Salt Creek

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ^{3100'} ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? *y.c.s.* Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
75	6 W	1	SW $\frac{1}{4}$ NW $\frac{1}{4}$	See remarks stock water
75	6 W	1	SW $\frac{1}{4}$ NW $\frac{1}{4}$	Fish culture

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 2500.00

12. Construction work will begin on or before as built

13. Construction work will be completed on or before ~~Completed~~ NOV. 74

14. The water will be completely applied to the proposed use on or before 11-1-74

Chris J. Mueller
(Signature of applicant)

Remarks: The pond will be filled from the drainage way and will be supplemented from a pump in Salt Creek when additional water is needed in the summer months.

The livestock will drink directly from the reservoir 1.0 ac ft. The remaining water to be left in the reservoir for fish culture 0.2 ac ft.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 11 19 74

WITNESS my hand this 10th day of September 19 74

RECEIVED
OCT 3 1974
STATE ENGINEER
SALMON, OREGON

CHRIS L. WHEELER
STATE ENGINEER

By Wayne J. Overcash
Wayne J. Overcash
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.125 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from intermittent drainageway and reservoir to be constructed under application No. R-51792, Permit No. R-6167, and Salt Creek, water to be diverted from drainageway when available with any deficiency in the available supply from the drainageway to be made up by appropriation from Salt Creek provided that the total quantity diverted from both sources shall not exceed 0.125 c.f.s.

The use to which this water is to be applied is fish culture and stock being 0.01 c.f.s. for stock and 0.115 c.f.s. for fish culture.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 2, 1974

Actual construction work shall begin on or before September 10, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 10th day of September, 1975

James E. [Signature]
Water Resources Director STATE ENGINEER

Application No. 51793
Permit No. 38198

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of April, 1974, at 2:00 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of 38198
Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 90B17

Fees \$500