*APPLICATION FOR PERMIT

CERTIFICATE NO. 45802

To Appropriate the Public Waters of the State of Oregon

If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Rickreall Creek (Name of stream) 1. The source of the proposed appropriation is Rickreall Creek (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is	I, CALVIN KENNEDY
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Rickreall Creek (turns of events) a tributary of Millamette. River. 2. The amount of water which the applicant intends to apply to beneficial use is 0.23 cubic feet per second (it water is to be abelieve toom more than one source, give quantity from each) **3. The use to which the water is to be applied is Integration (frequience, power, mining, monateriorise, demonstrative, with) **4. The point of diversion is located \$5.0. ft No and \$45.0 ft from the .SM (d. w.w.) **Order of Secrition 29 (the source) (If perforable, give distance and bearing to section corpor) (If there is more than one point of diversion, such must be described. Use separate death if assumpty) (If there is more than one point of diversion, such must be described. Use separate death if assumpty) (If there is more than one point of diversion, such must be described. Use separate death if assumpty) (If there is more than one point of diversions, such must be described. Use separate death if assumpty) (If there is more than one point of diversions and bearing to section corpor) (If there is more than one point of diversions and bearing to section corpor) (If there is more than one point of diversions and bearing to section corpor) (If there is more than one point of diversions and bearing to section corpor) (If there is more than one point of diversions and bearing to section corpor) (If there is more than one point of diversions and bearing to section corpor) (If there is more than one point of diversions and bearing to section corpor) (If there is more than one point of diversions and bearing to section corpor) (If there is more than one point of diversions are divers	, ·
collowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation isRickreall_Creek	(Matting address)
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	State ofOregon do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
a tributary of Millamette River 2. The amount of water which the applicant intends to apply to beneficial use is 0.23. """"""""""""""""""""""""""""""""""	If the applicant is a corporation, give date and place of incorporation
a tributary of Millamette River 2. The amount of water which the applicant intends to apply to beneficial use is 0.23. """"""""""""""""""""""""""""""""""	
a tributary of Millamette River 2. The amount of water which the applicant intends to apply to beneficial use is 0.23. """"""""""""""""""""""""""""""""""	1. The source of the proposed engagement in Pickreall Creek
2. The amount of water which the applicant intends to apply to beneficial use isQ_2_2	
whice feet per second. (If water is to be used from more than one source, afre quantity from each) **3. The use to which the water is to be applied isixxigation, power, mining, menufacturing, domestic supplies, etc.) *4. The point of diversion is located850ftN_A and460ftE from the SN	, a tributary ofWillamette River
**3. The use to which the water is to be applied isirrigation irrigation	
**3. The use to which the water is to be applied isirrigation power, mining, manufacturing, domestic supplies, etc.) **4. The point of diversion is located850 _ ftN and460 _ ftE _ from the .SW	cubic feet per second. (If water is to be used from more than one source, give quantity from each)
A. The point of diversion is located850ftN and460ftEfrom the .SW	
(If preferable, give distance and bearing to section corpor?) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(If preferable, give distance and bearing to section corpore) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within theSW1/4	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the SW 1/4 SW 1/4 of Sec. 29 75. R. 4 W ,, W. M., in the county of Polk (Give smallest legal subdivision) 5. The Pipe (Main ditch, canal or pipe line) (Miles or feet) n length, terminating in the (Smallest legal subdivision) R. 4 W ,, W. M., the proposed location being shown throughout on the accompanying map. C. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet; material to be used and character of construction (Loose reck, concrete, masonry, cost and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and site of openings)	1. The point of diversion is located <u>850</u> ft. N _s and 460 ft. E from the SW
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the SW 1/4 SW 1/4 of Sec. 29 75. 75. (Give multiple legal subdivision) R. 4 W ,, W. M., in the county of Polk (E. or W.) 5. The pipe (Miles or feet) n length, terminating in the (Smallest legal subdivision) of Sec. 29 75. 75. (R. or S.) (R. 4 W ,, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet; material to be used and character of construction (Loose reck, concrete, masonry, cost and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	corner ofSection 29
(If preferable, give distance and bearing to section corper) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the	and the control of th
(If there is more than one point of diversion, each must be described. Use separate sheet if secondary) peing within the SW 1/4 SW 1/4 of Sec. 29 , Tp. 75 (Give smallest legal subdivision) R. 4 M , W. M., in the county of POlk (R. or W.) 5. The pipe (Main ditch, canal or pipe line) n length, terminating in the (Smallest legal subdivision) R. 4 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonary, work and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
(If there is more than one point of diversion, each must be described. Use separate sheet if secondary) peing within the SW 1/4 SW 1/4 of Sec. 29 , Tp. 75 (Give smallest legal subdivision) R. 4 M , W. M., in the county of POlk (R. or W.) 5. The Pipe (Main ditch, canal or pipe line) n length, terminating in the (Smallest legal subdivision) R. 4 W , W. M., the proposed location being shown throughout on the accompanying map. OESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masoner, work and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
(If there is more than one point of diversion, each must be described. Use separate sheet if secondary) peing within the SW 1/4 SW 1/4 of Sec. 29 , Tp. 75 (Give smallest legal subdivision) R. 4 M , W. M., in the county of POlk (R. or W.) 5. The Pipe (Main ditch, canal or pipe line) n length, terminating in the (Smallest legal subdivision) R. 4 W , W. M., the proposed location being shown throughout on the accompanying map. OESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masoner, work and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	**************************************
Description Works— 6. (a) Height of dam Description of headgate (b) Description of headgate (Clive smallest legal subdivision) (Clive	(At preserable, give distance and bearing to section corner)
R	
5. The	being within the SW 1/4 SW 1/4 of Sec. 29 , Tp. 7S (Give smallest legal subdivision)
n length, terminating in the	R4W, W. M., in the county ofPolk
n length, terminating in the	5. The pipe to be
DESCRIPTION OF WORKS Oiversion Works— 6. (a) Height of dam	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam jeet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, eck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	n length, terminating in the
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	R4.W, W. M., the proposed location being shown throughout on the accompanying map.
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
feet; material to be used and character of construction	
(b) Description of headgate	
(b) Description of headgate	
(b) Description of headgate	rock and brush, timber crib, etc., wasteway over or around dem)
(c) If water is to be pumped give general description	
Anna mine & Anna	(c) If water is to be pumped give general description
***************************************	Manage of the second se
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

			f canal where materially chan		•
			r line)		
ousand feet.			feet; grade	•	-
			headgate: width on top (at wat		
	feet; width on b	ottom	feet; depth of	water	fe
ade	feet fall	per one tho	usand feet.		
(c) Length	ı of pipe,	ft	.; size at intake,6	in.; size at	
om intake	in.;	sir qt place	of use in.; di	fference in elevat	ion betwe
		# F	Is grade uniform?		
		•			
		rrigated, or 1	place of use	•••••••••••••••••••••••••••••••••••••••	······································
Township North or South	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To	Be Irrigated
7 S	4W	29	NE 1/4 to NW 1/4	14.2	•
`					
				<u> </u>	•
•		•			
· · · · · · · · · · · · · · · · · · ·			·		
,					······································
					•
<u>, , , , , , , , , , , , , , , , , , , </u>					
		(If more space	e required, attach separate sheet)	<u> </u>	<u>.</u>
(a) Cho	racter of soil		VY		•••••••
			sture		
wer or Mining	Purposes—	•	•		
9. (a) Tot	al amount of pos	wer to be de	veloped	theoretical	horsepou
(b) Qu	antity of water to	be used for	power se	c. ft.	
			feet.	•	
	,		(Head) ins of which the power is to be		•
		or to og mea	of which the power is to be	aevelopea	40000000000000000
/-\ G			***************************************		••••••••••••••
			(Legal subdivision)	of Sec	••••••••••••
	, R(No. E.	· · · · · · ·			
(f) Is t	vater to be retur	ned to any s	tream?(Yes or No)	•	
(g) If a	o, name stream	and locate p	oint of return		
	•••••••••••••••••••••••••••••••••••••••	Sec	, Tp(No. N. or S.)	R	127
/h) mh	a era a da aubitab		applied is	(No. 3. er 1	W.)
(n) The	e use to watca no	wet is in he	applied is		

. . . .

...

	nty, having a 1	pr es ent	populatio	n of	***********		
(Name of) nd an estimated population of	•			•			
•					•		t
(b) If for domestic us	se state numb	er of f	amilies to	be suppli	ed)= 19	
	(Answer quest	ions 11, 43,	13, and 14 in a	li cases)	 .	!	
11. Estimated cost of propo	sed works, \$			****	. ه	, (•. •	
12. Construction work wil		1	•				
							10+ 00-00 0-00-00-00-0
13. Construction work wil	l be completed	d on or	before	compl	eted		
14. The water will be comp	pletely applied	l to the	proposed	use on or	before	Octobe	<u>r 1, 1</u>
***************************************	····		******************				· · · · · · · · · · · · · · · · · · ·
	•		CO	•	N.	- <i>- 1</i>	
			<u> </u>		Signature of app	ilcant)	*
		j.	Au	elle	ten	nedy	<u></u>
Remarks:	, 		**************	***********	***************************************		•••••••
	•••••••				***********) 	****
······································	······································				*****************		
		•)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
•						1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 	···
***************************************		**********			*****************) # # # # # # # # # # # # # # # # # # #) (
***************************************	,				····)	
•••••••			*		** • • • • • • • • • • • • • • • • • •		5
***************************************			*******	************		**********	********
***************************************				***********	;)*******************	
	• .	,			į	194 00 11 11 11 11 11 11 11 11 11 11 11 11 1	/*************************************
***************************************		••••		***************************************	M	**************************************	F
	**********************	***********	•) 	····
MATE OF ORECON	•	f.		•	٠, ١		:
TATE OF OREGON,	1						•
County of Marion,							
This is to certify that I h	ave examined	l the fo	regoing a	pplication	, together t	vith the acc	ompanyir
naps and data, and return the s	ame for	*********		******************		•••	,
			•				/
	••••••••••••••••••	•••••	•••••••••	•••••••••	••••••••	······································	
In order to retain its prio	rity, this app	lication	must be r	eturned t	o the State	Engineer, 1	vith corre
ons on or before	********	1	9		·		5 •••
			,	\$ *			
	•	•					· · · · · · · · · · · · · · · · · · ·
WITNESS my hand this	day	of	************	************	**************		19
				•			Ý.
					· ·		4

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	•	nted is limited to the	•			. *(
		case of rotation with				
***************************************	••••••		······································			***************************************
The	use to which thi	s water is to be applie	d is irrigation	on.		
***************************************	•••••••••••••••••••••••••••••••••••••••				,	••••••
If fo	or irrigation, this	appropriation shall be	limited to1/8	30th	of one cub	oic foot per
		each acre irrigated!				
not to	exceed 2 1/2 s	cre feet per acre	for each acre	irrigated	during the	irrigation
	of each year,					***************************************

	Santagan (Santagan)	under der State der Geber der Geber der Geben der G Geben der Geben der G		man di		
•••••••••••••••••••••••••••••••••••••••				······································		***************************************
***************************************						••••••
and shall	be subject to such	reasonable rotation s	ystem as may be	ordered by the	e proper state of	fficer,
		this permit isMay 2			•	, N
		work shall begin on o ith reasonable diligen				مع مريز
•		of the water to the p	· -		·	
WI	TNESS my hand	this9th da	y of October	6	, 19.75	
•			Water	Resources Direct	toj	S.H.
1					AND on	10.50
Application No. 482.65 Permit No. 38231	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the Hater Resources Director of the State Engineer at Salem, Oregon, m the 25 ^m day of May	Ver urned to applicant:	Sproved:	Termits on page 38231	Frainage Basin No. 2 page 75.813 ees

State Printing 1813