STARE CINCHNICER SALUM OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon The United States of America, represented by the

of P. O. Box 2946, Portland Conclusing selection State of	Incomposed States of America, represented by the Incomposed Engineers, Department of the Army, Portland District	. •
State of OKREON , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Rogue River Others of stream) 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 100 RPm by the state is to be unfairly tight one source, give usentity from such. **3. The use to which the water is to be applied is *** ** ** ** ** ** ** ** ** ** ** ** *	(Name of applicant)	••••••
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is a tributary of 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 100 gpm by the substitute of the substitute		
1. The source of the proposed appropriation is Rogue River (1) The source of the proposed appropriation is Rogue River (2) The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 100 gpm breaks + 250 gpm breaks + 100 gpm breaks + 250 gpm breaks + 100 gpm diverse to be buddent of the water is to be applied is Armenata. 100 gpm diverse to the water is to be applied is Armenata. 100 gpm diverse to the subdent of the water is to be applied is Armenata. 100 gpm diverse to the subdent of the property of the second of the water is to be applied in the second of the water is to be applied in the second of the water is to be applied in the second of the water of the water is to be applied in the second of the water is to b	State ofOregon, do hereby make application for a permit to appropr	iate the
1. The source of the proposed appropriation is	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	i
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 100 gpm by size y + 250 gpm by right. (If water is to be uned fight, Tights one source, are quantity from each) **3. The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 12 gpm. **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of the New (a.e.w.) **The point of the section of the accompanying map. **The point of the accompanying map. **The point of the accompanying map. **The point of the accompany of the accompanying map. **The point of the accompany of the accompanying map. **The point of the accompany of the a	If the applicant is a corporation, give date and place of incorporation	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 100 gpm by size y + 250 gpm by right. (If water is to be uned fight, Tights one source, are quantity from each) **3. The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 12 gpm. **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of the New (a.e.w.) **The point of the section of the accompanying map. **The point of the accompanying map. **The point of the accompanying map. **The point of the accompany of the accompanying map. **The point of the accompany of the accompanying map. **The point of the accompany of the a	***************************************	
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 100 gpm by size y + 250 gpm by right. (If water is to be uned fight, Tights one source, are quantity from each) **3. The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 100 gpm. **The use to which the water is to be applied is American 12 gpm. **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of the NE (a.e.w.) **The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE (a.e.w.) **The point of the New (a.e.w.) **The point of the section of the accompanying map. **The point of the accompanying map. **The point of the accompanying map. **The point of the accompany of the accompanying map. **The point of the accompany of the accompanying map. **The point of the accompany of the a	1. The source of the proposed appropriation is Rogue River	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2. The amount of water which the applicant intends to apply to beneficial use is		
**3. The use to which the water is to be applied is Augustian and the second of the water is to be applied is Augustian 100 500 cores. It is a second of the water is to be applied is Augustian 100 500 cores. It is a second of the water is to be applied is Augustian power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE Ch. or E.) (It preferable, five distance and bearing to section corner) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEX Of Sec. 38 34 Tp. 33 S. (It or E.) (It was a subdivision) (It was		
**3. The use to which the water is to be applied is ARRERITE 100 STO ATT 19215. Irrigation 250 gpm - picks 12 houses 4. The point of diversion is located 1350 ft S. and 2500 ft W. from the NE Corner of Section 34. Township 33 South, Range 1 East of the Willamette Meridian (section or archdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW of the NE (Give smallest legal subdivision) R. 1 E. W. M., in the county of Jackson G. or W.) 5. The Ripsline (Miles or feed) in length, terminating in the SS of the Will archive legal subdivision) R. 1 E. W. M., the proposed location being shown throughout on the accompanying map. (Cl. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Cl. or ex.) (Tumber, concrete, etc., number and size of spenings)	cubic feet per second. 100 gpm by day + 250 gpm by night	
(It preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if incompany) (If there is more than one point of diversion, each must be described. Use separate sheet if incompany) (If there is more than one point of diversion, each must be described. Use separate sheet if incompany) being within the SWX of the NEX (Give mailiest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if incompany) being within the SWX of the NEX (Give mailiest legal subdivision) (If the mailiest legal s		·
4. The point of diversion is located 1350 ft. S. and 2500 ft. W. from the NE corner of Section 34. Township 33 South, Range I East of the Willamette Meridian (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWk of the NEk (free smallest legal subdivision) R. 1 E. (W. or W.) (If or smallest legal subdivision) The Ripeline (Seal sitch, canal or pipe line) (It deals sitch, canal or pipe line) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWk of the NEk (free smallest legal subdivision) The Ripeline (Seal sitch, canal or pipe line) (It cor W.) (It cor	(Irrigation, power, mining, manufacturing, domestic suppli	es, etc.)
Corner of Section 34, Township 33 South, Range 1 East of the Willamette Meridian (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEX (Give smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEX (Give smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEX (Give smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEX (Give smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEX (Give smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of sect. 33 4 7, 7p. 33 5. (N. or s.) (If there is more than one point of sect. 34 7p. 33 S. (N. or s.) (If there is more than one point of sect. 34 7p. 33 S. (N. or s.) (If the is more than one point of sect. 34 7p. 33 S. (N. or s.) (If the is more than one point of sect. 34 7p. 33 S. (N. or s.) (If the is more than one point of sect. 34 7p. 33 S. (N. or s.) (If the is more than one point of described. Use separate sheet if necessary) (If the is more than one point of described. The necessary of the isolated subdivision) (If the isolated sheet is necessary) (If the isolated sheet is necessary) (If the isolated sheet is necessary) (If the isolated s	IIIIgation 250 gpm - Tigas 12 hours	·····
(Bection or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	4. The point of diversion is located 1350 ft. S. and 2500 ft. W. from the .	NE
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within theSW of the NEX (Give smallest legal subdivision) of Sec38 34 ,Tp33 S. (R. of E, W. M., in the county of Jackson (N. of E.) 5. The Pipeline (Main ditch, canal or pipe line) (Allies or feet) in length, terminating in theSEX of the NWX (Smallest legal subdivision) (R. of E.) (R. of W.) (Bandlest legal subdivision) (R. of E.) (C. of W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet; material to be used and character of construction (Loose reck, concrete, masoner, concrete, etc., number and size of openings) (Choose reck, concrete, masoner, concrete, etc., number and size of openings)	corner of Section 34, Township 33 South, Range 1 East of the Willamette Merid	i.an
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEA (Give smallest legal subdivision) R. 1 E. , W. M., in the county of Jackson 5. The Pipeline to be 1530 feet (Miles or feet) in length, terminating in the SEA of the NWA (Smallest legal subdivision) R. 1 E. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, conservie, masonry, reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concervie, etc., number and size of openings)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	, ş
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEA (Give smallest legal subdivision) R. 1 E. , W. M., in the county of Jackson 5. The Pipeline to be 1530 feet (Miles or feet) in length, terminating in the SEA of the NWA (Smallest legal subdivision) R. 1 E. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, concrete, masonary, reck and brush, timber crib, etc., wastaway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA of the NEA (Give smallest legal subdivision) R. 1 E. , W. M., in the county of Jackson 5. The Pipeline to be 1530 feet (Miles or feet) in length, terminating in the SEA of the NWA (Smallest legal subdivision) R. 1 E. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, conservie, masonry, reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concervie, etc., number and size of openings)		••••••••
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW of the NE (Give smallest legal subdivision) R. 1 E. , W. M., in the county of Jackson 5. The Pipeline	(If preferable, give distance and bearing to section corner)	
being within the SWk of the NEk (Give smallest legal subdivision) R. 1 E. , W. M., in the county of Jackson 5. The Pipeline (Main ditch, canal or pipe line) (Alies or feet) in length, terminating in the SEk of the NWk (Breathest legal subdivision) R. 1 E. , W. M., the proposed location being shown throughout on the accompanying map. CE. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Cooss reck, concrete, masonry, reck and bright, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		Ϊ
R. 1 E, W. M., in the county of		~
5. The Pipeline (Main ditch, canal or pipe line) (Malles of feet) (Malles of feet	(Give smallest legal subdivision) Of Sec	э s.)
in length, terminating in theSE\ of the NW\ (Moss & 1 E, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, concrete, masonry, teck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	R. 1 E. , W. M., in the county of Jackson	; •;
in length, terminating in theSE\ of the NW\	5. The Pipeline to be 1530 feet .	1
R		100
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, concrete, masonry, reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	in length, terminating in theSEX OF THE NWX	<u>S.</u> F 8 .)
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	R1 E, W. M., the proposed location being shown throughout on the accompanying me	ıp.
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		+
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, concrete, masonry, reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		ı
feet; material to be used and character of construction (Loose reck, concrete, masonry, reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		
reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate		
reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	feet; material to be used and character of construction	
(b) Description of headgate	**************************************	. !
*************************************	rock and brush, umber crib, etc., wasteway over or around dam)	
(c) If water is to be pumped give general description 2 Electric pumps -	(Timber, concrete, etc., number and size of openings)	************
(c) 1) water is to be pumped give general describtion Liectric dimba -	(a) If engine is to be respond since consult description.	************
	(c) If water is to be pumped give general description 2. Electric pumps - (Size and type of pump)	
#1 submersible Turbine, 225 gpm @ 190 ft, hd., 15 hp. 3390 rpm (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	#1 SUDMETSIBLE TURBINE, 225 gpm @ 190 ft. hd., 15 hp. 3390 rpm (6ize and type of engine or motor to be used, total head water is to be lifted, etc.)	**********
#2 submersible, 45 gpm @ 195 ft. hd., 3 hp, 3450 rpm	#2 authorizable AE am G 105 Ct 1.1 0.1 ours	•
*A different form of application is provided where storage works are contemplated,		

anguie. At neu	dgate: width on t	op (at water	line)	feet; width on botton
	feet; depth of w	ater	feet; grade	feet fall per on
ousand feet.		miles from he	eadgate: width on top (at wo	iter line)
	feet: width on be	ottom	feet: depth of	f water feet
			,	
	feet fall	•	•	,
(c) Lengtl	i of pipe,153	0 ft.;	size at intake,6	in.; size at1090 f
om intake	6 in.;	size at place o	of use6. in & 2. in.;	difference in elevation betwee
take and place	of use,0to1	0 ft. Is	s grade uniform?Yes	Estimated capacit
		ee Attached rigated, or pl		ark & Lost Creek Lake
Township North or South	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
33 S.	1 E.	34	SEŁ NWŁ	12 Acres Park
33 S.	1 E.	34	NEZ NWZ	2 Acres f Park
33 S.	1 E.	34	SWŁ NEŁ	1 Acre & Park
TOTAL				15 Acres
•				
	Parte	Co will	· · · · · · · · · · · · · · · · · · ·	
	Fast a	se will p	e within the 1	rrigated area.
·			<u> </u>	
		-k		
				•
(a) Ch	arrator of soil		required, attack separate sheet)	`
			•	
		lGrass		***************************************
ower or Mining		wer to be dev	eloped	theoretical horsenous
Power or Mining 9. (a) To			eloped	
ower or Mining 9. (a) To (b) Qu	uantity of water t	o be used for	power	
Yower or Mining 9. (a) To (b) Qu (c) To	uantity of water t	o be used for	power feet.	sec. ft.
Yower or Mining 9. (a) To (b) Qu (c) To	uantity of water t	o be used for	power feet.	sec. ft.
9. (a) To (b) Qi (c) To (d) Th	uantity of water t tal fall to be util ne nature of the u	io be used for fizedvorks by mean	powerfeet. (Head) 18 of which the power is to be	sec. ft.
9. (a) To (b) Qi (c) To (d) Th	uantity of water t tal fall to be util ne nature of the u	io be used for fizedvorks by mean	powerfeet. (Head) 18 of which the power is to be	sec. ft.
9. (a) To (b) Qi (c) To (d) Ti	uantity of water to tal fall to be utiline nature of the u	izedvorks by mean	power	sec. ft.
Power or Mining 9. (a) To (b) Qi (c) To (d) Ti (e) Su	tal fall to be utiline nature of the utilinch works to be lower.	ized vorks by mean	power	sec. ft.
(e) Su	tal fall to be utiline nature of the utiline nature of the utiline nature of the utiline nature, R	ized	(Head) ns of which the power is to i (Legal subdivision) M. Team?	sec. ft. be developed
(e) Su (f) Is (g) If	tal fall to be utiline nature of the works to be lower. R. (No. 2) water to be returned.	izedocated in	(Head) 1 feet. (Head) 1 feet. (Head) 1 feet. (Head) 1 feet. (Head) (Legal subdivision) M. (Tes or No) Dint of return	sec. ft. be developed

•	e	***************************************
(Name of) County, having a	present population of	***************************************
d an estimated population of	in 19	•
(b) If for domestic use state num	ber of families to be supplied .Dayusevisi.	oracenter. 6
(Answer que	Picnic Area stions 11, 42, 13, and 14 in all cases)	3
11. Estimated cost of proposed works, \$.	50.000.00	∀ ************************************
	before1_July_1973	1
·		
13. Construction work will be complete	ed on or before1. July 1975	**************************************
14. The water will be completely applie	ed to the proposed use on or beforelJuly	1976
	UNITED STATES OF AMERICA	**************************************
	W. J. ASHWORTH (Signature of applicant)	******************************
	Chief, Real Estate Division U. S. Army Engineer District, Po	rtland
Remarks:		****************
The River Bend Park and the	Lost Creek Lake Project Office will co	ntain
3 ₹ Flush Comfort Station +	water supply faucetts for picnic	area than
	r heads	

which images and day ase	picnic sites	***************************************
***************************************	***************************************	************************************
***************************************	***************************************	******************
***************************************	•	
***************************************	1	
***************************************	······································	************************

•	***************************************	

TATE OF OREGON,		***************************************
TATE OF OREGON, County of Marion,		
County of Marion,	ed the foregoing application, together with the	accompanying
County of Marion, ss. This is to certify that I have examine	ed the foregoing application, together with the extraction and completion	
County of Marion, ss. This is to certify that I have examine	ed the foregoing application, together with the arrection and completion	
County of Marion, ss. This is to certify that I have examine aps and data, and return the same for 00	rrection and completion	
County of Marion, This is to certify that I have examine aps and data, and return the same for	plication must be returned to the State Engineer	
County of Marion, ss. This is to certify that I have examine aps and data, and return the same for 00	plication must be returned to the State Engineer	
County of Marion, This is to certify that I have examine aps and data, and return the same for	plication must be returned to the State Engineer	
County of Marion, This is to certify that I have examine aps and data, and return the same for and In order to retain its priority, this apposes on or before	plication must be returned to the State Engineer, 1973	
County of Marion, This is to certify that I have examine aps and data, and return the same for and In order to retain its priority, this apposes on or before	plication must be returned to the State Engineer	
County of Marion, This is to certify that I have examine aps and data, and return the same for and In order to retain its priority, this apposes on or before	plication must be returned to the State Engineer, 1973	
County of Marion, This is to certify that I have examine aps and data, and return the same for and In order to retain its priority, this apposes on or before	plication must be returned to the State Engineer, 1973	, with correc-
County of Marion, This is to certify that I have examine aps and data, and return the same for and In order to retain its priority, this apposes on or before	plication must be returned to the State Engineer, 1973	, with correc-

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

			· .	_			o hanaficia	1 4100
	•							
				,				
**************************************			•				12.00.000.0000.0000.000	
					ise and irr	gation, bei	ng 0.1 cf	8

If fo	or irrigation, this	appropriation	shall be 1	imited to	1/80th	of on	e cubic foo	t per
If for irrigation, this appropriation shall be limited to								
not to e	rits equivalent for each acre irrigated and shall be further limited to a diversion of exceed 42 acre feet per acre for each acre irrigated during the irrigation of each year, I be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is June 4, 1973 and shall be prosecuted with reasonable diligence and be completed on or before October 1, 19.77 TINESS my hand this 9th day of October 9. 1975. Water Resources Director							
season o	of each year,	*************		•		*******************************	1 040	
***************************************	••••••••••••••••••••••••••••••••••••••	***************************************	**********		*************		*****************	*******
****************		***************************************	***********	•••••				
*************		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	************	,	·	***************************************		ار
******			•••••••	***************************************		***************************************		,, ,,
		·····	**************			•••••••••••••••••		********
The Act there after	e priority date of ual construction be prosecuted u	this permit is work shall beg	June 4	before 001	ober 9, 197	before October	and	shall
	•	,			•	on or before O	ctober 1, 19	18.,
	214255 my mana	b/1000	way		am E	Silve	9.5	
			•		Vater Resources	Director	STATE BREW	
Application No. 20212 Permit No. 38235	E SE	rument was ter Resources State Engin	11	Returned to applicant:	Approved:	Recorded in book No. 38235 Permits on page		0000