

RECEIVED JUN 1 3 1973

STATE ENGINEER SALEM OREGON APPLICATION FOR PERMIT

CERTIFICATE NO. 51917

To appropriate the Public Waters of the State of Oregon

I, William F. Smith, of Star Route, Box 37, St. Paul, Oregon 97137, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 1.04 cubic feet per second

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 560 ft N. 82° W. from the SE corner of the NE 1/4 NW 1/4 of Section 31

being within the NE 1/4 NW 1/4 of Sec. 31, Tp. 35, R. 24, W. M., in the county of Linn

5. The Portable system to be in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 450 gpm rated pump

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10002

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

| Township North or South | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------------|---------------------------------------|---------|---|------------------------------|
| 35 | 2W | 30 | SE ¹ / ₄ SW ¹ / ₄ | 7.7 |
| | | 30 | SW ¹ / ₄ SE ¹ / ₄ | 25.6 |
| | | 31 | NW ¹ / ₄ NE ¹ / ₄ | 6.8 |
| | | 31 | NE ¹ / ₄ NW ¹ / ₄ | 26.1 |
| | | 31 | NW ¹ / ₄ NW ¹ / ₄ | 13.7 |
| | | 31 | SW ¹ / ₄ NW ¹ / ₄ | 3.5 |
| | | | Total | 83.4 acres |

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised *Mint & P.H.*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before started

13. Construction work will be completed on or before completed

14. The water will be completely applied to the proposed use on or before July 1, 1923

William F. Smith
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 13, 1973

Actual construction work shall begin on or before October 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 9th day of October, 1975.

James E. ...
Water Resources Director

Application No. 52662
Permit No. 38275

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of June, 1973, at 3:40 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page 38275

STATE ENGINEER

Drainage Basin No. 2 page 649
Fees \$18.10