

RECEIVED
JUN 14 1973
STATE ENGINEER
SALEM, OREGON

Permit No. 38277

*APPLICATION FOR PERMIT

CERTIFICATE NO. 47930

To Appropriate the Public Waters of the State of Oregon

I, George L. and Louise M. Schlegel
(Name of applicant)

of 4822 S. W. Riverside Drive, Albany
(Mailing address)

State of Oregon 97321, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River
(Name of stream)

, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 1.35
cubic feet per second. 1.155 CFS primary and 0.195 CFS supplemental
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S. 42¹/₂° E 25.5 chains NW
ft. and ft. from the
(N. or S.) (E. or W.)
corner of SW¹/₄ of sec. 21
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW¹/₄ of SW¹/₄ of Sec. 21, Tp. 11 S.
(Give smallest legal subdivision) (N. or S.)

R. 4 W., W. M., in the county of Linn
(E. or W.)

5. The main pipe line to be 5200 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE¹/₄ of NE¹/₄ of Sec. 21, Tp. 11 S.
(Smallest legal subdivision) (N. or S.)

R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 inch Cornell centri fugal
(Size and type of pump)
pump powered by 60 H.P. electric motor.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 5200 ft.; size at intake, 8 in.; size at 1200 ft. from intake 6 in.; size at place of use 3 and 4 in.; difference in elevation between intake and place of use, -5 ft. Is grade uniform? yes Estimated capacity, 30 sec. ft.

8. Location of area to be irrigated, or place of use sec. 21, t. 11 S, R. 4W W.M.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Primary 11 S	4 W	21	NW 1/4 of NE 1/4	1.0
11 S	4 W	21	SW 1/4 of NE 1/4	31.2
11 S	4 W	21	SE 1/4 of NE 1/4	13.4
11 S	4 W	21	NE 1/4 of NW 1/4	3.0
11 S	4 W	21	SW 1/4 of NW 1/4	18.5
11 S	4 W	21	SE 1/4 of NW 1/4	25.3
			Total -----	92.4
Supplemental				
11 S	4 W	21	SW 1/4 of NE 1/4	5.2
11 S	4 W	21	SE 1/4 of NW 1/4	10.7
			Total -----	15.9

(If more space required, attach separate sheet)

(a) Character of soil Newburg and Chehalis

(b) Kind of crops raised peppermint, vegetables, berries, vegetable seeds

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 10,000.00

12. Construction work will begin on or before May 1, 1974

13. Construction work will be completed on or before October 1, 1975

14. The water will be completely applied to the proposed use on or before October, 1976

George Louis M. Skelley
(Signature of applicant)
By George L. Skelley

Remarks: The applicant wishes to retain primary rights on the 15 acres covered by a certificate issued to Alvin and Viva Carnegie and recorded on Page 29997, State Record of Water Right Certificates. The applicant wishes to have secondary rights from the Willamette River on the same acreage.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before

October 29, 1973
March 11, 74

WITNESS my hand this 29th day of August, 1973
11th January 74

RECEIVED
SEP 11 1973
STATE ENGINEER
SALEM, OREGON

RECEIVED
JAN 21 1974
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

By Wayne J. Overcash
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 14, 1973

Actual construction work shall begin on or before October 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 9th day of October, 1975.

James E. ...
Water Resources Director STATE ENGINEER F.H. A

Application No. 501667
Permit No. 38277

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 14th day of June,
1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page 38277

STATE ENGINEER

Drainage Basin No. 2 page 59P
Fees \$30.95