*APPLICATION FOR PERMIT

CERTIFICATE NO. 53268

To Appropriate the Public Waters of the State of Oregon

State of Oregon 97828 of hereby make application for a permit to appropriate the fallowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Prairie Croek or Branch of Wallows River 1. The source of the proposed appropriation is Prairie Croek or Branch of Wallows River 2. The amount of water which the applicant intends to apply to beneficial use is e0258 cubic feet per second (It water is to be used from more than one source, the quantity from each) 3. The use to which the water is to be applied is Irrigation (irrigation, power, miner, manufacturing, domentic supplies, etc.) #1-1475 S. 550 We form the West of the proposed difference of the proposed difference of the proposed appropriation is located#2-1500. ft. S. and 238 ft. We from the West of the proposed difference of the proposed appropriation is located#2-1500. ft. S. The point of diversion is located#2-1500. ft. S. The S. The West of the proposed location of diversion of the section corner) (Bection or maddivision) (Bection or maddivision) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) being within the SEE No. M. M. in the country of Wallows. (Bection or maddivision) (Give minute) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) being within the Described by the distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) being within the Described by the distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) being within t	I, La Ma & Ann		of applicant)	
State of	of Box 357			terprise
Comment of diversion is located Comment of diversion, each most be described. Use separate these if most than one point of diversion and bearing to section corner) Comment of diversion is located Comment of diversion. Comment of divers				
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Prairie Creek or Branch of Wallow River 2. The amount of water which the applicant intends to apply to beneficial use is \$0258 rubic feet per second (It water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is Integration (It preferable, give distance and business for section corner) 4. The point of diversion is located#2-1600 ft. S. and 238 ft. Ws. from the WE corner of saction 2. (Section or subdivision) (If preferable, give distance and business to section corner) (If there is near han no point of diversion, each must be described. Use separate sheet if secessary) peing within the SWE WE WE (Lot 1) of Sec. 2 , Tp. 2 S. (Cor wallows as subdivision) 7. The palaines of portable) 1. The palaines of portable is to be subdivision of the section corner) (If there is near han no point of diversion, each must be described. Use separate sheet if secessary) (If there is near han no point of diversion, each must be described. Use separate sheet if secessary) (If there is near han no point of diversion, each must be described. Use separate sheet if secessary) (If there is near han no point of diversion, each must be described. Use separate sheet if secessary) (If there is near han no point of diversion, each must be described. Use separate sheet if secessary) (If there is near han no point of diversion, each must be described. Use separate sheet if security) (If there is no be purposed incartion being shown throughout on the accompanying map. (It shows the proposed incartion being shown throughout on the accompanying map. (It shows the proposed incartion being shown throughout on the accompanying map. (It shows the proposed incarting the second shown throughout on the accompanying map. (It shows the proposed incarting the second shown throughout on the accompanying map. (It shows the proposed incarting the second				
Prairie Creek or Branch of I. The source of the proposed appropriation is Column of Strands Column o	following described public was	ers of the State of Oreg	gon, SUBJECT TO	EXISTING RIGHTS:
Prefixe Crock or Branch of Mallows River a tributary of Mallows River a tributary of Grande Ronde River 2. The amount of water which the applicant intends to apply to beneficial use is \$\infty\$0258 cubic feet per second (It water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is ITTIGATION (It preferable, give distance and bearing to section corner) (It pref	If the applicant is a corp	oration, give date and p	place of incorporatio	n
1. The source of the proposed appropriation is Wallows River (Kans of tream) , a tributary of, a fributary of, a f	•••••	••••••		
	1. The source of the pro	posed appropriation is	Wallowa Ri	ver
Corner of		, a tributo	,-	,
3. The use to which the water is to be applied is #1-1475 8. 560 We 4. The point of diversion is located#2-1600 ft. S. and 238 ft. We (K. or W.) (Rection or subdivision)				-
3. The use to which the water is to be applied is #1-1475 8. 560 We 4. The point of diversion is located#2-1600 ft. S. and 238 ft. We (K. or W.) (Rection or subdivision)	cubic feet per second	V		
#1-1475 S. 560 W. 4. The point of diversion is located#2-1800 ft. S. and 238 ft. W. from the NE Corner of Seation				
4. The point of diversion is located#2-1600 ft. S. and 238 ft. W. from the ME (N. or 8.) (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use expansis sheet if necessary) being within the ** **R**** **NE****** **Light 1.1	3. The use to which the	water is to be applied	s Irrigation (Irrigation, power, minis	g, manufacturing, domestic supplies, etc.)
4. The point of diversion is located#2-1500 ft. S. and 238 ft. W. from the ME (N. or 8.) (Section or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the REAR NOTE (10t 1) of Sec. 2 , Tp. 28. (Give smallest issail subdivision) R. 44 Ea., W. M., in the county of Wallowa. (S. or W.) (Main stirch, canal or pipe line) (N. or 8.) (R. or W.) (R. or W.) (R. or W.) (Main stirch, canal or pipe line) (Main stirch, cana		#1-1475	S. 550	W.
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if nacessary) being within the	4. The point of diversion	n is located#2 -16 00 ft	. S. and 238	ft. We from the NE
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	corner ofsaction 2	•		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the		(Section	n or subdivision)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the			•••••••••••••••••••••••••••••••••••••••	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the		e surveyande i dan talan e d'i e	Constitution of the consti	· · · · · · · · · · · · · · · · · · ·
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the			•	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SKE NE NE (Lot 1) Of Sec. 2, Tp. 2 Se. (Give smallest legal subdivision) Of Sec. 3, Tp. 2 Se. (N. or S.) R. 44 Ea., W. M., in the county of Wallowa. (C. or W.) 5. The			•••••	
being within the Note 1 Note 2 Note 1 Note 1 Note 2 Note 1 Note 2 Note 3		(If preferable, give distance and k	pearing to section corner)	
being within the NP	(If there is more than	one point of diversion, each mus	be described. Use separate	sheet if necessary)
R	being within the	E ¹ NE ¹ (Lot 1) ve smallest legal subdivision)	of Sec	2
In length, terminating in the	R	county of Wallowa		
In length, terminating in the	5. The	pipelines (portab	le) to be	500 (Miles or feet)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 2- 1½ inch cente (Size and type of pump) 2- 1½ hp electric with a 12 foot head (Size and type of pump)				
DESCRIPTION OF WORKS 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 2= 1½ inch cent. (Size and type of pump) 2= 1½ hp_electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	· ·			(2 51 5.)
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 2- 1\frac{1}{2} inch conte (Size and type of pump) 2- 1\frac{1}{2} hp electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)				
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 2= 1\frac{1}{2} inch cent_e (Size and type of pump) 2- 1\frac{1}{2} hp electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	Diversion Works	DESCRIPTION	OF WORKS	i
feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 2-1½ inch cente (Size and type of pump) 2-1½ hp electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)				
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	6. (a) Height of dam	feet, leng	th on top	feet, length at bottom
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	feet; material :	to be used and characte	r of construction	
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump) 2- 12 hp electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)				(Loose rock, concrete, masonry
(b) Description of headgate	ock and brush, timber crib, etc., wasteway	over or around dam)		
(c) If water is to be pumped give general description 2- 12 inch cent. (Size and type of pump) 2- 12 hp electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)				:
(c) If water is to be pumped give general description 2- 12 inch cent. (Size and type of pump) 2- 12 hp electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)				
2- 15 hp electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)				
2- 15 hp electric with a 12 foot head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pum	ped give general descrip	otion 2- 12 inc	h cente (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	2- 11 hp e	Tankada adda a 10/6		
	(Size and	type of engine or motor to be used	, total head water is to be lif	ted, etc.)
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

eadgate. At he	adgate: width on	top (at water	line)	feet; width on bottor
	. feet; depth of u	ater	feet; grade	feet fall per or
ousand feet. (b) At	•••••	miles from he	adgate: width on top (at wate	r line)
-	•		feet; depth of u	
				,uver jee
	feet fall	-,	_	
(c) Lengt	h of pipe,	600 ft.;	size at intake,i	n.; size at250
om intake	1½ in.;	size at place o	f u s e	rence in elevation betwee
take and place	of use,12	ft. Is	grade uniform?yes	Estimated capacit
	sec. ft.			- .
	•	rrigated, or pl	ace of use	••••••
Township North or South	Range E. or W. of Willamette Meridian	# Al		
	Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S.	44 E.	2	NE NE L (Lot 1)	1.03
~ .				
		,- -		
				·
				•
	•			•
****			9	
		(If more space	required, attach separate sheet)	· ·
(a) Chard	icter of soil			•••••••••••••••••••••••••••••••
(b) Kind	of crops raised.	Lawn		
				,
Power or Minir	_			
9. (a) To	itai amount of po	wer to be deve	eloped	theoretical horsepowe
(b) Q1	uantity of water	to be used for	power se	ec. ft.
(c) To	tal fall to be uti	lized	(Head)	Sec.
			s of which the power is to be d	leveloped
	•		•	-
(e) Su	ich works to be l	ocated in	(Legal subdivision)	of Sec
p(No. N. or	, ·R(No. 1	, W.	M.	
(f) Is	water to be retu	rned to any st	ream?	•
(g) If	so, name stream	and locate por	(Yes or No) int of return	
,		Sec	To.	D 177 1
			applied is	

10. (a) To supply the city of	
(Name of) County, har	ving a present population of
d an estimated population of	in 19
(b) If for domestic use state	number of families to be supplied
	· · · · · · · · · · · · · · · · · · ·
•	nswer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed v	
12. Construction work will begin	on or before 1 July 1973
13. Construction work will be co	mpleted on or before 1 July 1975
	applied to the proposed use on or before1 July 1976
11. The water will be completely	-
	Lina (Alisa
	(Signature of applicant)
	annies L. Down
Remarks:	•
	•
/	
•	
•••••	<u>.</u>
FATE OF OREGON,)	•
County of Marion,	
	xamined the foregoing application, together with the accompany
aps and data, and return the same	for correction and completion
In order to retain its priorit	y, this application must be returned to the State Engineer, u
rections on or beforeNovembe	9r. 0, 1973.
00 00 00 00 00 00 00 00 00 00 00 00 00	
WITNESS my hand this 6th	day of September , 19.73
<u> </u>	
S W	
	CHRIS T. WHENLER
	STATE ENGINE
	By Chool
	Thomas E. Shook Assista

Municipal or Domestic Supply-

3

STATE	OF	OREGON,		
Coun	tae o	f Marion	1	SS.

Application No. 50709

7

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from Prairie Creek The use to which this water is to be applied is <u>irrigation</u> second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year. and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is ____June_20, 1973 Actual construction work shall begin on or before _____October 9, 1976 ____ and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...77... Complete application of the water to the proposed use shall be made on or before October 1, 19...78... WITNESS my hand this 9th day of ... October Water Resources Director This instrument was first received in the office of the State Engineer at Salem, Oregon STATE ENGINEES APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON Permit No. 38299 at 11.15. o'clock Recorded in book No. Returned to applicant Drainage Basin No.