

RECEIVED
JUN 21 1973

Permit No. 38300

STATE ENGINEER
SALEM OREGON

"CERTIFICATE NO. 55448"

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Dan and/or Sally Herman
(Name of applicant)
of 10117 Ramsey Road, Gold Hill,
(Mailing address) (City)
State of Oregon, 97525, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring and Sams Creek
(Name of stream)
Spring is trib. of Sams Cr., a tributary of Rogue River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.17
being 0.13 c.f.s. from Spring for irrigation c.f.s.
cubic feet per second/ and 0.01 c.f.s. from Spring for Domestic and 0.03/ from
Sams Creek for irrigation. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic and irrigation.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located Spring
1930 ft. N. and 650 ft. W. from the S 1/4
(N. or S.) (E. or W.)
corner of Section 13
(Section or subdivision)
and the point of diversion from Sams Creek is located 1530 feet North and
100 feet West from the S 1/4 corner of Section 13.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the (both) NE 1/4 SW 1/4 of Sec. 13, Tp. 35 S.,
(Give smallest legal subdivision) (N. or S.)
R. 3 W., W. M., in the county of Jackson.

5. The pipeline to be 2300 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 SW 1/4 of Sec. 13, Tp. 35 S.,
(Smallest legal subdivision) (N. or S.)
R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description spring pump 2" x 2" centrifugal and
(Size and type of pump)
5 H.P. gasoline engine; Sams Creek pump 1 1/2" x 1 1/2" centrifugal pump and
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
2 1/2 H.P. gasoline motor. Domestic from spring is by gravity flow.

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

38300

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ... two (2).....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$1,500.00.....

12. Construction work will begin on or before one year from date of priority.....

13. Construction work will be completed on or before October 1, 1975.....

14. The water will be completely applied to the proposed use on or before October 1, 1976.....

Dale Sherman
(Signature of applicant)
Don E. Therman

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.17 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Sams Creek and unnamed spring

The use to which this water is to be applied is for domestic use for two families and irrigation, being 0.13 c.f.s. for irrigation from Sams Creek and 0.01 c.f.s. for domestic and 0.03 c.f.s. for irrigation from spring

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 20, 1973

Actual construction work shall begin on or before October 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 9th day of October, 1975.

James E. Jensen
STATE ENGINEER

Water Resources Director

F.H. A

Application No. 50710
Permit No. 38300

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of June, 1973, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38300 of Permits on page

STATE ENGINEER

Drainage Basin No. 15 page 78712

Fees \$30.00