*APPLICATION FOR PERMIT

CERTIFICATE NO. 47822

To Appropriate the Public Waters of the State of Oregon

I, Joseph E Monton (Name of applicant)	L
of 17348 Deen horn rd	
State ofOr, do hereby make application for a permit to appropriate	he
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	:
	, .
- 1. The source of the proposed appropriation is Mc Kenzie River (Name of stream)	••••
, a tributary of WillAmette River	
2. The amount of water which the applicant intends to apply to beneficial use is0125 C.f.	<u>م</u>
cubic feet per second. (If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied is	
· ,	
4. The point of diversion is located 330 ft. At and 1490 ft. w. from the East (N. or S.)	gú
corner of Sec. 17. (Section or subdivision)	٦e
(Section of subdivision)	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW A SE 4 of Sec. 17, Tp. 175 (Give smallest legal subdivision) (N. or 5.)	
R. (Give smallest legal subdivision) (N. or S.) (S. or W.)	1.17°.
(E. or W.) 5. The Pipe line to be 200' (Main ditch, canal or pipe line) (Miles or feet)	
in length, terminating in the	
(Smallest legal subdivision) (N. or S.)	•••
R	3
DESCRIPTION OF WORKS Diversion Works—	
6. (a) Height of dam feet, length on top feet, length at botto	m
feet; material to be used and character of construction	·
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate(Timber, concrete, etc., number and size of openings)	
(1 under, concrete, etc., number and size of openings)	
(c) If water is to be pumped give general description	
(c) If water is to be pumped give general description C.e.m. Trific Al Pump (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	
touce and type or engine or motor to be used, total head water is to be lifted, etc.)	

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.
Oregon.

headgate. At headgate: width on top (at water line)feet; depth of water			foot: menda	lant la11 m	بر أر بهر
usand feet.					É
(b) At		miles from h	eadgate: width on top (at wo	ater line)	····•
	feet; width on b	oottom	feet; depth o	f water	. feet
ıde	feet fal	ll per one thou	sand feet.		in the second
' (c) Lengt	h of nine 2	. OO ' #+ ·	size at intake,	in : size at 25	
(c) Henge	14"	, , , , , , , , , , , , , , , , , , ,	of usein.;	III., Size at	,,,
ake and place	of use,	/O. ft. I	s grade uniform? Ye	L Estimated cap	acit
0125					
_ 8. Location	n of area to be	irrigated, or pi	lace of use		
Township North or South	Range 2. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigat	-d
<i>J7</i> . S	15.	7	NET SET	05%	
		7	,	,055	1
<i>17.</i> S	1 E.	/	NW4 SE4	. 7	-
				. 755	*
					1
					•
•					1
	-	•			-
					-
				· · · · · · · · · · · · · · · · · · ·	
					· · · ·
		_	required, attach separate sheet)		. 1
			River Bottom		
(b) Ki	nd of crops raise	d	LAWN and	Sarden	
wer or Mining	•				
9. (a) To	tal amount of po	wer to be dev	eloped	theoretical horsep	owe
(b) Qı	uantity of water	to be used for	power	sec. ft.	;
(c) To	tal fall to be uti	lized	feet.		1
	•		(Head) us of which the power is to l	na danalanad	
, ,	,	or no og mou.	w of which the power is to t	ге аевеюреа	*****
				······································	
(e) Su	ch works to be l	ocated in	(Legal subdivision)	of Sec	
(No. N. or E	, R(No. 1	, W. A	1 .		The same of the sa
(f) Is	water to be retu	rned to any st	ream?	•	
			(Yes or No)		, V management
(9) 11		TOURIS NO	01		l

		342
	10. (a) To supply the city of	•••••••••••

	and an estimated population of in 19 in 19	
	(b) If for domestic use state number of families to be supplied	•••••
	(Answer questions 11, 12, 13, and 14 in all cases)	,
	11. Estimated cost of proposed works, \$	ķ.
	12. Construction work will begin on or before Sept 30 th 73'	•••••••••
	13. Construction work will be completed on or before Sept 30 12	••••••
	14. The water will be completely applied to the proposed use on or before Says	5 0 7
	* Profile E 177 07	tv,
	Remarks: Lot 5, DEERHORN RANCH ACRES, as platted and recorded in Book	33
	Page 5. Lane County Oregon Plat Records. in Lane County. Oregon.	
	Reserving to the grantees herein, their heirs and assigns, an easement	
	the following described tract of land:	
	Beginning at a point on the East line of Lot 5, Deerhorn Ranch Acres,	a. s
	platted and recorded in Book 33. Page 5. Lane County Oregon Plat Record	
	platted and recorded in Book 33. Page 5. Lane County Oregon Plat Recorded 20 feet North 16 29' West of the Southeast corner thereof: thence south	
		b. 73°
	20 feet North 16 29' West of the Southeast corner thereof; thence south	h73°. Lot5.
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence	h.73°. Lot.5. south
	20 feet North 16 29' West of the Southeast corner thereof: thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16029' East 50 feet to the point of beginning, in Lane County, Oregon.	h.73°. Iot5.
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence	h.73°. Iot5.
	20 feet North 16 29' West of the Southeast corner thereof: thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16029' East 50 feet to the point of beginning, in Lane County, Oregon.	h.73°. Iot5.
	20 feet North 16 29' West of the Southeast corner thereof: thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16029' East 50 feet to the point of beginning, in Lane County, Oregon.	h.73°. Lot.5. south
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16 29' East 50 feet to the point of beginning, in Lane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres	h.73°. Lot.5. south
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16 29' East 50 feet to the point of beginning, in Lane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acre	h.73°. Lot.5. south
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16 29' East 50 feet to the point of beginning, in Lane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acre STATE OF OREGON,	h.73°. Lot.5. south
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16 29' East 50 feet to the point of beginning, in Iane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acre STATE OF OREGON, County of Marion, Ss.	h.73°. Lot.5. south
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16 29' East 50 feet to the point of beginning, in Lane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acre STATE OF OREGON,	h.73°. Lot.5. south
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16 29' East 50 feet to the point of beginning, in Iane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acre STATE OF OREGON, County of Marion, Ss.	Lot 5 south
	20 feet North 16 29! West of the Southeast corner thereof; thence south 31! West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29! West of the point of beginning; thence 16 29! East 50 feet to the point of beginning, in Lane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres STATE OF OREGON, County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for	Lot 5. south
	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16 29' East 50 feet to the point of beginning, in Iane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres 16 County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for	Lot 5. south
, and the second	20 feet North 16 29! West of the Southeast corner thereof; thence south 31! West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29! West of the point of beginning; thence 16 29! East 50 feet to the point of beginning, in Iane County, Oregon. This essements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres STATE OF OREGON, County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accommaps and data, and return the same for correction and completion. In order to retain its priority, this application must be returned to the State Engineer, we gions on or before November 26 19 73	Lot 5. south
1973	20 feet North 16 29' West of the Southeast corner thereof; thence south 31' West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29' West of the point of beginning; thence 16°29' East 50 feet to the point of beginning, in Lane County, Oregon. This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acre STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for	Lot 5. south
1.2 1973	20 feet North 16 29! West of the Southeast corner thereof: thence south 31! West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29! West of the point of beginning; thence 16 29! East 50 feet to the point of beginning, in Lane County, Oregon, This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres 16 29! State of the point of Deerhorn Ranch Acres 16 29! East 50 feet to the point of beginning, in Lane County, Oregon, This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres 16 29! East 50 feet to the same for County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for Correction and Completion. In order to retain its priority, this application must be returned to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be supplied to the State Engineer to the State Engine	Lot 5. south
JCT 1 2 1973	20 feet North 16 29! West of the Southeast corner thereof: thence south 31! West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29! West of the point of beginning; thence 16 29! East 50 feet to the point of beginning, in Lane County, Oregon, This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres 16 29! State of the point of Deerhorn Ranch Acres 16 29! East 50 feet to the point of beginning, in Lane County, Oregon, This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres 16 29! East 50 feet to the same for County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for Correction and Completion. In order to retain its priority, this application must be returned to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be supplied to the State Engineer to the State Engine	Lot 5. south
0CT 1 2 1973	20 feet North 16 29! West of the Southeast corner thereof: thence south 31! West 40 feet; thence Northeasterly to a point on the East line of which is 50 feet North 16 29! West of the point of beginning; thence 16 29! East 50 feet to the point of beginning, in Lane County, Oregon, This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres 16 29! State of the point of Deerhorn Ranch Acres 16 29! East 50 feet to the point of beginning, in Lane County, Oregon, This easements shall become appurtenant to Lot 6 of Deerhorn Ranch Acres 16 29! East 50 feet to the same for County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for Coursection and Completion. In order to retain its priority, this application must be returned to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer, we will be a supplied to the State Engineer.	Lot 5. south

By Wayne J. Overcash

ARRIERA

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		nted is limited to the	1				i
and shall	not exceed	0.01 cubic feet	per second	measured at t	he point of div	ersion from	t the
stream, o	r its equivalent in	case of rotation with	h other wate	r users, from	McKenzie Ri	ver	1
***************************************	•••••					•••••	ļ
***************************************	·						
		s water is to be applie	۶.				1
				1			1
				•			4 .
***************************************		•		***	•	••	
If f	or irrigation, this	appropriation shall be	e limited to	1/80th	of or	re cubic foot	t per
second or	its equivalent for	each acre irrigated .	nd shall l	oe further.l	imited to a	diversion	3
of not t	o exceed 2 ac	re feet per acre	for each	acre irrigat	ed during th	ie irrigat	non
season o	f each year.						
***************************************		•				e e e	
***************************************			•••••	4	٠	*	
•••••			***************************************			1 1	
***************************************					***************************************		
•••••				a de la companya de l	managan a samma	and an analysis of the second	-
***************************************					•		
		i				` ;	
			•••••				1
	•	reasonable rotation :		_	y the proper st	ate officer.	
The	e priority date of t	his permit is June	29, 1973		•		<u>. t</u>
Act	ual construction i	work shall begin on c	or before	October 9,	1976	and s	shall
thereafter	r be prosecuted w	ith reasonable diligen	ice and be co	mpleted on or	before October	· 1, 19.77	1
Cor	nplete application	of the water to the p	roposed use	shall be made	on or before O	ctober 1. 19.	78
		this9thda			, 19.75		1
	INESS my nana t		y 0)	James			
				Water Ro	esources Director	6111-100	
•		•			sources Director		
		i y ye	ı	1	2	i II	
	ಲ್ಲ	in t rego				STATE ENGINEER	
~	PUBLIC	em, O				ENG	
38342		Sale n			<u></u>	STATE page	• •
8 0		rat 1			38342		
7 6		This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29 to day of unc. 1973, at 8 o'clock R. M.			8 80	y	
on N.	PEF OPRIA RS OF OF O	tent wa te Engi day of	cant.		ook 1	0.	
Application No. 5.0773 Permit No. 38342	PERM APPROPRIATE WATERS OF TH	State	Returned to applicant		Recorded in book No. mits on page	Drainage Basin No	0
ppli	APP WAJ	the S	to a	***	ded i m pa	Bası	10
A M	ρ L	This in office of t on the 2	rned	Approved:	Recorde Permits on	ıage), b. K
1			н 🖮	. .	. ez E		Fees

Chate Defating Of