

RECEIVED
JUL 2 1973

STATE ENGINEER
SALM OREGON

Permit No. 38319

*APPLICATION FOR PERMIT CERTIFICATE NO. 46972

To Appropriate the Public Waters of the State of Oregon

We, JOHN L. BROWNING & CLARA P. BROWNING
(Name of applicant)

of Box 158, Allegany,
(Mailing address) (City)

State of Oregon, 97407,
(Zip Code)

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Schumacher Creek
(Name of stream), a tributary of West Ford of Millicoma River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second only one source
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic supply including non-commercial garden irrigation not exceeding one-half acre.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 369/36 ft. S. and 17.34 ft. E from the NW
(N. or S.) (E. or W.) corner of Section 20, Township 24 South, Range 11 West, Willamette
(Section or subdivision) Meridian, Coos County, Oregon.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 1/4 of NW 1/4 of Sec. 20, Tp. 24 S
(Give smallest legal subdivision) (N. or S.)
R. 11 W., W. M., in the county of Coos
(E. or W.)

5. The pipe line to be 1040 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N 1/16 corner of Sec. 20, Tp. 24 S
(Smallest legal subdivision) (N. or S.)
R. 11 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— not applicable

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

~~Canal System~~ or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1040.00 ft.; size at intake, 2" galvanized pipe 15 ft. from intake 1-1/4" black plastic in.; size at place of use 1 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? generally Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use N 1/16 corner Sec. 20 T24S R11W

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
24 S	11 W	20	NW 1/4 of NW 1/4	Not exceeding 1/2 acre domestic
BEGINNING AT THE North 1/16th corner of Section 20, only, on the Section Line between Section 19 and 20, Township 24 South, Range 11 West, Willamette Meridian, Coos County, Oregon, said corner being a 3/4 inch pipe in a driveway, and running thence North 01° 35-1/2' East, 230.0 feet to a 3/4 inch pipe. Thence Easterly to a 3/4 inch pipe on the West bank of the West Fork of the Millicoma River. Thence continuing Easterly to the thread of the stream. Thence Southwesterly along the thread of the stream to a point South 89° 12' East, 65 feet, more or less, from a 5/8 inch re-enforcing rod on the West bank of the West Fork of the Millicoma River. Thence North 89° 12' West, 65 feet, more or less, to said pipe. Thence continuing North 89° 12' West, 153.6 feet to the point of beginning, all in the NW 1/4 of NW 1/4 of Section 20, Township 24 South, Range 11 West of the Willamette Meridian.				

(If more space required, attach separate sheet)

(a) Character of soil Sandy to clayey loam

(b) Kind of crops raised Vegetables

Power or Mining Purposes— not applicable

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 700.00

12. Construction work will begin on or before now complete

13. Construction work will be completed on or before now being used

14. The water will be completely applied to the proposed use on or before

John A. Browning
Clara Browning

(Signature of applicant)

P. O. Box 158, Allegany, Oregon 97407

Remarks: Two 500 gallon concrete tanks will be installed on the line at approximately 270 feet from point of intake, one to be used as a settling basin, the other as storage from which outlet to the line continues. A 1/2 horsepower Gould Electric Pump and an 82 gallon pressure tank will be installed on the line at point where line enters acre where water will be used. Pipe line from 500 gallon concrete storage tank to point where water will be used will be buried 2 feet underground.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Schumacher Creek

The use to which this water is to be applied is for domestic use for one family, including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 2, 1973

Actual construction work shall begin on or before October 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 9th day of October 1975.

James E. Smith
Water Resources Director

F.H.
S

Application No. 50798

Permit No. 38349

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of July, 1973, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38349 of Permits on page

STATE ENGINEER

Drainage Basin No. 17 page 10K

Fees 50.00