

RECEIVED
JUL 2 1973

Permit No. 38358

"CERTIFICATE NO. 54997"

STATE ENGINEER
SALEM OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Mrs. Barbara McD. O'Neill
(Name of applicant)
of Rural Route 4, Box 86 Hood River
(Mailing address) (City)
State of Oregon 97031, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream
(Name of stream)
a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is .01
cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 930 ft. N and 1,255 ft. E from the SW
(N. or S.) (E. or W.)
corner of NW 1/4 SW 1/4
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 26, Tp. 3N
(Give smallest legal subdivision) (N. or S.)

R. 10E, W. M., in the county of Hood River

5. The 2" Plastic Pipe to be 190 feet
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the NW 1/4 SW 1/4 of Sec. 26, Tp. 3N
(Smallest legal subdivision) (N. or S.)

R. 10E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2HP Pump
(Size and type of pump)
65 G.P.M.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

54997

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... 1,000.00
- 12. Construction work will begin on or before Completed
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before July 1, 1973

Barbara W. O'Neill
(Signature of applicant)

Remarks: Adjoining neighbors on Lots 4, 5, & 6 of Columbia Vista Subdivisions
are to make applications for Water Permit. They will join main plastic pipe line (2")
that terminates on NW $\frac{1}{4}$, SW $\frac{1}{4}$ of Section 26, T3N, plus use of pump.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
.....

By
STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.01..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 2, 1973

Actual construction work shall begin on or before October 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 9th day of October 19 75

James E. ...
Water Resources Director

F.H.
C

Application No. 50799

Permit No. 38358

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of July 19 73, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38358 of Permits on page

STATE ENGINEER

Drainage Basin No. A page 66

Fees 25.00