"CERTIFICATE NO. <u>56834</u>

## To Appropriate the Public Waters of the State of Oregon

1, Jerry Gausnell	
of B+3 Box 840 (Name of applicant)  (Mailing address)  (Name of applicant)  (Name of applicant)  (Ose burg)	,
State of Y.C. C. M., T.Y. Code)  State of (Zip Code)  State of (Zip Code)	he
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is Champan Pan Creek  , a tributary of South Ungua Rivers	
2. The amount of water which the applicant intends to apply to beneficial use is	
cubic feet per second	
3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)	
4. The point of diversion is located 465 ft. N and 1210 ft. From the St. corner of Section 6	1
(Section or subdivision)	
***************************************	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	<b>†</b>
being within the State smallest legal subdivision)  R. (E. or W.)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (N. or S.)  (N. or S.)	<b> </b> .,
5. The Pipe line	
in length, terminating in the Styly of Sec. 6, Tp. 75  (Smallest legal subdivision)  (E. or W.)  (B. or W.)  (Miles or feet)  (Miles or feet)  (N. or S.)	<b>-</b>
(Smallest legal subdivision) of Sec. (N. or S.)	,,,,
R, W. M., the proposed location being shown throughout on the accompanying map.	
DESCRIPTION OF WORKS  Diversion Works—	
6. (a) Height of dam feet, length on top feet, length at bott	
feet; material to be used and character of construction	OTT
rock and brush, timber crib, etc., wasteway over or around dam)	nry,
(b) Description of headgate	
(Timber, concrete, etc., number and size of openings)	,,,,,,
(c) If water is to be pumped give general description  3 hoelectric  (Size and type of pump)	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	
	1
	1

idgate. At head	lgate: width on	top (at water	line)	feet; width on bott		
usand feet.			eadgate: width on top (at water line)			
			feet; depth of			
	feet fall			·		
	0		•	in caine at		
			size at intake,			
			f use in.; dif	• • • • • • • • • • • • • • • • • • •		
ake and place	of use,	ft. Is	grade uniform?	Estimated capac		
8. Location		rrigated, or pl	ace of use			
	Range	, , , , , , , , , , , , , , , , , , ,				
Township North or South	E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated		
275	KbW	6_	SE45WH	3.3		
· .						
	· · · · · · · · · · · · · · · · · · ·	i i i i i i i i i i i i i i i i i i i		•		
was te analysis	<b>3</b> .					
		and the production of				
	•					
		<u> </u>				
		a transfer de				
		(If more space	e required, attach separate sheet)	•		
(a) Charac	cter of soil	clai	1			
(b) Kind	of crops raised	garder	V, fruit trees, ,	Pasture.		
*		<i>I</i>				
ower or Minin	•	owan to be day	eloped	theoretical horsens		
		•	r power	. sec. ft.		
(c) Tot	al fall to be ut	ilized	(Head)			
en d (d) Th	e nature of the	works by mean	ns of which the power is to b	e developed		
·	·····	·····	<u> 1. 1. s. a. a.</u>	<u> </u>		
(e) Su	ch works to be	located in	(Legal subdivision)	of Sec		
	, R(No.					
(f) Is	., (No. water to be ret	urned to any s	tream?(Yes or No)			
	so, name strean	r and locate no	oint of return			

(i) The nature of the mines to be served ......

Municipal or Domestic Supply-

STATE	OF	0	REGON,		
Coun	tu o	٠f	Marion	1	SS.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	ı, or its equivaler	nt in case of rot	tation w	ith other wo	ter users, fro	om Champais	n Creek	
						***		and the second second
	The use to which	this water is to	o be app	lied is1	rrigation			
i	If for irrigation,	this appropria	tion sha			/80+h		
	l or its equivalen			Ŋ,			•	- 4
	t to exceed 2	_						1
30880	n of each yea	r,		••••••	***************************************	*******************************	******************	
;•••••••••••••••••••••••••••••••••••••			*************		•••••••••••••••••••••••••••••••••••••••	•••••••••••	······	
*************		·····	***************************************		***************************************		******************	
					•	••••••	,	
*********			,				****************	
		······································	•••••	***************************************			**************	-
ind sh	iall be subject to	such reasonab	le rotat	ion system d	is may be or	dered by the	proper stat	e officer.
	The priority dat			•				
	Actual construct fter be prosecute	,	-			•		
	Complete applica							
	WITNESS my h					, 19.75	,	* Extended
			•		Water	Rescurces Directo	BIKIEL	None
			•		San Marian Control		•	The second second
	RMIT  IATE THE PUBLIC OF THE STATE OREGON	This instrument was first received in the ice of the State Engineer at Salem, Oregon,	o'clock A. M.	And the second		Recorded in book No. of mits on page 38362	STATE ENGINEER	R page - A