

RECEIVED
JUL 20 1973
STATE ENGINEER
SALEM OREGON

Permit No. **38433**
CERTIFICATE NO. **51766**

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Basil Robinson
(Name of applicant)

of South Myrtle Route Box 7, Myrtle Creek
(Mailing address) (City)

State of Oregon, 97457, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Myrtle
(Name of stream)
a tributary of Myrtle Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.06
cubic feet per second 0.04 irrigation and 0.01 domestic 0.01 stock
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation, stock and
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
domestic

4. The point of diversion is located #1 510 N. 1450 W.
#2 300 ft. N. and 1320 ft. W. from the SE
(N. or S.) (E. or W.)
corner of Section 27
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the #1 SW $\frac{1}{4}$ SE $\frac{1}{4}$ #2 SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 27, Tp. 29S.
(Give smallest legal subdivision) (N. or S.)

R. SW., W. M., in the county of Douglas
(E. or W.)

5. The pipeline to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 27, Tp. 29S.
(Smallest legal subdivision) (N. or S.)

R. SW., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description #1 used for irrigation
(Size and type of pump)
at POD #1 is 10 H.P. electric and #2 used for domestic & stock 1/2 H.P.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
electric

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
29S.	5W.	27	SE $\frac{1}{4}$ SE $\frac{1}{4}$	1.0 ac.
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	11.0 ac. Dom. & Stk.
				12.0

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised lawn, garden and pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$2,500

12. Construction work will begin on or before 7-1-73

13. Construction work will be completed on or before 7-1-74

14. The water will be completely applied to the proposed use on or before 7-1-75

Elmira A. Robinson
Basil Robinson
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 28, 1974.

WITNESS my hand this 28th day of November, 1973.

CHRIS L. WHEELER

STATE ENGINEER

By

Thomas E. Shook

ASSISTANT

RECEIVED
JAN 30 1974
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Myrtle Creek, being 0.04 c.f.s. for irrigation and 0.005 c.f.s. for domestic and 0.005 c.f.s. for stock use

The use to which this water is to be applied is for domestic use for one family, stock and irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 30, 1974

Actual construction work shall begin on or before October 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 21st day of October 1975

James E. ...
Water Resources Director ~~SECRETARY~~ F.H. B

Application No. 50905
Permit No. 38433

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of July 1973, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 38433 of Permits on page 38433

STATE ENGINEER

Drainage Basin No. 16 page 379

Fees 25.00