JUL 2 4 1973 STATE ENGINEER SALEM OREGON

RECEIVED

OCT 3 1974

STATE ENGINEER SALEMAPPRACATION FOR PERMIT Permit No. 38459

CERTIFICATE NO. 45490

ASSIGNED, See Misc. Red., Vol. 5 Page 174 To Appropriate the Public Waters of the State of Oregon

I Mrs. Merle Weaver	6. 6.
i, meric weaver	(Name of applicant)
of Route 4, Box 955 (Mailing address)	, Roseburg
	O, do hereby make application for a permit to appropriate the
following described public waters of the S	tate of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give	e date and place of incorporation
<u></u>	
1. The source of the proposed approp	priation isunnamed spring for domestic(Name of stream)
and Tenmile Creek for irrigat	ion tributary of South Umpqua
2. The amount of water which the ap	pplicant intends to apply to beneficial use is 0.27
(If was	iter is to be used from more than one source, give quantity from each)
3. The use to which the water is to l	be applied is irrigation and domestic (2) (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located	ft and ft. from the from the
corner of#1 Spring - 1940 f	eet South and 970 feet West being within th
(If preferable, gi	ive distance and bearing to section corner) version, each must be described. Use separate sheet if necessary)
being within the(Give smallest legal	of Sec. 23 , Tp. 285 , which is the second s
	Douglas #1- 300 feet
(E. or W.)	#1- 300 feet
5. The plpeline (Main ditch, canal o	to be #2 -300 feet . (Miles or feet)
in length, terminating in the SW14 NE14 (Smallest	of Sec. 23 , Tp. 285 (N. or S.)
R, W. M., the proposed lo	ocation being shown throughout on the accompanying map.
Diversion Works—	SCRIPTION OF WORKS
	feet, length on top feet, length at bottom
	and character of construction
wook and house discharged and according	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around do (b) Description of headqute	•
(o) Description of neadgate	(Timber, concrete, etc., number and size of openings)
	eneral description #1 - no pump #2 - 3½ HP E1e (Size and type of pump)
(Size and type of engine or	r motor to be used, total head water is to be lifted, etc.)
· · · · · · · · · · · · · · · · · · ·	

A different form of application is provided where storage structions, by addressing the State Engineer, Salem, Oregon 97310.

august. III isa	agate: wain on t	op (at water	ine)	feet; width on bottom
•••••	feet; depth of wa	ter	feet; grade	feet fall per on
ousand feet. (b) At	m	iles from h	eadgate: width on top (at	water line)
				0)
	feet; width on bo	ottom	feet; depth	of water feet
ade	feet fall 1	er one thou	isand feet.	
om intake <u>l</u> take and place	of use,30	ze at place	of usein.;	difference in elevation between Estimated capacity
	sec. ft. n of area to be ir		lace of use	
Township North or-South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
285	8 W	2 3	SW¼ NE¼	20 20 acres & domesti
,				
· · · · · · · · · · · · · · · · · · ·		·····		
		- <u> </u>		
		A CONTRACTOR OF THE PARTY OF TH	A CONTRACT OF THE CONTRACT OF	
· .		W		
· · · · · · · · · · · · · · · · · · ·				
			•	
	<u> </u>	(If more spa	ce required, attach separate sheet)	
(a) Chara	cter of soils.a			
(h) Kind	of crops raised	oarden a	nd fruit trees	
(0) 11000	oj crops raisea	6 ************************************	M.M	
ower or Minin	g Purposes—	•		
9. (a) To	tal amount of pou	ver to be de	veloped	theoretical horsepowe
			or power	
(c) To	tal fall to be util	ized	(Head) feet.	
(a) Th	ie nature of the w	orks by me a	ns of which the power is to	be developed
***************************************	,			:
(e) Su	ch works to be lo	cated in		of Sec
'n	R	7.72	(Legal subdivision)	
	, R(No. E.			•
(f) Is	water to be retur	ned to any	Stream?(Yes or No)	
(a) If	so, name stream	and locate p	oint of return	•
(3) -1				

Inomas E. Shook

PERMIT

STATE	OF OREGON,		<i>I</i> ,)	
Coun	tu o	of Marion	, }	SS

	This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:	-
	The right herein granted is limited to the amount of water which can be applied to beneficial use	İ
	and shall not exceed	
	stream, or its equivalent in case of rotation with other water users, from an unnamed spring and Tenmile Creek, being 0.01 c.f.s. from spring for domestic and 0.25 c.f.s. from	, [
	creek for irrigation	
	The use to which this water is to be applied is for domestic use for two families and irrigation	
	111501101	
	If for irrigation, this appropriation shall be limited to1/80th of one cubic foot per.	
	second or its equivalent for each acre irrigated and shall be further limited to a diversion	<i>1</i> 25
	of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the irrigation	
:	season of each year	
•	and a light control of the control	i#
	* · · · · ·	
	and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. June 19, 1974 - 0.06 c.f.s. The priority date of this permit isOctober 30, 1974 - 0.20 c.f.s.	
	•	
	Actual construction work shall begin on or before 00tober 21, 1976 and shall	
	thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19	
	Complete application of the water to the proposed use shall be made on or before October 1, 1978	
	WITNESS my hand this 21st day of October , 1975	•.•
	Water Resources Director	#. 3
	gon, the	
9	E PUBLIC STATE Salem, Orego A M. A M. STATE ENGINEER PAGE 377 R.	
20440	IE PUB STATE V L L L L L L L L L L L L L L L L L L	
50	MIT THE STATE STAT	
o O	PERMIT PERMIT PERMIT PERMIT PERMIT SOF THE SOF THE SOF OREGON Lay of O. o'clock O. o'clock O. o'clock O. o'clock ASS SOF O'clock O'clo	
on N	OPETA OPETA OPETA OF OF OF OF OF OF OF OOO o'cl OOOO o'cl OOOO o'cl OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	
Application No.	PERMIT PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON instrument was first received in fine State Engineer at Salem, Ore 24th day of 4 k M. at A. O.O. o'clock A. M. at A. O.O. o'cloc	
App	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON This instrument was first received in the CHAM day of CAM M. 73, at O.CO. o'clock M. wrned to applicant: sproved: S8459 This instrument was first received in the CHAM day of CAM M. 38459 This instrument was first received in the CHAM day of CAM M. This instrument was first received in the CHAM day of CAM M. STATE ENGINEER	
/	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of 6th M. 19.73, at 2.00.00clock A. M. Returned to applicant: Recorded in book No. 38459 Permits on page 388.	