

RECEIVED
JUL 8 11973

STATE ENGINEER
SALEM OREGON

Permit No. 38498
CERTIFICATE NO. 49265

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Sumner H. Deason
(Name of applicant)

of Elsie Rt. Box 140, Jewell
(Mailing address) (City)

State of Oregon, 97123, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring
(Name of stream)

, a tributary of Humbug creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.015

cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is 0.01 ft.³/sec. for domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

consumption and 0.005 ft.³/sec. for livestock consumption. Domestic use
includes the irrigation of a lawn not to exceed $\frac{1}{2}$ acre in area.

4. The point of diversion is located 573.7 ft. South and 1,355.5 ft. West from the N.E.
(N. or S.) (E. or W.)

corner of Section 36, Township 5 North, Range 8 West, Wellamette Meridian,
(Section or subdivision)

(basis of bearing is magnetic compass with a declination of $21\frac{1}{2}^{\circ}$ East.)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N.W. $\frac{1}{4}$, N.E. $\frac{1}{4}$ of Sec. 36, Tp. 5 N.
(Give smallest legal subdivision) (N. or S.)

R. 8 W., W. M., in the county of Clatsop
(E. or W.)

5. The pipe line (plastic) to be 2,000
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the S.E. $\frac{1}{4}$, S.E. $\frac{1}{4}$ of Sec. 25, Tp. 5 N.
(Smallest legal subdivision) (N. or S.)

R. 8 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Water percolates through an underground,
(Timber, concrete, etc., number and size of openings)

stone filled catch basin then flows through a 2" pipe for about 350
feet to a covered cement reservoir. (approx. 100 cu. ft. reservoir)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$1,600.....

12. Construction work will begin on or before already completed.....

13. Construction work will be completed on or before already completed.....

14. The water will be completely applied to the proposed use on or before already applied.....

Lawrence H. Jepsen
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 14....., 19 74.

WITNESS my hand this 14th..... day of November....., 19 73..

NOV 26 1973
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

By *Wayne J. Overcash*
Wayne J. Overcash ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is for stock and for domestic use for one family, including the irrigation of lawn and garden not to exceed 1/2 acre in area, being 0.005 c.f.s. for stock and 0.01 c.f.s. for domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 31, 1973

Actual construction work shall begin on or before October 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 21st day of October 1975

James E. ...
Water Resources Director F.H. S

Application No. 51004
Permit No. 38498

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of July 1973, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 38498 of Permits on page

STATE ENGINEER

Drainage Basin No. 1 page 124
Fees \$11.00