

RECEIVED

APR 17 1974

Permit No. 38622

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

"CERTIFICATE NO. 57658

ASSIGNED, See Misc. Rec., Vol. 7 Page 1826

To Appropriate the Public Waters of the State of Oregon

I, Beth Peterson
(Name of applicant)
of 10398 Takilma Rd, Cave Junction,
(Mailing address) (City)
State of Oregon, 97523, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Scotch Gulch Creek and
(Name of stream)
South Fork Scotch Gulch Creek, a tributary of East Fork Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is .110 cfs from main fork
cubic feet per second and .075 cfs from South Fork Scotch Gulch Cr. - (.1850 total)
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Main Fork Scotch Gulch Cr. Domestic: .005 cfs
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
irrigation .105 cfs and South Fork Scotch Gulch Cr. Domestic: .005 cfs
and use at 3 houses irrigation .07 cfs

4. The point of diversion ^{are} located (A) 1620 ft. S and 1330 ft. W from the N.W.
(N. or S.) (E. or W.)
corner of Section 3
(Section or subdivision)

And (B) 2640' S and 880' East of same (above) Section corner

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the (A) SE 1/4 NW 1/4 (B) SW 1/4 SE 1/4 of Sec. (A) 4 (B) 3, Tp. 41 S.,
(Give smallest legal subdivision) (N. or S.)

R. 8 W, W. M., in the county of Josephine
(E. or W.)

5. The Main Pipelines are to be (A) 1200' (B) 1150'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the (A) Lot 9 (B) Lot 6 of Sec. (A) 4 (B) 3, Tp. 41 S.,
(Smallest legal subdivision) (N. or S.)

R. 8 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No dam needed only small sumps feet, length on top feet, length at bottom

..... feet; material to be used and character of construction
(Loose rock, concrete, masonry.)

(b) Description of headgate Small (2'x2') Timber box set into sumps
(Timber, concrete, etc., number and size of openings)
(5' x 5' x 3' deep) into which the 2" PVC Pipe is placed

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, (A) 1200 (B) 1150 ft.; size at intake, 2 1/2" in.; size at 900 from intake 1 1/2" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, (A) 95' (B) 80' ft. Is grade uniform? No. Estimated capacity, .075 sec. ft. each system (total (A) + (B) together = .150 sec ft. approx)

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Source of No.	Number Acres To Be Irrigated
41 South	8 W	3	Lot 4	A	1.9
41 South	8 W	4	Lot 9	A	1.1
41 South	8 W	3	Lot 4	A	3.4
41 S	8 W	3	Lot 5	A	.7
41 S	8 W	3	Lot 5	B	5.1
41 S	8 W	3	Lot 6	B	.9
41 S	8 W	3	Lot 3	B	1.2 - 142
Domestic use House #1			"	A	NW 1/4 NW 1/4
Domestic use #2			"	B	NW 1/4 NW 1/4
" #3			"	B	NE 1/4 NW 1/4
" #4			"	B	NE 1/4 NW 1/4
" #5			"	A	NW 1/4 NW 1/4

(If more space required, attach separate sheet)

(a) Character of soil Open Meadows - Clay loam

(b) Kind of crops raised Vegetables, fruits, grains

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ~~five~~ four

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,000 +

12. Construction work will begin on or before 5/30/74

13. Construction work will be completed on or before 5/30/77

14. The water will be completely applied to the proposed use on or before 5/30/77

Beth Peterson

(Signature of applicant)

Remarks: Our domestic use of water is limited to

drinking cooking + washing + is a very small quantity. By securing domestic water rights we hope to safeguard the quality of our water. All domestic use sites will consist simply of a 3/4" line from the main pipelines to a kitchen top, except domestic site #2 which is a bathhouse having shower and clothes washing facilities. Domestic sites 1,3,4+5 are small cabins with single families living in them

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with

corrections on or before January 13, 1975
March 17, 1975

WITNESS my hand this 13th day of November, 1974
13th January 75

CHRIS L. WHEELER

STATE ENGINEER

By Wayne J. Overcash

ASSISTANT

JAN 6 1975
STATE ENGINEER
SALEM, OREGON

MAR 3 1975
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.185 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Scotch Gulch Creek and South Fork Scotch Gulch Creek, being 0.005 c.f.s. for domestic and 0.105 c.f.s. for irrigation from Scotch Gulch Creek and 0.005 c.f.s. for domestic and bathhouse, and 0.07 c.f.s. for irrigation from South Fork Scotch Gulch Creek

The use to which this water is to be applied is for irrigation, domestic use for four families, and a bathhouse

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 3, 1974

Actual construction work shall begin on or before November 3, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 3rd day of November, 1975

James E. Seaman
Water Resources Director

Application No. 52008
Permit No. 38622

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of June, 1974, at 8:22 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page 38622

STATE ENGINEER

Drainage Basin No. 15 page 56M
Fees

FH
A