

MAY 12 1975 MAY 27 1975

STATE ENGINEER STATE ENGINEER SALEM, OREGON SALEM, OREGON

APPLICATION FOR PERMIT

CERTIFICATE NO. 53962

To appropriate the Public Waters of the State of Oregon

I, Union Labor Retirement Association, Inc., dba Westmoreland's Union Manor... of 6404 S.E. 23rd Avenue, Portland... State of Oregon, 97202, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation (Non-Profit) July 30, 1962, State of Oregon

1. The source of the proposed appropriation is Crystal Springs Creek, a tributary of Johnson Creek

2. The amount of water which the applicant intends to apply to beneficial use is .10 cubic feet per second

3. The use to which the water is to be applied is Irrigate Lawns

4. The point of diversion is located 100 ft. N. and 200 ft. W. from the S.E. corner of SEC. 14 T.1.S, R.1.E., W.M.

Along Crystal Springs Creek As Shown On The Map With A Hand Carried Pump

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 of the SE 1/4 of Sec. 14, Tp. 1 South, R. 1 East, W. M., in the county of Multnomah

5. The Pipeline to be 10-Feet in length, terminating in the of Sec. 14, Tp. 1 South, R. 1 East, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, (hose) 10- ft.; size at intake, 1 1/2 in.; size at 10- ft. from intake 1 1/2 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 5- ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use 6404 S.E. 23rd Avenue, Portland, Oregon

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 South	1 East	14		Approx 4
1 South	1 East	23	NE 1/4 NE 1/4	1.606 Acres
1 South	1 East	14	SE 1/4 SE 1/4	2.14 Acres
				3.746

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 281.89

12. Construction work will begin on or before Centrifugal 3-hsp pump

13. Construction work will be completed on or before -none-

14. The water will be completely applied to the proposed use on or before June 1, 1975

May thru October each year

[Handwritten Signature]
(Signature of applicant)

Remarks: The water will be used strictly for irrigating lawns. It will be

done as described with a hand carried pump. The economic factor is to assist

the Elderly Residents we house in more beautiful surroundings at less expense.

STATE OF OREGON, } ss.
County of Marion, }

JUL 14 1975
WATER RESOURCES DEPT.
SALEM, OREGON

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 29, 1975

WITNESS my hand this 30th day of June, 1975

CHRIS L. WHEELER

STATE ENGINEER

By *[Handwritten Signature]*
Wayne J. Overcash

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Crystal Springs Creek

The use to which this water is to be applied is for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 27, 1975

Actual construction work shall begin on or before November 3, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 3rd day of November, 1975.

James E. [Signature]
Water Resources Director F.H. ©

Application No. 53175
Permit No. 38629

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of May 1975, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38629 of Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 76B20
Fees 25.00