

\*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Steven E. Hall or Carol A. Hall (Name of applicant)

of P.O. Box 887 (Mailing address), Myrtle Creek (City)

State of Oregon, 97457 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring and South Myrtle (Name of stream)

, a tributary of South Umpqua

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125

cubic feet per second from spring with any deficiency from South Myrtle (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic including up to

1/2 (one-half) acre lawn and garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2360 ft. S. (N. or S.) and 2640 ft. E. (E. or W.) from the NW

corner of Section 35 (Section or subdivision)

#2 170 ft. S. and 480 ft. E. from NW corner of Section 35

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the #1 SW 1/4 NE 1/4 #2 NW 1/4 NW 1/4 of Sec. 35, Tp. 29S. (N. or S.)

R. 5W. (E. or W.), W. M., in the county of Douglas

5. The pipeline (Main ditch, canal or pipe line) to be 2160 feet (Miles or feet)

in length, terminating in the NW 1/4 NW 1/4 of Sec. 35, Tp. 29S. (N. or S.)

R. 5W. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Spring gravity flow, Creek-

not obtained (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied One.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500......

12. Construction work will begin on or before 7-1-74.....

13. Construction work will be completed on or before 7-1-75.....

14. The water will be completely applied to the proposed use on or before 7-1-76.....

*Steven E. Hall*  
(Signature of applicant)  
*Carol A. Hall*

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with objections on or before March 18....., 1974..

WITNESS my hand this 17th day of January....., 1974..

.....CHRIS L. WHEELER.....  
STATE ENGINEER

By *Wayne J. Overcash*  
Wayne J. Overcash ASSISTANT

RECEIVED  
FEB 27 1974  
STATE ENGINEER  
SALEM, OREGON

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring and South Myrtle Creek. Water to be diverted from a spring when available with any deficiency in the available supply from a spring to be made up by appropriation from South Myrtle Creek provided that the total quantity diverted from both sources shall not exceed 0.01 c.f.s.

The use to which this water is to be applied is for domestic use for one family, including the irrigation of lawn and garden not to exceed 1/4 acre in area

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 7, 1973

Actual construction work shall begin on or before November 13, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 13th day of November 1975.

*James C. Johnson*  
Water Resources Director

STATE ENGINEER

Application No. 51198  
Permit No. 38686

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of September, 1973, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38686 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 375  
Fees