

*APPLICATION FOR PERMIT

49949

To Appropriate the Public Waters of the State of Oregon

I,	Robert L	- Brint	(Name of applica	t)		
of5/.	3 F E	//endale			Dallas	,
State of Ove	egon,	9.7.338, do	hereby mal	ce application	for a permit to	appropriate the
	bed public water:					
If the app	licant is a corpore	ation, give date	and place o	f incorporation	ı	
1. The so	urce of the propo	sed appropriati	on is Zun	named c	drainage	acree ways,
	urvoir					
2. The am	rount of water wh	rich the applica	nt intends to	apply to bene	ficial use is	.0/
cubic feet per s	econd	(If water is to	be used from mo	re than one source g	ive quantity from eac	
3. The us	e to which the wo	ater is to be app	plied is	gation, power, minin	FISH	-culture 1
					f+ f*	om the
i. The po	int of diversion is	3 10cuteu	(N. or	ana s.)	jt	VW Cor. Sec.
drain) Di	BV P1 # 2	3/20 Ch	Section or subd	2520 t. (vision)	T. L. trom	" Cor Dec.
	N P1 #3					
	IN PT 4	28/0	5	1540		
See	re marks (If there is more than on					***************************************
	(Give s					
	W. M., in the con					(N. or S.)
5. The	(Main		••••	to be	•••••	•••••
	nating in the					
	, W. M., the pr					
5		DESCRIF	TION OF V	VORKS		
Diversion Work		for	ot lawath au	4	tout 1	
	eight of dam					
•••••••	feet; material to	be used and ch	aracter of c	onstruction	(Loose ro	ck, concrete, masonry,
rock and brush, timber	crib, etc., wasteway over	r or around dam)				
(b) Descr	iption of headgat					
(c) If wat	ter is to be pumpe					
••••••	(Size and type	e of engine or motor t	o be used, total h	ead water is to be lif	ted, etc.)	•••••••••••••
•••••••••••••••••••••••••••••••••••••••				•	***************************************	******************

^{*}A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

dgate. At hea	dgate: width on to	op (at water	line)	feet; width on bottom
	feet; depth of wa	ter	feet; grade	feet fall per one
ousand feet. (b) At	m	iles from h	eadgate: width on top (at u	vater line)
				of water feet;
			_	,
	feet fall p		•	
(c) Length	ı of pipe,	ft.;	size at intake,	in.; size at ft.
om intake	in.; si	ze at place o	of use in.; d	ifference in elevation between
takę and place	of use,	ft. 1	's grade uniform?	Estimated capacity,
	•		_	
8. Locatio		rigated, or p		
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
NE \$ SW \$	6 W	,		
7007	6 W		NEÉ SWÉ	#3ac.f+.
	_	and the second s		113h CVITUYE.
75	6 W		NE J NW J	Downste
· · · · · · · · · · · · · · · · · · ·				
				•
r grant - to - grant or d				
· · · · · · · · · · · · · · · · · · ·				
(a) Chara	cter of soil		e required, attach separate sheet)	
(0) 111114	oj crops raisea	•••••••••••••••••••••••••••••••••••••••		
Power or Minin				
9. (a) To	tal amount of pou	er to be dev	peloped	theoretical horsepower.
(b) Qu	antity of water to	be used fo	r power	sec. ft.
(c) To	tal fall to be utili	zed	feet.	
(d) Th	e nature of the wo	orks by mean	ns of which the power is to	be developed
	·	·	•	•
(-) G	.T 7 . 1 1			
			these metricialists	of Sec
(No. N. or S	, R(No. E.	, W	. M.	
(f) Is	water to be retur	ned to any s	tream?(Yes or No.)	
(g) If:	so, name stream a	nd locate po	oint of return	
				, R, W. M.
••••••••			, + p	, 16 W. M.
				(No. E. or W.)

Municipal or Domestic Supply—	38763
10. (a) To supply the city of	
	<u> </u>
and an estimated population of in 19 in 19	
(b) If for domestic use state number of families to be supplied	one RB
(Answer questions 11, 12, 13, and 14 in all cases)	_
11. Estimated cost of proposed works, \$ 2500	
12. Construction work will begin on or before	
13. Construction work will be completed on or before	<u>t</u>
14. The water will be completely applied to the proposed use on or before	e
Signature	Dunku of applicant)
Remarks: DIV Pt # 1 outlet from reso	
OI Cfs DIV. Pt. # 2 direct Flow from L	Oramage way for
for fish culture Purmay source.	
on cfs DIV Pt # 3 direct Flow from	Dramage way
· 01 cfs DIV Pt # 4 direct Flow fr	
way into reservoir for fish Culture.	,
Die rie	
note During Summer manths Div Pl-2	
used entirely to domestic use	- Commence of the Contract of
The 3 ac ft of water in the pond will be us	
County of Marion, ss.	
This is to certify that I have examined the foregoing application, togeth	er with the accompanying
naps and data, and return the same for	
In order to retain its priority, this application must be returned to	the State Engineer with
corrections on or before	one state Buyineer, with
WITNESS my hand this day of	, 19
	STATE ENGINEER

ASSISTANT

PERMIT

STATE OF OREGON,)	
County of Marion,	}	SS.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	ECT TO EXISTIN		•			
	The right herein g	granted is limited	l to the amount	of water whic	h can be applie	d to beneficial use
and sh	all not exceed	0.01 cul	pic feet per seco	ond measured	at the point of	diversion from the
stream	ı, or its equivalen	in case of rotati	ion with other 1	water users, fro	om two unnar	ned drainage
	, a creek and					
Perm	nit No. R-6217					
	The use to which	this water is to b	e applied isf	or fish cult	ure	
						one cubic foot per
second	l or its equivalent	for each acre in	rigated	· · · · · · · · · · · · · · · · · · ·		
••••••	••••					
••••••	••••••	*******************************				
•••••••	••••••	•••••		······································		
••••••						
••••••						
			······································	·		· · · · · · · · · · · · · · · · · · ·
•••••••	••••••	••••	•••••••••••••••••••••••••••••••••••••••			
	hall be subject to The priority date Actual constructi	of this permit i	is October 2	25 , 1 973		roper state officer and shall
	ifter be prosecute					ober 1, 19.77
						e October 1, 19. ⁷⁸
		,	or one property			
	WITNESS my ha	nd this 18th	day of		19 75	,
	WITNESS my ha	nd this18th	day of		29.75 20.6. Se	he :
	WITNESS my ha	nd this18th	day of	November	es Director	STATE BIGINEER
	WITNESS my ha	This instrument was first received in the state Engineer at Salem, Oregon, on the 25 ½ day of	day of 	November	es Director	STATE ENGINEER

Application No. 57348

3