

RECEIVED

MAY 16 1975

STATE ENGINEER
SALEM, OREGON

Permit No. 38775

CERTIFICATE NO. 49177

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, El King Incorporated
(Name of applicant)
of PO Box 211, Tiller
(Mailing address) (City)
State of Oregon, 97484, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Delaware
November, 1973

1. The source of the proposed appropriation is South Umpqua River
(Name of stream)
Umpqua River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.08
cubic feet per second 0.07 irrigation and 0.01 supplemental domestic
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation and supplemental domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 240 ft. S. and 250 ft. W. from the NE
(N. or S.) (E. or W.)
corner of Section 33
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NE 1/4 of Sec. 33, Tp. 30S.
(Give smallest legal subdivision) (N. or S.)

R. 3W., W. M., in the county of Douglas
(E. or W.)

5. The pipeline to be 780 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 NE 1/4 of Sec. 33, Tp. 30S.
(Smallest legal subdivision) (N. or S.)

R. 3W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

5 H.P. electric
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 1,000.....
- 12. Construction work will begin on or before completed
- 13. Construction work will be completed on or before completed
- 14. The water will be completely applied to the proposed use on or before 6-1-75

X El King, Inc.
(Signature of applicant)
by Barbara L. Jenkins, Presi

Remarks:

Use of water from South Umpqua River for domestic will be supplemental.
We are using water from a well but it does not produce sufficient
water year around.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 19.....

WITNESS my hand this day of, 19.....

..... STATE ENGINEER
By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.065 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is for irrigation and domestic use for one family, being 0.06 c.f.s. for irrigation and 0.005 c.f.s. for domestic

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 16, 1975

Actual construction work shall begin on or before November 18, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 18th day of November, 1975

James E. Nelson
Water Resources Director STATE ENGINEER

Application No. 53141

Permit No. 38775

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of May, 1975, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38775 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 30P

Fees