

OCT 25 1973

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Wilbur T. Boone (Name of applicant)
of 2790 Fairview Route (Mailing address), Coguille (City),
State of Oregon, 97423 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is NORTH Fork Coguille River (Name of stream),
a tributary of Coguille River

2. The amount of water which the applicant intends to apply to beneficial use is 0.125 C.F.S.
cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and 1060 ft. EAST from the N. 1/4
corner of Sec. 25 (N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N.W. 1/4, S.W. 1/4 of Sec. 25, Tp. 27 S.
(Give smallest legal subdivision) (N. or S.)

R. 12 W., W. M., in the county of Coos
(E. or W.)

5. The PIPE LINE to be 1100 FT.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N.W. 1/4 S.W. 1/4 of Sec. 25, Tp. 27 S.
(Smallest legal subdivision) (N. or S.)

R. 12 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 15 H.P. electric
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Municipal Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2000.⁰⁰

12. Construction work will begin on or before 8/1/74

13. Construction work will be completed on or before 8/1/75

14. The water will be completely applied to the proposed use on or before 8/1/76

Willbur J. Boone

(Signature of applicant)

2790 Fairview Ave. Coquille, Ore. 97423

Remarks: My deed reads as follows

The West half (W 1/2) of the Southwest quarter (SW 1/4) Section Twenty-five (25), Township Twenty-seven (27) South, Range Twelve (12) West of the Willamette Meridian, except that portion conveyed to C. A. Halverstoll by deed recorded July 11, 1925 in Book 97, Page 175 Deed Records, Coos County, Oregon

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Coquille River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 25, 1973

Actual construction work shall begin on or before December 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 9th day of December, 1975

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. 51354
Permit No. 38836

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of Oct 1973, at 11 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38836 of Permits on page

STATE ENGINEER

Drainage Basin No. 17 page 227

Fees