

RECEIVED

"CERTIFICATE NO. 56857"

Permit No. 38894

DEC 17 1973

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 511

To Appropriate the Public Waters of the State of Oregon

I, James L. Mason
of 221 Tipton Road, Roseburg
State of Oregon, 97470, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua, a tributary of Main Umpqua

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 cfs
cubic feet per second

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 2277 ft. N and 1683 ft. E from the SW corner of Section 25

being within the NE 1/4 SW 1/4 of Sec. 25, Tp. 27S, R. 6W, W. M., in the county of Douglas

5. The pipeline to be 500 feet in length, terminating in the NE 1/4 SW 1/4 of Sec. 25, Tp. 27S, R. 6W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 HP Electric (Size and type of pump)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27S	6W	25	NE $\frac{1}{4}$ SW $\frac{1}{4}$	1 acre

(If more space required, attach separate sheet)

(a) Character of soil Black mud

(b) Kind of crops raised lawn and garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied none

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before April 1, 1974

13. Construction work will be completed on or before April 1, 1975

14. The water will be completely applied to the proposed use on or before April 1, 1976

James Mason
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 17, 1973

Actual construction work shall begin on or before December 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 9th day of December, 1975

James E. Selman
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. 51552
Permit No. 38894

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of December, 1973, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38894 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 30P
Fees