

RECEIVED

Permit No. 38936

FEB 1 1974

CERTIFICATE NO. 46164

STATE ENGINEER SALEM, OREGON

\*APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 348 partially

ASSIGNED, See Misc. Rec., Vol. 6 Page 289

To Appropriate the Public Waters of the State of Oregon

I, Joe E. Nicolson (Name of applicant)

of Idleyld Route Box 285C1 (Mailing address), Roseburg, (City)

State of Oregon, 97470, do hereby make application for a permit to appropriate the (Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River (Name of stream)

, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 139 ft. N. and 597 ft. E. from the E 1/4 corner of Section 13 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 13, Tp. 26S. (Give smallest legal subdivision) (N. or S.)

R. 4W., W. M., in the county of Douglas (E. or W.)

5. The pipeline to be 500 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 NW 1/4 of Sec. 13, Tp. 26S. (Smallest legal subdivision) (N. or S.)

R. 4W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1/2 H.P. electric (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.



10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 225.00 .....
- 12. Construction work will begin on or before 6-1-74 .....
- 13. Construction work will be completed on or before 6-1-75 .....
- 14. The water will be completely applied to the proposed use on or before 6-1-76 .....

*Joe E. Nicolson*  
(Signature of applicant)

Remarks: Legal Description of property: Lots 10, 11, and 12  
Sky Park Estates as located in Township 26 South, Range 4 West,  
Section 13 and 14.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 1, 1974

Actual construction work shall begin on or before December 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 9th day of December, 1975.

*James E. Moran*  
STATE ENGINEER  
WATER RESOURCES DIRECTOR

Application No. 51633  
Permit No. 38936

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of February, 1974, at 10:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 38936 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 26H  
Fees