

RECEIVED

APR 11 1974

STATE ENGINEER
SALEM, OREGON

Permit No. 39027

ASSIGNED, See Misc. Rec., Vol. 6 Page 273

*APPLICATION FOR PERMIT

CERTIFICATE NO. 45341

To appropriate the Public Waters of the State of Oregon

I, Earl Conrad
(Name of applicant)

of 3207 West 7th St., The Dalles, Oregon
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wallowa River
(Name of stream)

....., a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 0.125
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S. 77°20' E. 624 feet
ft. and ft. from the NW
(N. or S.) (E. or W.)
corner of section 5
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 5, Tp. 3 S.
(Give smallest legal subdivision) (N. or S.)

R. 45 E., W. M., in the county of Wallowa
(E. or W.)

5. The Existing Farmers Canal to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec., Tp.
(Smallest legal subdivision) (N. or S.)

R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
.....
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1200

12. Construction work will begin on or before Existing

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Completed

X Earl Conrad
(Signature of applicant)

Remarks: Enclosed is statement from ditch company president .

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 13, 1974.

WITNESS my hand this 13th day of June, 1974.

RECEIVED

JUN 21 1974

STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

By

Wayne J. Overcash

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Wallowa River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3/4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 11, 1974

Actual construction work shall begin on or before December 22, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977...

Complete application of the water to the proposed use shall be made on or before October 1, 1978...

WITNESS my hand this 22nd day of December 19 75.

James E. Soren
WATER RESOURCES DIRECTOR

Application No. 51823
Permit No. 39027

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of April 1974, at 11:15 o'clock A M.

Returned to applicant:

Approved:

Recorded in book No. 39027 of Permits on page

STATE ENGINEER

Drainage Basin No. 8 page 308

Fees \$25.00