

RECEIVED

RECEIVED

Permit No. 39012

APR 4 1974

APR 17 1974

STATE ENGINEER
SALEM, OREGON

STATE ENGINEER
SALEM, OREGON
APPLICATION FOR PERMIT

CERTIFICATE NO. 47462

To appropriate the Public Waters of the State of Oregon

I, Earl V. - Lucy M. Lofton
(Name of applicant)
of Rt. 1 Box 344
(Mailing address), Amity
(City)
State of Oregon, 97101, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream
(Name of stream)

, a tributary of salt creek

2. The amount of water which the applicant intends to apply to beneficial use is 39 gal. per minute
as needed for garden & lawn
cubic feet per second 0.00625
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2110 ft. N and 1580 ft. W from the SE
(N. or S.) (E. or W.)
corner of Sec. 20 [beginning at a point on the W line of a 2.39 tract, said
(Section or subdivision)

point 71.465' + E 414.20' from the intersection of Parallel St & Minnow St in the
Thomas addition to City of Amity, T. 55, R. 4W - W.M. then N. along W. boundary of
Co. Road: thence S. westerly along center of Co. Road 398', more or less, to a point that is 74°30' E
of the most easterly N.W. corner of tract described in Book 155, pg. 497, Bk. 155, Yamhill Co.
thence S. 04°30' W. Parallel St. 43.1 ft. to mark S. S.E. corner of above described tract; thence
S. 65' thence Easterly 441', more or less, to point of beginning, except rights of public road.]
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N 1/4 SE 1/4 of Sec. 20, Tp. 5S
(Give smallest legal subdivision) (N. or S.)

R. 4 W, W. M., in the county of Yamhill
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____
(Smallest legal subdivision) (N. or S.)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____
feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate upright stakes with leads in front to raise water a little
(Timber, concrete, etc., number and size of openings)
cost of pump at Sears, \$68.00 +

(c) If water is to be pumped give general description 1/2 h.p. electric pump
(Size and type of pump)

electric - pump & engine all combined
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
centrifugal pump - pumping water out of small holding hole in the creek.

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

water pumped through a garden hose.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 82⁰⁰.....

12. Construction work will begin on or before Apr. 1st 1948, *takes lead to pump out in fall, 9 pits at Rockin Spring*

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before Apr. 15, each year

Earl V. Lofton

(Signature of applicant)

Lucy M. Lofton

Remarks:

This creek ^{has no} continual year round of water. The water we use is from seepage of lands irrigated above us, during the irrigation season.

There is no year round flow of ~~the~~ water in this creek.

It dries up entirely late in the season.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 17, 1974

Actual construction work shall begin on or before December 22, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 22nd day of December 1975.

James C. ...
STATE ENGINEER
WATER RESOURCES DIRECTOR

FS

Application No. 51860
Permit No. 39042

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of April 1974, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 39042 of Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 20817

Fees