

RECEIVED

Permit No. 39051

APR 29 1974

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

CERTIFICATE NO. 46806

To appropriate the Public Waters of the State of Oregon

I, ^H Harvey C. Elmore (Name of applicant)
of Box 372, Portland (Mailing address) (City)
State of Oregon, 97231, do hereby make application for a permit to appropriate the (Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Spring (unnamed) (Name of stream)
the spring flows toward Park Creek, a tributary of Park Creek
- 2. The amount of water which the applicant intends to apply to beneficial use is unestimated
cubic feet per second approximately 3 gallons per min. (If water is to be used from more than one source, give quantity from each)
- 3. The use to which the water is to be applied is for domestic use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1210 ft. N and 578 ft. W from the S.E corner of The Southeast quarter of the South-west quarter, Section 36, Township 2 North, Range 2 West, Willamette Meridian, Multnomah County, Oregon. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 36, Tp. 2N, R. 2W, W. M., in the county of Multnomah (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe line to be approximately 200 ft in length, terminating in the S.E. quarter of S.W. quarter of Sec. 36, Tp. 2 North, R. 2 W, W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description No pump needed. (Size and type of pump)
It's gravity feed. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 2 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township <u>2, North</u>	Range <u>2 West</u>	Section <u>36</u>	<u>Domestic use</u>	<u>Domestic use</u>
<u>2, North</u>	Range <u>2 West</u>	Section <u>36</u>	<u>SE 1/4 - SW 1/4</u>	

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)

Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

family
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

this was done years ago

This spring & the pipeline has been established years ago. The spring has been there for way over 30 years. It was here before we bought the place. But the water rights

Remarks: *The water from the spring is*

used for household use only.

The water or flow has never been accurately measured. I've taken a 3 gallon bucket & measured and I get about 3 gallons a minute.

have never been applied for as registered.

STATE OF OREGON, } ss.

County of Multnomah

Multnomah - the law is Multnomah county.

This is to certify that I have examined the foregoing application, together with the accompanying

..... and data, and return the same for completion and correction.

In order to retain its priority, this application must be returned to the State Engineer, with

..... sections on or before August 19, 19 74
January 6 75

WITNESS my hand this 6th day of June, 19 74
6th November 74

CHRIS L. WHEELER

STATE ENGINEER

By Wayne J. Overcash

ASSISTANT

RECEIVED RECEIVED

AUG 15 1974

STATE ENGINEER SALEM, OREGON

DEC 3 1974

STATE ENGINEER SALEM, OREGON

PERMIT

STATE OF OREGON,

County of Marion,

ss.

Multnomah - We live in Multnomah County.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use for one family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 29, 1974

Actual construction work shall begin on or before December 22, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 22nd day of December, 1975

James E. ...
WATER RESOURCES DIRECTOR

STATE ENGINEER

Application No. 51880
Permit No. 39051

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of April 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of 39051
Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 62817

Fees \$20.00