

RECEIVED

Permit No. 39195

MAY 2 0 1974

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 48709

To appropriate the Public Waters of the State of Oregon

I, Loris K. Willett

(Name of applicant)

of Rt. 1, Box 2059 Randon, Or. 97411

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed tributary of China Creek

(Name of stream)

AND RANDON RES., a tributary of China Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.2 C.F.S.

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation 0.2 cfs Forest Control
CRAVEBAY harvesting 1.0 cfs All uses Supplemental to wells 1.0 cfs L.A.W.

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 870 ft. N and 268 ft. E from the

(N. or S.)

(E. or W.)

corner of Sec. 7, Twp 29 SR 14W, Lot 4 (5/8 of SW 1/4) of Sec 7, 29 S
14W. County of Coos

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 4 5/8 of SW 1/4 of Sec. 7, Tp. 29 S

(Give smallest legal subdivision)

(N. or S.)

R. 14 W, W. M., in the county of Coos

(E. or W.)

5. The Pipe to be 960 ft.

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the North 1/3 Lot 3 of Sec. 7, Tp. 29 SR

(Smallest legal subdivision)

(N. or S.)

R. 14 W, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 80 feet, length at bottom

4.5 feet; material to be used and character of construction Clay

(Loose rock, concrete, masonry,

if this dam has been in 8 to 10 years)
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber Swillway

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 10 H. P. Electric pump

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

Louis A. Willitt
(Signature of applicant)

Remarks:

*The Reservoir will be used only for
cranberry harvesting.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 24 1974...

WITNESS my hand this 24th day of July, 1974.

CHRIS L. WHEELER
STATE ENGINEER

By *Wayne J. Overcash*
Wayne J. Overcash
ASSISTANT

RECEIVED
AUG 16 1974
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and Bandon Reservoir to be constructed under Application No. R-52034, Permit No. R-6280.

The use to which this water is to be applied is supplemental irrigation of cranberries, frost control, and harvesting cranberries, being 0.05 c.f.s. for irrigation, 0.30 c.f.s. for frost control from stream and 0.10 c.f.s. for harvesting from stream and reservoir.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year. The permittee shall record and submit annually to the Water Resources Department all pertinent data pertaining to use of water for frost control on forms furnished.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 20, 1974

Actual construction work shall begin on or before January 28, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977...

Complete application of the water to the proposed use shall be made on or before October 1, 1978...

WITNESS my hand this 28th day of January, 1976.

James E. Gerson
WATER RESOURCES DIRECTOR STATE ENGINEER F.H. S

Application No. 51964
Permit No. 39195

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of May, 1974, at 8:00 o'clock: P. M.

Returned to applicant:

Approved:

Recorded in book No. 39195 of Permits on page

STATE ENGINEER

Drainage Basin No. 17 page 4A

Fees