JUN 1 0 1974 STATE ENGINEER SALEM. OREGON

## \*APPLICATION FOR PERMIT

"CERTIFICATE NO. 56020

## To Appropriate the Public Waters of the State of Oregon

I, BRUCE A. FAIN
of 922 N. Applegate Rd., GRANTS PASS  (City)
State of OKEGON, 92526, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is APPLEGATE RIVER
(NORTH SIDE DITCH), a tributary of ROQUE RIVER
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second
3. The use to which the water is to be applied is
4. The point of diversion is located ft. and ft. (E. or W.)
corner of
The point of disersion (Horth Side Pitch from Applegate River) is located 3960 ft. S. F
10 St. W. from the Nite corner of section I, being within the NE'4 SE
of Section 1, Tp. 385., R. 5 W., W.M. in the Lounty of Josephine.  (If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the AC QUARTER of Sec. 77, Tp. (N. or S.)
R. 5W, W. M., in the county of JOSEPHINE
5. The PIPE LINE to be 680 H.
(Main ditch, canal or pipe line)  in length, terminating in the NW/4 or SW/4 of Sec. 72 , Tp. 375  (Smallest legal subdivision)
R
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description 2" CENTRIFUGAL PUMP (Size and type of pump)
(Size and type of pump)  DIRCCT COXINECT TO A 3 HP ELEC. MOTOR  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>•</sup> A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

adgate. At hea	dgate: width on i	top (at water	· line)	feet; width on bottom
			feet; grade	
			neadgate: width on top (at wate	
	feet; width on b	ottom	feet; depth of u	oater feet
ade	feet fall	per one tho	usand feet.	
(c) Lengt	h of pipe, 68	30 ft.	; size at intake, 2	n.; size at 5
			of use	
			Is grade uniform? 455	
	and ft			
8. Location	on of area to be i	rrigat <b>ed</b> , or	place of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
	RSW	21	NE'/4 OF SE'/4	3.89 Ac
737S	RIW	3 2	NW 1/4 OF SW 1/4	1:12 AC
	Andrew State Communication and the Communication of	The second secon	TOTAL	5.01 Ac
	the Committee of the Co			
		(If more	space required, attach separate sheet)	
			y-LOAM	
(b) Kin	d of crops raised	GRAS	y HAY	
Power or Mir	ning Purposes—			
9. (a) '	Total amount of	power to be	developed	theoretical horsepor
(b)	Quantity of wate	er to be used	for power	sec. ft.
(c)	Total fall to be a	ıtilized	(Head)	
			neans of which the power is to b	e developed
( = /	•			
(e)	Such works to b	e located in	(Legal subdivision)	of Sec
	or S.) R			
			ny stream?(Yes or No)	
(a)	If so, name stree	am and locat	te point of return	
			, Tp(No. N. or S.)	
(1.1	The use to which	h nower is t	o be applied is	(Access on the Control of the Contro
(11)	1100 WOO 10 WITH			3. Z. 3. (\$ 1. %)

incipal of Bomestic Sup			39220
	* -		•
d an estimated population	•		
(b) If for domesti	ic use state number	of families to be suppli	ed
	(Answer question	s 11, 12, 13, and 14 in all cases)	
11. Estimated cost of	proposed works, \$	680 20	
12. Construction work	will begin on or bej	ore ON OF BEFO	PRE ISUNE 1975
13. Construction work	will be completed o	n or before 1500	E 1976
14. The water will be	completely applied to	the proposed use on or	before 1 JUNE 1977
		Brus	e Allin
			gnature of applicant)
Remarks:	-		
	_ !	;	
	•		
	•••••		
l.M.a ja.a.i.n.tsocaetan	med la be diverte	of Swam tak Harth	Side Ditch is located
1326.BZ ft. N. F.	122.5 ft. V.	from the S.E. cox	ner af Section 21
Tp. 37. S. R. 5 W.	, W. M.		
'ATE OF OREGON. \			
County of Marion,	ss.		
		a foregoing application	together with the government in
			together with the accompanying
ips and data, and return	the same for	••••••	
In order to retain	its priority, this ap	plication must be return	ned to the State Engineer, with
In order to retain :			ned to the State Engineer, with
			ned to the State Engineer, with
rrections on or before		19	
rrections on or before		19	ned to the State Engineer, with
rrections on or before		19	
rections on or before		f	

ASSISTANT

## PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and she	all not exceed	ranted is limited to 0.06 cubic f in case of rotation v	eet per secon	d measured a	t the point of	diversion from the
	The use to which t	his water is to be ap	plied is irr	igation		
		his appropriation sh				•
	ot to exceed 4	acre feet per	acre for e	ach acre ir	rigated duri	ng the irrigati
	The priority date	such reasonable rote of this permit is	June 10, 1	974		
therea	fter be prosecuted	on work shall begin d with reasonable di	ligence and b	e completed o	n or before Oc	tober 1, 19.77
	•	tion of the water to t			1	re October 1, 19.78
			WAT	ER RESOURCE	S DIRECTOR	STATE BROWN