

RECEIVED

Permit No. 39247

JUN 19 1974

52089

STATE ENGINEER
SALEM, OREGON

Certificate
*APPLICATION NUMBER NO. 64633

To appropriate the Public Waters of the State of Oregon

I, Lois E. Vance (Name of applicant)

of Rt. 2, Box 1873 Hood River (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring (Name of stream)
unnamed pond, a tributary of Odell Creek

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. stock water 0.01 cfs ~~fish culture 0.02 cfs~~
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is stock water and fish culture
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 605 ft. S and 700 ft. E from the
corner of common corner of 22, 23, 26, 27
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4, NW 1/4 of Sec. 26, Tp. 2N,
(Give smallest legal subdivision) (N. or S.)
R. 10E, W. M., in the county of Hood River
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____,
(Smallest legal subdivision) (N. or S.)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9'10" feet, length on top 50 feet, length at bottom
10 feet; material to be used and character of construction earth fill
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate trickle tube
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description no
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 800.....
- 12. Construction work will begin on or before Aug 1, 1974.....
- 13. Construction work will be completed on or before Oct. 1, 1975.....
- 14. The water will be completely applied to the proposed use on or before Oct. 1, 1975.....

Lee E. Vance
(Signature of applicant)

Remarks: *The spring is located in the pond area and the livestock will drink from the pond*

RECEIVED
AUG 27 1974
STATE ENGINEER
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 9, 1974.....

WITNESS my hand this 12th day of August, 1974.

CHRIS L. WHEELER
Thomas E. Shook
By Thomas E. Shook
STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring and Pond to be constructed under Application No. R-52088, Permit No. R-6287

The use to which this water is to be applied is stock

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 19, 1974

Actual construction work shall begin on or before January 28, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 28th day of January, 1976

James E. Selman
WATER RESOURCES DIRECTOR

Application No. 52089
Permit No. 39217

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of June, 1974, at 11 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 39217 of Permits on page

STATE ENGINEER

Drainage Basin No. 4 page 208
Fees \$30.00