

RECEIVED

JUL 29 1974

STATE ENGINEER  
SALEM, OREGON

"CERTIFICATE NO. 58471"

Permit No. 39319

\*APPLICATION FOR PERMIT

SIGNED, See Misc. Rec., Vol. 5 Page 849

# To appropriate the Public Waters of the State of Oregon

I, Elmer Hartle (Name of applicant)

of Box 186-A, Tyee Route, Umpqua (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Two springs, tributary to an unnamed stream and Umpqua River, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 c.f.s. cubic feet per second. See spring report

\*\*3. The use to which the water is to be applied is stock and irrigation  
Stock 0.01 from springs and 0.01 for irrigation from Umpqua River

4. The point of diversion is located River - 140 ft. N. and 3330 ft. W. from the SE corner of Sec. 6

Spring N. 79° 10' E., 3123 ft. and N. 77° 40' E., 3390 ft. to the Section Corner common to Sec's. 5, 6, 7, and 8, T. 25S., R. 7W., W.M.

being within the NE 1/4 of NW 1/4 of Sec. 7, Tp. 25S.

R. 7 W., W. M., in the county of Douglas

5. The Pipeline to be 600 ft. in length, terminating in the NE 1/4 of NW 1/4 of Sec. 7, Tp. 25S.

R. 7 W., W. M., the proposed location being shown throughout on the accompanying map.

## DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 H.P. electric  
(Size and type of pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300.00 .....

12. Construction work will begin on or before Completed .....

13. Construction work will be completed on or before Completed .....

14. The water will be completely applied to the proposed use on or before Completed .....

X Elmer Hartle

(Signature of applicant)

Remarks: .....

Water from springs empty into a hole where stock drink.

0.005 cfs. from each spring for a total of 0.01 cfs.

There are 10 head of calves, 1 horse and 4 pigs.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before

November 11, 19 74  
January 13, 75  
March 11, 75

WITNESS my hand this 11th day of September, 19 74.  
13th November 74  
8th January 75

RECEIVED  
DEC 30 1974  
STATE ENGINEER  
SALEM, OREGON

RECEIVED

JAN 17 1975  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

By Wayne J. Overcash

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 2 springs and Umpqua River, being 0.01 c.f.s. from spring for stock and 0.01 c.f.s. from Umpqua River for irrigation.

The use to which this water is to be applied is stock and irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 30, 1974

Actual construction work shall begin on or before January 28, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 28th day of January 19 76

*James E. Seaton*  
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. 52241  
Permit No. 39319

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of July 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of  
Permits on page 39319

STATE ENGINEER

Drainage Basin No. 16 page 246

Fees