

SEP 30 1974
STATE ENGINEER
SALEM, OREGON

existing permit # 44877

*APPLICATION FOR PERMIT

CERTIFICATE NO. 47328

To Appropriate the Public Waters of the State of Oregon

I, Kaskela Ranch Inc (Mr. Francis I. Cheney, Pres
(Name of applicant)
of Star Route South Junction, Maupin
(Mailing address) (City)
State of Oregon, 97037, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Sept 24, 1964
State of Oregon

1. The source of the proposed appropriation is Lower Deschutes River
(Name of stream)
a tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second .014 Sec. foot
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Stock Water
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
for approx. 600 head of cattle

4. The point of diversion is located 400' ft. N and 1900' ft. W from the S/E
(N. or S.) (E. or W.)
corner of Section 4 - T. 8 S. R. 14 E. W.M. Wasco County
(Section or subdivision)
The diversion location is located at mile post 80
on the S.P.&S - Burlington Northern Railroad
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the S/W corner of the S/E of Sec. 4, Tp. 8 S,
(Give smallest legal subdivision) (N. or S.)
R. 14 E, W. M., in the county of Wasco
(E. or W.)

5. The pipe line to be 2400 ft to sump
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE corner S/E 1/4 of Sec. 4, Tp. 8 S,
(Smallest legal subdivision) (N. or S.)
R. 14 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2-75 hp GE Motors with
(Size and type of pump)
Turbin pumps lift water 260ft into stock pond 3-50 hp pumps lift
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
water to crop land, Most of Sec 3 - T 8 S - R 14 E. Stock water is taken
from this system (location on map)

*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of N/A

(Name of) County, having a present population of

and an estimated population of N/A in 19

(b) If for domestic use state number of families to be supplied

N/A

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before using existing irrigation system
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

Maskele Parrish Inc
 (Signature of applicant)
 by Parvathy Mary, Pres.

Remarks: When making application for irrigation system the stock water for some 600 head of cattle was overlooked. When your engineer was on the property in September 1974 for final inspection he brought this to our attention & gave to us this application to file. The stock water tanks are located throughout the irrigated pastures (see map) all in Sec 3-4 - T8S - R14E. We estimate that a cow drinks approx 15 gals of water per day so this would mean we need approx 9000 gals of water per day or .0140 second feet. There are 5 water tanks plus the pond.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 6, 1975

WITNESS my hand this 5th day of November, 1974

CHRIS L. WHEELER
 STATE ENGINEER

By Wayne J. Overcash
 WAYNE J. OVERCASH
 ASSISTANT

RECEIVED
 JAN 2 1975
 STATE ENGINEER
 SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.014 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Deschutes River

The use to which this water is to be applied is stock use.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 30, 1974

Actual construction work shall begin on or before January 28, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 28th day of January, 1976

James E. [Signature]
WATER RESOURCES DIRECTOR

STATE ENGINEER

Application No. 52466
Permit No. 39368

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of September, 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page 39368

STATE ENGINEER

Drainage Basin No. 5 page 16A

Fees