

JUN 2 11 1974

*APPLICATION FOR PERMIT

CERTIFICATE NO. 51493

STATE ENGINEER
SALEM, OREGON

To Appropriate the Public Waters of the State of Oregon

I, Palmer Creek Water District Improvement Company
(Name of applicant)
of P. O. Box 152, Dayton
(Mailing address) (City)
State of Oregon, 97114, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation March 3, 1967
Yamhill County, Oregon

1. The source of the proposed appropriation is the Willamette River
(Name of stream)
a tributary of the Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 5.3
cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1,098 ft. S. and 5,651 ft. E. from the S.W.
(N. or S.) (E. or W.)
corner of the William Miller Donation Land Claim #59
(Section or subdivision)

(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW Qtr. of the SW Qtr. of Sec. 4, Tp. 6 S.
(Give smallest legal subdivision) (N. or S.)
R. 3 W., W. M., in the county of Yamhill
(E. or W.)

5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec. , Tp. ,
(Smallest legal subdivision) (N. or S.)
R. , W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— See original application for District.

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

See original application for District

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

DLI-1111

8. Location of area to be irrigated, or place of use:

<u>Applicant</u>	<u>Primary Source</u>	<u>Supplemental Source</u>	<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Forty Acre Tract</u>	<u>No. acres to be Irrigated</u>
Samuel B. Sweeney & Nancy L. Sweeney	Well	Palmer Creek	4S	3W	28	SE $\frac{1}{4}$ of SW $\frac{1}{4}$.5
"	"	"	4S	3W	28	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	1.3
"	"	"	4S	3W	33	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	23.6
"	"	"	4S	3W	33	NW $\frac{1}{4}$ NE $\frac{1}{4}$	5.8
"	"	"	4S	3W	33	SE $\frac{1}{4}$ NW $\frac{1}{4}$	14.8
"	"	"	4S	3W	33	SW $\frac{1}{4}$ NE $\frac{1}{4}$	3.0
James C. Shelburne & Katherine A. Shelburne	Well	Palmer Creek	5S	3W	20	NE $\frac{1}{4}$ NE$\frac{1}{4}$	26.5 ^{letter Dec 2, 1975}
"	"	"	5S	3W	21	NW $\frac{1}{4}$ SW $\frac{1}{4}$	3.2
Robert L. Stockhoff & Beverly A. Stockhoff	Palmer Creek		4S	3W	31	NE $\frac{1}{4}$ SE $\frac{1}{4}$	8.0
"	"		4S	3W	31	SE $\frac{1}{4}$ SE $\frac{1}{4}$	10.8
"	"		4S	3W	31	SW $\frac{1}{4}$ SE $\frac{1}{4}$.7
Anton P. Pietrok & Theresa Ann Pietrok	Palmer Creek		6S	3W	5	NW $\frac{1}{4}$ SW $\frac{1}{4}$	5.9
"	<i>Deleted by letter of Dec. 2, 1975. Proof to be made under permit 32243 for same land</i>		6S	3W	5	SW $\frac{1}{4}$ SW $\frac{1}{4}$	29.0
"			6S	3W	6	NE $\frac{1}{4}$ SE $\frac{1}{4}$.6
"			6S	3W	6	SE $\frac{1}{4}$ SE $\frac{1}{4}$	3.4
Arthur Nygren & Hildegard Nygran	Palmer Creek		6S	3W	6	SE $\frac{1}{4}$ NE $\frac{1}{4}$	14.8
"	"		6S	3W	6	SW $\frac{1}{4}$ NE $\frac{1}{4}$	8.0
Thurlowe F. Gengerich & Joyce E. Gengerich	Palmer Creek		5S	3W	32	NW $\frac{1}{4}$ NW $\frac{1}{4}$	11.0
"	"		5S	3W	32	NE $\frac{1}{4}$ NW $\frac{1}{4}$	2.0
"	"		5S	3W	32	SW $\frac{1}{4}$ NW $\frac{1}{4}$	32.0
"	"		5S	3W	32	SE $\frac{1}{4}$ NW $\frac{1}{4}$	10.0
"	"		5S	3W	32	NW $\frac{1}{4}$ SW $\frac{1}{4}$	1.7
"	"		5S	3W	32	NE $\frac{1}{4}$ SW $\frac{1}{4}$	0.7
George E. Webster & Irma J. Webster	Palmer Creek		4S	3W	29	NE $\frac{1}{4}$ SE $\frac{1}{4}$	2.7
"	"		4S	3W	29	SE $\frac{1}{4}$ SE $\frac{1}{4}$	2.3
John A. Batz & Dolores J. Batz	Palmer Creek		6S	3W	5	NE $\frac{1}{4}$ NE $\frac{1}{4}$	24.6
"	"		6S	3W	5	NW $\frac{1}{4}$ NE $\frac{1}{4}$	14.6
"	"		6S	3W	5	SE $\frac{1}{4}$ NE $\frac{1}{4}$.6
"	"		6S	3W	5	SW $\frac{1}{4}$ NE $\frac{1}{4}$.5
"	"		5S	3W	32	SW $\frac{1}{4}$ SE $\frac{1}{4}$	5.3
"	"		5S	3W	32	SE $\frac{1}{4}$ SE $\frac{1}{4}$	26.1

RECEIVED

Carl Herman Kreder AUG 28 1975

WATER RESOURCES DEPT.
SALEM, OREGON

Application No. 52109
Permit No.

2634

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... to be determined

12. Construction work will begin on or before June, 1974

13. Construction work will be completed on or before July, 1974

14. The water will be completely applied to the proposed use on or before July, 1974

Palmer Creek Water District Improvement Company

(Signature of applicant)

By Willard L. Cushing, Attorney

Remarks: See attached legal descriptions and maps

The application submitted by John A. Batz for the portion of his property located in Section 5, Township 6 South, Range 3 West of the Willamette Meridian, which duplicates a previous permit issued to Lloyd L. Lind, should be ignored and this application by Mr. Batz withdrawn.

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with

Corrections on or before August 26, 1974
January 7, 75
April 7, 75
August 29, 75
WITNESS my hand this 26th day of June, 1974
8th November 74
7th January 75
30th June 75

RECEIVED

AUG 28 1975

WATER RESOURCES DEPT.
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

By Wayne J. O'Cash

ASSISTANT

RECEIVED
AUG 27 1974
STATE ENGINEER
SALEM, OREGON

RECEIVED
JAN 7 1975
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.28 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 7, 1975

Actual construction work shall begin on or before February 13, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 13th day of February, 1976

Jane C. Seay
WATER RESOURCES DIRECTOR

Application No. 52109
Permit No. 39385

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of June, 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 39385 of Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 64R
Fees

172