

RECEIVED

JUL 3 1974 closed is a check for \$30.00

Permit No. 39387

STATE ENGINEER  
SALEM, OREGON

"CERTIFICATE NO. 6142"

\*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Warren L. and Mary D. Naillon  
(Name of applicant)  
of Rt 2 Box 37A Clatskanie  
(Mailing address) (City)  
State of Oregon, 97016, do hereby make application for a permit to appropriate the  
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is (Spring) unnamed  
(Name of stream)  
a tributary of Beaver Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.005  
cubic feet per second  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic Purposes (single family  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
dwelling) including 1/2 acre of lawn and garden

4. The point of diversion is located 1240 ft. N  
(N. or S.) and 950 ft. W from the SE  
(E. or W.)  
corner of Section 3  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 3, Tp. 7N  
(Give smallest legal subdivision) (N. or S.)

R. 4W, W. M., in the county of Columbia

5. The Pipe to be 350  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the SE 1/4 SE 1/4 of Sec. 3, Tp. 7N  
(Smallest legal subdivision) (N. or S.)

R. 4W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom  
feet; material to be used and character of construction  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1000 gallon storage  
(Size and type of pump)  
cistern with 3/4 HP shallow well jet pump 230V  
(Stationary Pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 350 ft.; size at intake, 1 in.; size at 5 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? yes Estimated capacity, 0.01 sec. ft.

8. Location of area to be irrigated, or place of use .....

| Township North or South | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated    |
|-------------------------|---------------------------------------|---------|------------------|---------------------------------|
| 7N                      | 4W                                    | 3       | SE 1/4 SE 1/4    | (1/2 acre for lawn and garden.) |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |
|                         |                                       |         |                  |                                 |

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....

(Name of) ..... County, having a present population of .....

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.<sup>00</sup>

12. Construction work will begin on or before Oct 1, 1974

13. Construction work will be completed on or before Oct 1, 1975

14. The water will be completely applied to the proposed use on or before Oct 1, 1976

Warren L. Naillon  
(Signature of applicant)

Mary D. Naillon

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction and completion .....

In order to retain its priority, this application must be returned to the State Engineer, with objections on or before October 28, 19 74.

WITNESS my hand this 26th day of August, 19 74.

CHRIS L. WHEELER  
STATE ENGINEER

By Wayne J. Overcash  
ASSISTANT

RECEIVED  
SEP 20 1974  
STATE ENGINEER  
SALEM, OREGON

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic use for one family, including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 3, 1974

Actual construction work shall begin on or before February 13, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 13th day of February 19 76.

*James C. [Signature]*  
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. 52142  
Permit No. 39387

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of July 1974, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of  
Permits on page 39387

STATE ENGINEER

Drainage Basin No. / page 61

Fees