RECEIVED

SEP5 1974 STATE ENGINEER SALEM, OREGON

Permit No. 39409

ASSIGNED, See Misc. Rec., Vol. ____

To Appropriate the Public Waters of the State of Oregon

2. The amount of water which the applicant intends to apply to beneficial use is O, O4 bic feet per second (If water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is	I	Wilmer R. NORTHUP, Jr.
the of the theorem and the series of the state of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation I. The source of the proposed appropriation is the series of the series of the proposed appropriation is the series of the proposed appropriation is the series of the proposed appropriation is the series of the series of the proposed appropriation is the series of the series of the proposed appropriation is the series of the serie	f F	dirview Rte Box 2972 Coquille
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Set 1 Control (Seame december) 2. The amount of water which the applicant intends to apply to beneficial use is O.O.4 bic feet per second (It water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, dementic supplies, etc.) 4. The point of diversion is located 2.0. ft. S. and 1/292. ft. (It even). from the Enter of Sec. 2.4 (It serterable, give distance and bearing to section corner) (It there is more than one point of diversion, each must be described. Use separate label II necessary) ing within the S.E. 1/4 (Section or subdivision) (It serterable, give distance and bearing to section corner) (It there is more than one point of diversion, each must be described. Use separate label II necessary) ing within the S.E. 1/4 (Section or subdivision) (It serterable, give distance and bearing to section corner) (It there is more than one point of diversion, each must be described. Use separate label II necessary) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give distance and bearing to section corner) (It serterable, give	tate o	f Ore , 97423, do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is Not to Summary (Squille Nivet) 2. The amount of water which the applicant intends to apply to beneficial use is O. 04 bic feet per second (It water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is (Irrestlin, sower, mining, manufacturing, constite supplies, etc. (It or w.)) 4. The point of diversion is located 2.0. ft. S and 6.992 ft. (It or w.) from the Enter of Sec. 2.4 (Gestion or subdivision) (It preferable, give distance and bearing to section corner) (It there is more than one point of diversion, each must be described. Use separate sheet it necessary) ing within the NE My SE My Of Sec. 2.4. Tp. 27.5 (It is all the county of Colors (It is substituted to be used and character of Sec. 2.4. Tp. 27.5 (It is all the county of Sec. 2.4. Tp. 27.5 (It is all the county of Sec. 2.4. Tp. 27.5 (It is all the county of Sec. 2.4. Tp. 27.5 (It is all the county of Sec. 2.4. Tp. 27.5 (It is all the second diversion) DESCRIPTION OF WORKS 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Coose reck, concrete, mass of the second type of pump) (b) Description of headgate (Timber, concrete, sec., number and size of openings)		
2. The amount of water which the applicant intends to apply to beneficial use is O1044 bic feet per second (14 water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is (trigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 20 ft. (trigation, power, mining, manufacturing, domestic supplies, etc.) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate these if necessary) ing within the NE 1/4 SE 1/4 (Cive smallest legal subdivision) (It was not been one point of diversion, each must be described. Use separate these if necessary) ing within the NE 1/4 SE 1/4 (Cive smallest legal subdivision) (It was not been one point of diversion, each must be described. Use separate these if necessary) ing within the NE 1/4 SE 1/4 (Cive smallest legal subdivision) (It was not been or	I	f the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is	1	. The source of the proposed appropriation is Not the Fort Cosuille River
ing within the Section or subdivision: 1. The set is more than one point of diversion, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the Section, W. M., in the county of Section corner) (If we shallest legal subdivision) (If we shallest legal subdivision) (If we shall section corners with the section corner) (If we shall section corners with the section corner) (If we shall section corners with the section corner) (If we shall section corners with the section corners) (If we shall section corners with the	2	The amount of water which the applicant intends to apply to beneficial use is 0,04
3. The use to which the water is to be applied is ATTAM (trigation, power, mining, manufacturing, domestic supplies, etc. 4. The point of diversion is located 2.0 ft. S and \$\frac{D}{2.2}\$ ft. \$\text{\$\text{\$\substack}\$}\$ (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate threat it necessary) ing within the \$\text{\$\text{\$\substack}\$}\$ \(\frac{1}{2} \text{\$\text{\$\substack}\$} \) (Give smallest legal subdivision) (If one W.), W. M., in the county of \$\frac{1}{2} \text{\$\text{\$\substack}\$}\$ to be \$\frac{1}{2} \text{\$\text{\$\substack}\$}\$ (Milles or feet) length, terminating in the \$\text{\$\text{\$\substack}\$} \text{\$\text{\$\substack}\$} \text{\$\text{\$\substack}\$}\$ (Milles or feet) length, terminating in the \$\text{\$\text{\$\substack}\$} \text{\$\text{\$\substack}\$} \text{\$\text{\$\substack}\$} \text{\$\text{\$\substack}\$}\$ (Milles or feet) \$\text{\$		
4. The point of diversion is located 20 ft. S and 1092 ft. (E. or W.) from the Enter of 5ec 24 (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SE (Give smallest legal subdivision) of Sec. 24, Tp. 275 (I. or W.) W. M., in the county of Coes 5. The SE (Main ditch, canal or pipe line) length, terminating in the NE (Ginsliest legal subdivision) of Sec. 24, Tp. 275 (Monthiest legal subdivision) of Sec. 24, Tp. 275 (No or S.) 12 W. M., the proposed location being shown throughout on the accompanying map (E. or W.) W. M., the proposed location being shown throughout on the accompanying map DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, mask and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	,orc j	(If water is to be used from more than one source, give quantity from each)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the NE /4 SE /4 of Sec. 24 Tp. 7p. 275 (Re or W.) W. M., in the county of LOOS 5. The Preferable (Main ditch. canal or pipe line) length, terminating in the NE /4 SE /4 of Sec. 24 Tp. 7p. 275 (Smallest legal subdivision) (Re or W.) W. M., the proposed location being shown throughout on the accompanying map DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Cover rock, concrete, mase and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	3	The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(Section or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the	4	. The point of diversion is located 20 ft. S and 1092 ft. w from the E
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the NE 14 SE 14 of Sec. 29 , Tp. 275 (Give smallest legal subdivision) 5. The Ne 16 (Miles or feet) 12 (Main ditch. canal or pipe line) 13 (Miles or feet) 14 (Sec. 24 , Tp. 275 (Miles or feet) 15 (Miles or feet) 16 (Miles or feet) 17 (No or S.) 18 (Smallest legal subdivision) 19 (Sec. 24 , Tp. 275 (No or S.) 10 (No or S.) 11 (Smallest legal subdivision) 10 (No or S.) 11 (Smallest legal subdivision) 12 (No or S.) 13 (No or S.) 14 (Smallest legal subdivision) 15 (No or S.) 16 (Smallest legal subdivision) (No or S.) 17 (No or S.) 18 (Smallest legal subdivision) (No or S.) (No or S.) 19 (No or S.) (No or S.) 10 (No or S.) 11 (No or S.) 12 (No or S.) 13 (No or S.) 14 (Miles or feet) (No or S.) (No or S.) 14 (Silve and type of pump)		(If preferable give distance and bearing to section corner)
ing within the NE 14 SE 14 of Sec. 24 , Tp. 275 12 W, W. M., in the county of Sec. 24 to be Story feet 5. The Pre-line (Main ditch. canal or pipe line) length, terminating in the NE 14 SE 14 of Sec. 24 Tp. 275 (Smallest legal subdivision) (R. or W.) DESCRIPTION OF WORKS Version Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, mase and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	••••••	
(E. or W.) 5. The Pipe//M. (Main ditch, canal or pipe line) length, terminating in the NE / (Smallest legal subdivision) 12 W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, mask and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	ing u	of Sec. 24 To. 275
5. The Pipe//h to be 500 feet (Main ditch, canal or pipe line) (Miles or feet) length, terminating in the NE //4 SE //4 of Sec. 24 , Tp. 27 S (N. or S.) // (Smallest legal subdivision) DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, mask and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	12	(Give smallest legal subdivision) (N. or S.) W. M., in the county of
DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, mask and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description feet, length at bott (Size and type of pump)	5	The fipeline to be 500 feet
DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, mask and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description feet, length at bott (Size and type of pump)	leng	th, terminating in the NE/U SE/U of Sec. 24 T_D 27 S
DESCRIPTION OF WORKS version Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, mass k and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description feet, length at both (Loose rock, concrete, mass (Timber, concrete, etc., number and size of openings)	1,	(Smallest legal subdivision) (N. or S.) (E. or W.)
6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, mask and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description feet, length at both feet, length at both feet, length at both feet; material to be used and character of construction		DESCRIPTION OF WORKS
feet; material to be used and character of construction (Loose rock, concrete, mask and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)		
(b) Description of headgate		
(b) Description of headgate		(Loose rock, concrete, masonry
(c) If water is to be pumped give general description 5 hp 9d10/14. (Size and type of pump)		
	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pumped give general description 5 hp 9dsaline (Size and type of pump)
The state of the s	••••••	

• A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal	System	or Pi	pe Line-

euagute. At het	iagaie. Wiain on i	op (ai wate	т ипе)	•••••••••••••••••••••••••••••••••••••••	feet; width on botto
ousand feet.	feet; depth of wo	ıter	fe	et; grade	feet fall per o
	n	iles from	headgate: widi	h on top (at w	ater line)
					f water fee
	feet fall 1				,
				•	in.; size at j
	4 - 5				fference in elevation between
take and place	of use,	ft.	Is grade unifo	rm?	Estimated capacit
8. Locatio	•	rigated, or 1	olace of use		
Township	Range E. or W. of				
North or South	Willamette Meridian	Section	Forty	-acre Tract	Number Acres To Be Irrigated
275	12 W	24	NE 14	SE/14	3
alada a dalama a da					
***************************************		· · · · · · · · · · · · · · · · · · ·			
	<u> </u>				
a consideration of the constant and the				·	
	/	(If more spa	ce required, attach s	eparate sheet)	
(b) Kind	of crops raised	1040/5	61160	n & Fdmil	ly Orchard
ower or Minin	g Purposes—				r
9. (a) Tot	al amount of pou	er to be de	veloped		theoretical horsepowe
(b) Qu	antity of water to	be used fo	r power		sec. ft.
(c) Tot	al fall to be utili	zed	•••••	feet.	
			·		e developed
(4) 110	e nature of the we	nks og med	ns of which th	e power is to o	e developed
•••••••••••••••••••••••••••••••••••••••		•••••••		•••••	······································
(e) Su	ch works to be lo	cated in	(Legal	subdivision)	of Sec
O(No. N. or S	, R. (No. E.	, W	. M.		
(f) Is	water to be retur	ned to any s	stream?	r No)	
			,		
					, R, W, W
					(No. E. or W.)
(n) In			s auminien is		

Mun	icipal or Domestic Supply—	39409
	10. (a) To supply the city of	
•••••		ent population of
nd a	an estimated population of	
	(b) If for domestic use state number of	f families to be supplied Ohe
_	(Answer questions 1 11. Estimated cost of proposed works, \$	1, 12, 13, and 14 in all cases)
	12. Construction work will begin on or before	
	13. Construction work will be completed on	
		•
	end water will be completely applied to the	he proposed use on or before 1 July 197.
		Wilman DM DK
		(Signature of applicants)
F	Remarks:	
•••••		
•••••		
•••••		
•••••		
••••••		
•••••		
•		
i IE	of OREGON,	
- ou	or of Marton,	
T	his is to certify that I have examined the fo	regoing application, together with the accompany
s an	nd data, and return the same for	
·····		
In		
	one on the last	tion must be returned to the State Engineer, w
ect10	ons on or before	, 19
W	VITNESS my hand this day of	, 19
	.,	
		STATE ENGINEER
	E	By

PERMIT

STATE	OF	OREGON,)	
Coun	tai c	of Marion	Ì	SS.

This is to certify that I have examined the foregoing application and do hereby grant the same, S

UBJE	CT TO EXISTING RIGHTS and the following limitations and conditions:		
7	he right herein granted is limited to the amount of water which can be applied to beneficial use		
nd sho	all not exceed		
tream, or its equivalent in case of rotation with other water users, from North Fork Coquille			
River			
	The use to which this water is to be applied is <u>irrigation</u>		
l second	f for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per or its equivalent for each acre irrigated and shall be further limited to a diversion to exceed 2 acre feet per acre for each acre irrigated during the irrigation		
	n of each year,		
,			

	The priority date of this permit isSeptember 5, 1974		
	Actual construction work shall begin on or before February 13, 1977 and shall		
	fter be prosecuted with reasonable diligence and be completed on or before October 1, 1977		
	Complete application of the water to the proposed use shall be made on or before October 1, 19.78		
	WITNESS my hand this13th day of February		
	Ome C. Sep		
	WATER RESOURCES DIRECTOR		
	regon in the in the second with the second s		
	PUBLIC ATE alem, Oregor f.cm & C. 7 M. 7 M. 20008888		
23	pag pag		

Application No. 52384 Permit No.

TO APPROPRIATE THE ST WATERS OF THE ST OF OREGON PERMIT

office of the State Engineer at So This instrument was first re

1974, at 8.00 o'clock on the 5th day of Sep

Returned to applicant:

Recorded in book No.

Approved:

Permits on page

Fees

SP+45693-119