SEP 2 6 1974 STATE ENGINEER SALEM, OREGON

## \*APPLICATION FOR PERMIT

CERTIFICATE NO. 49/58

## To Appropriate the Public Waters of the State of Oregon

of	······································
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is	······································
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is	······································
The source of the proposed appropriation is	
, a tributary of the Pacific Ocean	
2. The amount of water which the applicant intends to apply to beneficial use is	
cubic feet per second	
**3. The use to which the water is to be applied isirrigation_of_lawnorchard	and
garden (Prigation, power, mining, manufacturing, domestic supplies, etc	.)
4. The point of diversion is located 657.9 ft. N and 714.0ft. E from the W2	
corner of Section 31, T. 40 S., R. 13 W., W.M.	·
•	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	
being within the SN1 of the NW1 of Sec. 31 , Tp. 40 S.,	
R. 13. W. s. W. M., in the county of Curry	
5. The 2" plastic pipeline to be 390 feet (Main ditch, canal or pipe line) (Miles or feet)	
in length, terminating in the SW1 of the NW1 of Sec. 31 , Tp. 40S.  (Smallest legal subdivision) (N. or S.)	· <b>,</b>
R13W., W. M., the proposed location being shown throughout on the accompanying map.	
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top feet, length at bott	
feet; material to be used and character of construction	onry,
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate 36" concrete culvert rings to be set vertice (Timber, concrete, etc., number and size of openings)	ally
nto spring area, depth 12 feet; one 4" orangeburg perforated feeder	
(c) If water is to be pumped give general descriptionone-half_horse_electric_u	ator,
et type pump; one-inch suction and discharge; 11 foot lift  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>&</sup>quot;Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

anal System or F	•			the standard will be form
			canal where materially chang	
eadgate. At head	gate: width on t	op (at water	· line)	feet; width on bottom
housand feet.			feet; gradeeadgate: width on top (at wate	
	feet; width on bo	ttom	feet; depth of 1	vater feet;
rade	feet fall	per one tho	usand feet.	
(c) Length	of pipe. 390	) ft.	; size at intake,	in.; size at ft.
rom intake	in.;	size at place	of use1 in.; di	fference in elevation between
ntake and place	of use. 16	ft.	Is grade uniform? .y.es	Estimated capacity,
	sec. ft. n of area to be ir	rigated, or p	place of use	
Township North or South	Range E. or W. of Willomette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
40 S	13 W	31	SW2 of the NW2	1.85 acres
gaddinin ar yddin en er wlai dei ydan i bo noarwy yn blai y fallariag en i nesg e woer in di	and a too a real of the contract to the contra			
MANINE FOR EXTENDING AND		AN ANTIQUE AND THE STATE OF THE		
ggygging ga tre shariff ann ann ann an ann an shariff an ann an		many madeller i dan a shikken i dalam i		The second secon
Property of the board of all magnetic and a second of the		enementary profession delphilosophic del 1880 de 1878, eneme e est		
and the second section of the second section of the second section of the second section secti				
rok splanne Hittere i i transfera manara esta centralmente i i en contralme				
AND THE RESIDENCE AND ADDRESS OF THE PARTY O	and and the state of the state			
markaminene sesse se, a das tida (Adacsimoria es estar estar estas Edifos) (") de l'acceptado dunif				
	AND THE RESIDENCE AND A STREET OF THE STREET, AND ASSESSED ASSESSED ASSESSED.	Name and the second sec		The second of th
	A STATE OF THE STA		The state of the s	
	E CONCERNARIO CERTERO METRON MESO, NEVEL EN PORT A LA AMPRIL DISMANDI NA		ce required, attach separate sheet)	***************************************
(a) Ch	aracter of soil	elay-	Loam	
		a gard	den vegatables, orcha	ard (apple, pear), la
Power or Mining	-	wer to be de	meloned	theoretical horsepower.
			r powers	
		•	(Head)	,
			(Head) ans of which the power is to be	e developed
(11)				
(e) Su	ch works to be le	ocated in		of Sec.
	, R. (No.1			,
			stream?(Yes or No)	
			(Yes or No) point of return	
				, R, W. M
				(No. E or W.)
(117, 11	ic use to writer p	,000 m 10 0	o upprou to man minimum.	

	Municipal or Domestic Supply—
	10. (a) To supply the city of
•	and an estimated population ofin 19
<b>.</b>	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 48, 18, and 14 in all cases)
	11. Estimated cost of proposed works, \$ 350.00
	12. Construction work will begin on or before January 1, 1975
	13. Construction work will be completed on or before
	14. The water will be completely applied to the proposed use on or before September 1, 1975
	Vx Lois D. Sherman
	Vx dois D. Sherman
	Remarks: Mr. and Mrs. Sherman plan to move to this area around the
	first of 1975. The irrigation pipeline to the hose bibbs is in place,
	the spring source has to be re-dug and improved upon. They has pur-
	chased the house as shown. The hose bibbs will provide outlets for
	moveable sprinkler heads served with hoses.
	STATE OF OREGON, )
<b>-</b>	County of Marion
<b>1.6</b>	This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same forcompletion.
EIVE 2 1974 ENGINEE	Taps and data, and return the same forcompletion
REG NOV STATE	In order to retain its priority, this application must be returned to the State Engineer, with correc-
	tions on or before January 2 , 19.75.
	WITNESS my hand this list day of November , 1974
	CHRIS L. WHEELER STATE ENGINEER

Wayne J. Overcash ASSISTANT

## PERMIT

STATE OF OREGON,

-- Marion,

ss.

SUBJECT		RIGHTS and the follow	ving limitation	s and cond	itions:	
		nted is limited to the a				
		0.023 cubic feet p				
stream, or	r its equivalent in	case of rotation with o	other water us	ers, from	an unnamed	spring
The	e use to which thi	s water is to be applied	is irrigati	on		
		appropriation shall be l				
		each acre irrigated an				
		cre reev per acre r				
Beason (	<u>,, , , , , , , , , , , , , , , , , , ,</u>		••••		•••••	
****			••••			
***************************************						
and shall	be subject to such	h reasonable rotation sy	stem as may b	e ordered b	y the proper sto	ite officer.
		this permit isSepten				
		work shall begin on or				
thereafter	r be prosecuted w	oith reasonable diligence	e and be comp	leted on or	before October	1, 1977
Con	nplete application	n of the water to the pro	posed use sha	ll be made	on or before Oc	tober 1, 1978
WI	TNESS my hand	this 13th day	of Februar	<b>Y</b>	, 19.76	
			9	erres (	She	THE PASSE A
			ATER RE	SOURCES I	DIRECTOR	
	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Loth, day of September., 1924, at Riad o'clock.			of	state engineer page 22