

RECEIVED

Permit No. 39471

JUN 2 1975

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 48328

To Appropriate the Public Waters of the State of Oregon

I, Thelma R. T. Fall
(Name of applicant)
of Rt 2 Box 243 E.F.
(Mailing address), McMinnville
(City),
State of Oregon, 97128, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Raker Creek
(Name of stream)
a tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second 0.01 cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic + irrigation of
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
small garden not to exceed one-half acre area

4. The point of diversion is located 180' ft. N. and 145' ft. E. from the
(N. or S.) (E. or W.)
corner of Center of Section 14 of T4 S. R. 5 W
(Section or subdivision)
See attached drawing of property

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Hidden Hills - Lot #1 (SW 1/4 NE 1/4) of Sec. 14, Tp. 4-S.
(Give smallest legal subdivision) (N. or S.)
R. S-W., W. M., in the county of Yamhill
(E. or W.)

5. The water pipe
(Main ditch, canal or pipe line) to be apprx 80'
(Miles or feet)
in length, terminating in the Hidden Hills Lot #1 of Sec. 14, Tp. 4-S.
(Smallest legal subdivision) (N. or S.)
R. S-W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description piston pump 5 G.P.M.
(Size and type of pump)
intermittent use
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, approx. 50 ft.; size at intake, $1\frac{1}{4}$ in.; size at ft. from intake in.; size at place of use $\frac{3}{4}$ in.; difference in elevation between intake and place of use, ~~10~~ 10 ft. Is grade uniform? yes Estimated capacity, 600-900 Gals. Per Day Summer 100-200 Gals Per Day Winter.
 8. Location of area to be irrigated, or place of use yard + house

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 South	5 West	14	SW 1/4 NE 1/4 (See attached Map)	1.25 Dom @ L & G

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised garden lawn & shrubs and flowers

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)
 (d) The nature of the works by means of which the power is to be developed
 (e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)
 (f) Is water to be returned to any stream?
(Yes or No)
 (g) If so, name stream and locate point of return
, Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)
 (h) The use to which power is to be applied is
 (i) The nature of the mines to be served

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 11,000.⁰⁰.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before - has been completed.....
- 14. The water will be completely applied to the proposed use on or before - immediately.....

Thelma Hall
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with objections on or before August 29, 1975
December 30, 1975

WITNESS my hand this 30th day of June, 1975
31st day of October, 1975

CHRIS L. WHEELER
STATE ENGINEER

By Wayne J. Overcash
Wayne J. Overcash ASSISTANT

RECEIVED
AUG 28 1975

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED
NOV 20 1975

WATER RESOURCES DEPT.
SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Baker Creek

The use to which this water is to be applied is domestic use for one family, including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 2, 1975

Actual construction work shall begin on or before February 13, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 13th day of February, 1976.

James E. Nelson
WATER RESOURCES DIRECTOR STATE ENGINEER FH S

Application No. 53197
Permit No. 39471

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of June, 1975, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Permits on page 39471

STATE ENGINEER

Drainage Basin No. 2 page 20822

Fees \$0.00