JUN 4 1975 STATE ENGINEER SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 50210

To Appropriate the Public Waters of the State of Oregon

As the control of diversion is located 150 ft. No. and 200 ft. Comment applies, steep of diversion is located 150 ft. No. and 200 ft. Comment of diversion is located 150 ft. No. and 200 ft. Comment of diversion is located 150 ft. No. and 200 ft. Comment of diversion is located 150 ft. or w.) 1. The point of diversion is located 150 ft. No. and 200 ft. Comment of the supplies, steep comment of diversion is located 150 ft. or w.) 2. The amount of water which the applicant intends to apply to beneficial use is 0.01 c. f. s. abic feet per second (if water is to be applied is domestic. (trigation, power, mining, manufacturing, domestic supplies, stee) 4. The point of diversion is located 150 ft. No. and 200 ft. Comment of the country of (No. or s.) 1. The water is more than one point of diversion, such most be described. The separate sheet if necessary thing within the S (Break and 150 ft. or w.) 2. Water is more than one point of diversion, such most be described. The separate sheet if necessary thing within the S (Rive and 150 ft. or w.) 2. Water is more than one point of diversion, such most be described. The separate sheet if necessary thing within the S (Rive and 150 ft. or w.) 2. Water is more than one point of diversion. Such most be described. The separate sheet if necessary thing within the S (Rive and 150 ft. or w.) 2. Water is more than one point of diversion. Such most be described. The separate sheet if necessary thing within the (Rive and 150 ft. or w.) 2. Water is more than one point of diversion. Such most be described. The separate sheet if necessary the separate	I, Vieva Saltmarsh (Name of applicant)
ate of Section	
Illowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation	(oty)
1. The source of the proposed appropriation is	(all code)
1. The source of the proposed appropriation is	ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is
thic feet per second (It waster is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is	, a tributary ofittle Applement Milyan.
4. The point of diversion is located 150 ft. No. and 200 ft. Ex. from the SA received in the point of diversion is located 150 ft. No. and 200 ft. Ex. from the SA received in the point of diversion is located 150 ft. No. and 200 ft. Ex. from the SA received in the point of diversion of subdivision. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate sheet if necessary) ing within the SA SA SA CONTROLL OF SEC. 20 T. T. 39 S.	2. The amount of water which the applicant intends to apply to beneficial use is
4. The point of diversion is located 150 ft. No. and 200 ft. Ex. from the SA received in the point of diversion is located 150 ft. No. and 200 ft. Ex. from the SA received in the point of diversion is located 150 ft. No. and 200 ft. Ex. from the SA received in the point of diversion of subdivision. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate sheet if necessary) ing within the SA SA SA CONTROLL OF SEC. 20 T. T. 39 S.	rubic feet per second
4. The point of diversion is located 150 ft. No. and 200 ft. (E or W.) from the S.A. The point of diversion is located 150 ft. No. (Nor S.) (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the S.A. (Nor S.) 2 No. (Nor S.) 2 No. (Nor S.) 2 No. (Nor S.) 5. The pipeline to be 1950 feet (Miles or feet) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Miles or feet) (Mi	
4. The point of diversion is located 150 ft. No. and 200 ft. (E. or W.) from the EA (N. or S.) and 200 ft. (E. or W.) from the EA (R. or	•
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SWA GWA OF Sec. 20 , Tp. 39 3 . (No or 8.) 2 Wa , W. M., in the county of JRCKSONA (Ex or W.) 5. The pipeline to be 1950 feet (Miles or feet) (Miles or feet) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec	4. The point of diversion is located 150 ft. No. and 200 ft. E. from the SX.
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SWA GWA OF Sec. 20 , Tp. 39 3 . (No or 8.) 2 Wa , W. M., in the county of JRCKSONA (Ex or W.) 5. The pipeline to be 1950 feet (Miles or feet) (Miles or feet) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec. (No or 8.) (Smallest legal subdivision) of Sec. 29 , Tp. 39 Sec	corner of Lection 20 (Section or subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SW. Give smallest legal subdivision of Sec. 20. , Tp. 39.5. (N. or S.) 2	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SW. Give smallest legal subdivision of Sec. 20. , Tp. 39.5. (N. or S.) 2	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SW. Give smallest legal subdivision of Sec. 20. , Tp. 39.5. (N. or S.) 2	
(C) If water is to be pumped give general description of Sec. 20. , Tp. 39. (N. or s.) (Give smallest legal subdivision) (R. or w.) (R.	(If preferable, give distance and bearing to section corner)
(C) If water is to be pumped give general description of Sec. 20. , Tp. 39. (N. or s.) (Give smallest legal subdivision) (R. or w.) (R.	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
2. W. M., in the county of Jackson. 5. The pipeline to be 1950 feet (Miles or feet) length, terminating in the NNA NEX (Smallest legal subdivision) (Stor W.) DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry.) k and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	
length, terminating in the Now NEW of Sec. 29 , Tp. 39 Sa (N. or S.) DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction feet, wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	(Give smallest legal subdivision) (N. or S.) (E. or W.)
length, terminating in the NOW NEX (Smallest legal subdivision) Of Sec. 29 , Tp. 39 Ea. (N. or S.) Of Sec. 29 , Tp. 39 Ea. (N. or S.) Of Sec. 29 , Tp. 39 Ea. (N. or S.) DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry.) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	5. The pipeline to be 1950 feet
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry.) ik and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	,
DESCRIPTION OF WORKS 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry). (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry). (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	
feet; material to be used and character of construction (Loose rock, concrete, masonry.) (k and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	Diversion Works—
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	6. (a) Height of dam feet, length on top feet, length at bottom
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	feet; material to be used and character of construction boxed in with
(c) If water is to be pumped give general description	ock and brush, timber crib, etc., wasteway over or around dam)
(c) If water is to be pumped give general description	(b) Description of headgate
	(c) If water is to be pumped give general description
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Size and type of pump)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

dgate. At head	dgate: width on t	op (at water	line)	feet; width on botto
ısand feet.				ater line)
, ,				f water fee
				<i>j water jet</i>
	feet fall			7.50
				in.; size at
n intake	in.; s	ize at place o	f use in.; d	ifference in elevation between
ake and place	of use,ll	.Q ft. I:	s grade uniform?Yes	Estimated capacit
	sec. ft.			
8. Locatio	The state of the s	rigated, or pl	ace of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
70 S.		20	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Later Company
The second secon			we consider the second	, 11, 1, 1, s
in agreement der die derlijfelen standenberadels derder agge- onstitutelsed open oder		4 11 12 12 12 12 12 12 12 12 12 12 12 12		
Married Married Married Control of the Control of t				
an'n'illian'i la tra quanta i spelatoparty pa a laid sa ma e laidheas da dha an a sa				
		- CANADA - MANAGEMENT - CANADA		
		Annual Second Advisory of Advisory of the Second Se		
ar-discontribution (1776), 453/CON/SATISMAY FISHERS CONST. Miles (1864/1974).	To have been seen to be a seen	ggge-filights 67-1924, graypensonals filight had the stronger has millioner o ddischer		
gelderman ist at siget kommer men store sometime eft i hydr, vider kommer krypsynd distant		And the state of t		
ndrigorijaninas ikrailitis, ir pamentra in a voluntu savas patentra in manatani	AND AND ADDRESS OF THE PARTY OF	gangganatani ir birdata iki kalon. Laga sangin yangganka sasaha li kalonisan ani ingan ka		
managara 1879 paga 1. A kalaun milata kunikusa inta propinsi kangkan nga kuning kalaun s	THE RESERVE OF THE PROPERTY OF	ne a partier i significa i Nigerio referenza habera da partie a la casa del meto ello a "Allebera	The state of the s	
	white had had been mineral resident paper rights to describe the services.	(If more space	e required, attach separate sheet)	
(a) Chard	acter of soil	••••••		
(b) Kind	of crops raised.	••••		
35.	75			
	ng Purposes—	over to be der	veloped	theoretical horsepou
		+	r power	566. ju
			(Head)	
(d) T	he nature of the	works by mea	ns of which the power is to	be developed
(e) Si	ich works to be	located in	(Legal subdivision)	of Sec
	, R			
			stream?(Yes or No)	
(g) If	so, name stream			
			e applied is	

inicipal or Domestic Supply—			39479	72.04
10. (a) To supply the city of		•••••	•••••	····
County, having a present	population of	······································	•••••	••••
d an estimated population of	in 19	1		
(b) If for domestic use state number of f	amilies to be supplie	d	two foril:	ins.
	2, 13, and 14 in all cases)	<u> </u>		
11. Estimated cost of proposed works, \$. ,			
		· 10+0 05	· maninamitar-	
12. Construction work will begin on or before				
13. Construction work will be completed on or				
14. The water will be completely applied to the	proposed use on or l	before		•
		0 04		
·	View Sign	nature of applicant	march	••••
			••••••	••••
Remarks:				····
		•••••	•••••	
		•		••••
		•••••••••••••••••••••••••••••••••••••••	••••••••••••	
		•••••••••••	•••••	••••
		•••••••••••••••••••••••••••••••••••••••	•••••••••••••	••••
			•••••	
			••••••	••••
		•••••	••••••	••••
				·····
		•••••		
				······
			•	••••
TATE OF OREGON, ss.				
County of Marion,)				
This is to certify that I have examined the fo	regoing application, t	ogether with	the accompanyi	ng
aps and data, and return the same for		7		••••
		•••••		·····
In order to retain its priority, this applica	tion must be returne	ed to the Sto	ite Engineer, wi	ith
rrections on or before	, 19			•
WITNESS my hand this day of	·	***************	19	
,				
		•••••	Ober y Marie Australia	·····
			STATE ENGINEER	•
	By	••••••	ASSISTANI	r
			San Art of San	

PERMIT

STATE	OF	OREGON,			
Count	ta. 0	f A	Tarion	₹	SS.

		0.01 cubic feet	th other water u		1g
************	The use to which t	this water is to be appli	ed is domestic	use for two fami	lies
		this appropriation shall			
<u></u>					
· · · · · · · · · · · · · · · · · · ·	•				
and si	hall be subject to	such reasonable rotati	on system as mo	ly be ordered by the	proper state officer.
		e of this permit isIs			
therec	after be prosecuted	d with reasonable dilig	ence and be com	pleted on or before O	ctober 1, 19.77
		ition of the water to the and this13.th day		•	ore October 1, 19.78
			WAZER R	ESOURCES DIRECTOR	STATE ENGINEER A